

Mini lector de tarjetas de banda magnética de 90mm (Modelo: CR1300)

Presupuesto:

Dimensión	90 mm (L) x 26 mm (W) x 28 mm (H)		
Peso	85 g (aprox.)		
Fuente de alimentación	+ 5V DV \pm 5%		
El consumo de energía	40mA (max.)		
Operación Locus	Uso en interiores		
Tarjeta Estándar	ISO7811 / 7812		
Seguimiento de la Pos ition	ISO 1 (IATA)	ISO 2 (ABA)	ISO 3 (MENTAS)
Densidad de grabación	210 BPI	75 BPI	210 BPI
Capacidad de grabación	79 caracteres (7 bits)	40 caracteres (5 bits)	107 caracteres (5 bits)
Interfaz	USB / Serie		
Grosor de la tarjeta	Plástico 0.76 \pm 0.08mm		
Función de la cabeza	Sólo leer 1.5mm		
Velocidad de operación	10 ~ 150cm / sec		
Vida de cabeza	500,000 pases de tarjeta (1 pase: un golpe)		
Tasa de error	Menos del 0.5% (tarjeta de prueba JSE)		
Temperatura	Almacenamiento: -30 ° C a + 70 ° C Funcionamiento: -20 ° C a + 70 ° C		
Humedad	Almacenamiento: 0% a 95% HR Funcionamiento: 20% a 90% HR		

Detalles del producto:



Mini Magnetic Stripe Card Reader

CR1300

Product Picture





Features

Simple but not easy

Mini reading magnetic stripe card
Compatible with Android System;





All 3 tracks can set to 75/210 BPI;

Long service life (500,000 card passes);



USB or Serial interface;

Suitable for all ISO7811/7812,
ANSI, AAMVA and CA DMV
magnetic cards;



All-round show





Application Area

Financial Banking: Credit Card, Debit Card, Bank Card

Retail: Gift Card, Customer ID, Store ID

Government: Driver License, Health Card, Government ID

Any movable data collection Trade shows, Racing events

Employee's Time / Attendance data collection

Exhibition visitors' data collection, Conference attendants data collection

Card Verification: Age verification

Point of Sales: Payment collection, Credit card data collection

Law Enforcement: DMV card

Attendance: Student ID, Membership Card, Club ID



Parameter

Dimension	90mm(L) x 26mm(W) x 28mm(H)		
Weight	85g(approx.)		
Power Supply	+5V DV $\pm 5\%$		
Power consumption	40mA (max.)		
Operation Locus	Indoor use		
Card Standard	ISO7811/7812		
Track Position	ISO 1 (IATA)	ISO 2 (ABA)	ISO 3 (MINTS)
Recording Density	210 BPI	75 BPI	210 BPI
Recording Capacity	79 Characters (7bits)	40 Characters (5bits)	107 Characters (5bits)
Interface	USB / Serial		
Card Thickness	Plastic 0.76 \pm 0.08mm		
Head Function	Read only 1.5mm		
Operation Speed	10 ~ 150cm/sec		
Life of Head	500,000 card passes (1 pass : one swipe)		
Error Rate	Less than 0.5% (JSE Test card)		
Temperature	Storage : -30°C to +70°C Operating : -20°C to +70°C		
Humidity	Storage : 0% to 95% RH Operating : 20% to 90% RH		

Production Line





Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

✓ Indicates information has been verified onsite by TUV on 2013.7.15

Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

✓ Indicates information has been verified onsite by TUV on 2013.7.15

Certifications



Packing and Shipment



Payment



Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Why you choose us?




Company Profile

**This Assessed Supplier Has Been
Independently Verified**

Build Your Growth On Trust



OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.



OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

Any queries, please contact us immediately, big surprise is waiting for you.

Address: Unit 701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District,
Shenzhen 518054, China:

Websites: <http://www.possolution.com.cn> ; <http://www.ocominc.com> ;

E-mail: ocom@ocominc.com , ocomtech@gmail.com ;

Skype: ocominc2000, ocominc;

MSN: ocomtech@hotmail.com, ocominc@hotmail.com;

Trademanager: szocominc. cn1500439666:

QQ: 2485890637, 190852203

Tel/Fax: +86.755.8605.3207.



Documentos importantes:

¿Quieres saber más producto información?Por favor Haga clic aquí.

[Especificación](#)

[Manual de usuario](#)

[SDK](#)

[Herramientas](#)