Portátil Wireless Barcode Scanner

(Modelo:OCBS-W700)

ESPECIFICACIONES:

Characterstics FÍSICAS	
Fuente de luz:	Visible láser rojo de 650 nm
Dimensiones del scanner:	160mm * 70mm * 40m m(W * H * D)
Peso:	300G
Material:	ABS + PC
Modo de escaneo:	Un análisis de la línea; Manual / Automático
Indicador Way:	Zumbador y luz indicadora
Characterstics RENDIMIENTO	
Ancho de campo:	20mm @ escáner ventana 260 mm @ 260 mm
Profundidad de campo:	4mil (0.1mm) / 5-60mm 5mil (0.12mm) / 10-100mm 10mil (0.25mm) / 15-250mm 35mil (0.89mm) / 140-600mm 43mil (1.1mm) / 150-800mm
Velocidad de escaneo:	120 lecturas / seg
Precision Scan:	0.10mm (pcs0.9)
Contraste de impresión:	Mínimo 30% de diferencia reflexión
Tasa de error:	1 / (6 millones)
Capacidad de decodificación:	Códigos de barras 1D internacionales generales
Actual:	60 mA (de trabajo); □5uA (en espera)
Escaneo Corner:	32 °
Escaneo Elevación:	68 °
Escaneo ángulo de Avertence:	52 °
Frecuencia de trabajo:	2.4GHz
Distancia de comunicación:	100m (Lugares abiertos) 20m (de interior)
Interfaz de comunicación:	USB
Characterstics entorno de usuario	
Especificación de caída:	2m caída libre
Nivel láser:	Nivel-1 estándar de seguridad del láser
Cargue de energía:	Corriente continua5V

Detalles del producto:

Wireless Barcode Scanner

OCPP-W700

Product Picture

2.4GHz
Cordless
barcode
scanner

Features

Simple but not easy
Integrated non-volatile memory (can store about 500 barcodes);
Outside communication distance can

reach 100m, inside is 20m;;

20 scanners can work in the same field without interfering each other;

Plug and play;

www.ocominc.com

All-round show

Parameter

PHYSICAL CHARACTERSTICS	
Light Source	Visible Red Laser 650 nm
Scanner Dimensions(W * H * D)	160mm * 70mm * 40mm
Weight	300G
Material	ABS + PC
Scanning Mode	One line scanning; Manual / Automatic
Indicator Way	Buzzer and Indicator Light
PERFORMANCE CHARACTERSTICS	
Width of Scan Field	20mm@scanner window 260mm@260mm
Depth of Scan Field	4mil (0.1mm)/5-60mm 5mil (0.12mm)/10-100mm 10mil (0.25mm)/15-250mm 35mil (0.89mm)/140-600mm 43mil (1.1mm)/150-800mm

Scan Speed	120 scans/sec
Scan Precision	0.10mm (pcs0.9)
Printing Contrast	Minimum 30% reflection difference
Error Rate	1/(6million)
Decode Capability	International general 1D barcodes
Current	60mA (working); ≤5uA(standby)
Scanning Corner	32°
Scanning Elevation	68°
Scanning Angle of Avertence	52°
Working Frequency	2.4GHz
Communication Distance	100m (Open Places) 20m (Indoor)
Communication Interface	USB
USER ENVIRONMENT CHARACTERSTICS	
Drop Specification	2m free fall
Laser Level	Level-1 laser safety standard
Charge Power	5VDC

Shipping and payment

1. 1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

Company Profile

OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.
OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.
OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.
You can find more information of us at: www.ocominc.com,
Together we quest for the best.

Documentos pertinentes:

¿Quieres saber más inf productoormación?Por favor, Haga clic aquí.

Especificación