

Mini portátil de Bluetooth móvil Android pos impresora térmica de recibos

**(Modelo: OCPP-M082)**

**Presupuesto:**

Dimensiones (W x D x H)	98 x 103 x 45 mm
Peso	280 g
Color	Negro
anchura de impresión efectiva	72 mm
método de impresión	Impresión térmica por línea
comando de impresión	ESC / POS conjunto de instrucciones compatible
La velocidad de impresión	90 mm / seg
Resolución	8 puntos / mm (203DPI)
Imprimir fuentes	En 12X24 / 24x24 en
capacidad de la columna	48 / 24columns
tamaño de la fuente	1,5 x 3,0 mm (anchura x altura) / 3.0x3.0mm (ancho x alto)
Tamaño de papel	Diámetro de 80,0 mm ± 0,1 mm x30.0
de grosor del papel	0.06 a 0.08 mm
Conjunto de caracteres	Alfanumérica / texto chino
Interfaz	USB, RS-232, Bluetooth (opcional)
Destello	256KB
Adaptador de corriente	9V DC / 2A
Energía de la batería	DC / 2000 mA 7.4V; la batería puede permanecer en 4-5 días, cuando está lleno de fuerza, se puede imprimir papel 120-150m
Otras características	detección de papel, detección de la energía, la desconexión manual
Las condiciones de trabajo	Temperatura: -10degreeC~50degreeC Humedad: 10%~90%
Condiciones de almacenaje	Temperatura: -20degreeC~70 degreeC Humedad: 5%~95%
Nombre del dispositivo	Se puede personalizar para seleccionar las letras y números de hasta 30 caracteres ASCII.
Contraseña	Introducir el código de sincronización por defecto "1234" Puede ser personalizado. Máximo 6 Digitals.
Tamaño del cable de alimentación	3.5 * 1.1 mm

	P / N	Descripción
Oinformación dering	OCPP-M082-BB	Con Bluetooth y la batería, supprot Android
	OCPP-M082-BB-AI	Con Bluetooth y la batería, supprot Android y IOS
	OCPP-M082-UB	Con barrery de comunicación USB,
	OCPP-M082-U	Comunicación USB, sin BT, batería
	OCPP-M082-B	Bluetooth Comunicación, sin batería
	OCPP-M082-UC	Comunicación USB, con cargador de coche
	OCPP-M082-BC	La comunicación Bluetooth con cargador de coche
	OCPP-M082-C	personalizada

### Detalles del producto:





## Features

### **Simple but not easy**

Support Windows, Android,  
or iPhone OS;



Bluetooth, USB and  
RS232 communication.

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec.



100km TPH Life.





Low power consumption  
and large capacity  
Lithium battery.

### All-round show





## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,  
Warehouse management, Delivery, Illegal Parking Ticket,  
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation



<b>Overall Dimension (W×D×H)</b>	98×103×45mm
<b>Weight</b>	280g
<b>Color</b>	Black
<b>Effective print width</b>	72mm
<b>Print method</b>	Thermal line printing
<b>Print commands</b>	ESC/POS/STAR compatible command set
<b>Print speed</b>	Up to 90mm/sec
<b>Resolution</b>	8 dots/mm(203dpi)
<b>Print font</b>	12x24/ 24x24
<b>Column capacity</b>	48 columns/24 columns
<b>Character size</b>	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm( W x H)
<b>Paper dimensions</b>	80.0±0.1mm x diameter 30.0mm
<b>Paper thickness</b>	0.06 to 0.08mm
<b>Character set</b>	Alphanumeric/ Chinese Kanji ASCII Font A:12×24 Font B: 9x17 Korean code page 949
<b>Communication Interface</b>	USB/RS-232, Bluetooth
<b>Flash</b>	256KB
<b>Power Adapter</b>	9V DC/1.5A
<b>Battery Power</b>	7.4V DC/ 2000mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
<b>Other features</b>	Paper detection, power detection, Manual shut down
	Temperature:-10 degC ~ 50 degC.Humidity:10% ~

Working conditions	90%
Storage conditions	Temperature:-20 degC ~ 70 degC, Humidity:5% ~ 95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.
Power plug dimension	3.5*1.1mm

## Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.



## Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),  
Together we quest for the best.



## Documentos importantes:

\*[Specification](#)

\*[Manual del programa](#)

\*[Manual de instrucciones](#)

\*[Driver para WinXP Win2000 WinVista Win7 Win8-32bit](#)

\*[Driver para Win7 Win8-64bit](#)

\*[Driver para Linux](#)

\*[Parámetros de la impresora herramientas de ajuste](#)

\*[Printdemo USB\(Demo del software de aplicación\)](#)

\*[Bluetooth Printdemo\(Demo del software de aplicación\)](#)

\*[SDK para Android](#)

\*[discos compactos archivos](#)