

Impresora térmica directa de etiquetas de código de barras de 3 pulgadas (Modelo: OCBP-020)

Características:



El ancho de impresión puede ser ajustable;

El control inteligente de la temperatura hace que la impresora funcione de manera más estable;

Calibración automática;

Alta velocidad de impresión;

Compatible con varias etiquetas de envío.

Especificación

General	
---------	--

Model	OCBP-020
Interfaz	USB/USBBluetooth
Vida útil del cabezal de la impresora	50KM
Adaptador de corriente	Entrada: CA 100-240 V, 50 ~ 60 Hz; Salida: CC 24 V/1,5 A.
Sensores	Sensores de doble medio: transmisivos y reflectantes
Controlador de impresora	Windows, MAC OS, compatible con IOS/Android
Rotación de fuentes y códigos de barras	0°,90°,180°,270°
Comando de impresora	Comando TSPL (CPCL/ESC/POS comando-opcional)
Capacidad de impresión	
Método de impresión	Térmica de línea directa
Resolución	203 ppp
Velocidad de impresión	120 mm/s
Ancho de impresión	20-76 mm
Ancho máximo de papel disponible	80mm
Código de barras y carácter	
Código de barras	Código de barras 1D: UPC-A / UPC-E / JAN13 (EAN13) / JAN8 (EAN8) / CODE39 / ITF / CODABAR / CODE93 / CODE128 Código de barras 2D: Código QR, PDF417
Medios de comunicación	
Tipo de medio	papel continuo, papel para etiquetas, papel plegado, papel para etiquetas
Ancho del medio	Máximo 80 mm
Grosor del medio	0,06-0,30 milímetros
Diámetro del núcleo del medio	25,4 mm
Diámetro del rollo de papel	100 mm (MÁX.)
Físico	
Dimensión física	200*160*139,5mm
Peso	Neto: 1,02 kg, bruto 1,40 kg
Caja del paquete	235*220*170mm
8 en una caja	490*460*360 mm/12 kg
Accesorios	Cable USB, Manual de usuario, Adaptador de corriente

Ambiente	
Temperatura y humedad de trabajo	5 a 40 grados centígrados, 25%~85% Sin condensación
Temperatura y humedad de almacenamiento	-40 a 60 grados centígrados, 10%~90% Sin condensación

3-inch Label Printer

OCBP-020



Windows

MAC OS



Android

IOS



**No ribbon, No ink
Thermal printing.**

Paper can be printed without any consumables
saves time and money.



Easy Installation



Freely adjust the printing width

Compatible with various shipping labels, Removable paper slot adjustable printing width, Large-capacity paper warehouse Reduce frequent paper changes

20-80mm
Print Width

100mm
Paper roll diameter



Adjustment paper range



Support Paper Width 20-80mm

Standard: 020-202020202
Category: B
Product Name: Sweater
Style No.: Z-4747
Specification: XL
Fabric: 93% wool
Registration:
qualified products
\$29.99

Bubble Tea
Taste: Shaobing
Price: 6.00
Time: 02-02-02

Jewellery

Menu
Sirloin steak*3
Mexican rolls*2
Salad*1
Turkey*1
Dessert*3
Mashed potatoes*1
\$29.99



Professional print head, Stable and durable.

With professional thermal print head, stable performance, clear printing and long working life.



Automatic rollback function to prevent paper waste

Automatically induction paper when the printer starts up, and the first piece of paper will automatically return without wasting

-  Gap detection
-  Paper outlet detection
-  Paper shortage detection



Multiple interfaces

Supports USB, Bluetooth and Local area network port optional



USB



Bluetooth



LAN




USB Connection



Bluetooth Connection



LAN Connection



Product Function Structure




Packaging accessories

SMART PRINTING



Beautiful packaging, original accessories



APPLICATION

Applied to supermarkets, warehouse labels;
express bills; office printing, etc.

Office desktop printing



Courier form



Warehouse Label Printing



Documentos importantes:

[Impresora de etiquetas CD](#)

