

OCBS-2010: 2016 USB caliente de mano Módulo Lector de Códigos QR

Modelo No .: OCBS-2010

Característica:

la tecnología de imágenes de alta resolución;
Lectura omnidireccional, fácil de escanear;
Alta compatibilidad para todos los principales símbolos de 1D y 2D;
Se puede leer el código de barras en la pantalla el código de barras y el color;
excelente precisión de exploración 5mil (se puede personalizar según sea necesario);
ajuste de la función especial de múltiples apoyado;
interfaces de múltiples opcionales;

Especificación:

Características de presentación	
Resolución	640 * 480, 256 niveles de gris
Fuente de luz	LED (630 nm ± 10 nm)
Iluminación	0 ~ 100.000 LUX
ángulo de barrido	SR distancia estándar: horizontal: 45 °; Vertical: 30 °
velocidad de escaneado	25 cm / seg
simbología	2D Data Matrix, Matrix 2 de 5, MaxiCódigo, MicroPDF417, Código MSI, PDF417, Código QR, Estándar 2 de 5, Telepen, TLC 39, etc. 1D Australian Post, azteca, BPO, Canada Post, Codabar, Codablock, Code 11, Code 39, Code 93, Code 128 / EAN128, holandés Post, EAN.UCC compuesto, Intercalado 2 de 5, Japan Post, Planeta, Código Plessey, Postnet, RSS, UPC / EAN, etc.
Precisión	≥ 5mil Se puede personalizar según sea necesario
roll	360 °
Tono	65 °
Sesgar	75 °
Características físicas	
Interfaz	RS232 / USB (puerto virtual, sólo son compatibles con los sistemas operativos MS y Mac)
voltaje	5 V DC ± 5%
Corriente	300 mA (trabajando) 40mA (inactivo)
Cable	1.5m
Peso	150 gramo
Dimensiones	170 mm x 100 mm x 75 mm
Entorno de usuario	
operar	-20 ° C a 60 ° C (-4 ° F a 144 ° F)
Temperatura	

Temperatura de almacenamiento	-30 ° C a 70 ° C (-22 ° F a 158 ° F)
Humedad	5% - 95% (sin condensación)
Choque	soltar de 120 cm al concreto Floor

OCBS-2010: 2016 USB caliente de mano Módulo Lector de Códigos QR

Demostración del cuadro



The image shows a handheld QR code reader, model OCBS-2010, against a light blue background. The device is black with a prominent yellow trigger and a yellow protective cap over the lens area. The OCOM logo is visible in the top left corner of the image area, and the model number 'OCBS-2010' is displayed in green text in the top right. The bottom of the image features a blue banner with the website 'www.ocominc.com' and several certification logos including CE, FCC, and others.

ocom
All your side

OCBS-2010

www.ocominc.com

CE FCC



OCBS-2010



www.ocominc.com





OCBS-2010



www.ocominc.com



OCBS-2010: 2016 USB caliente de mano Módulo Lector de Códigos QR

productos de relación

ocom
all your code

OCBS-T009



www.ocominc.com

CE FC

A \$

Detailed description: A black, dome-shaped barcode scanner with a red sensor window and a small display on the front. It sits on a black base.

ocom
all your code

OCBS-T201



www.ocominc.com

CE FC

A \$

Detailed description: A black, upright barcode scanner with a large orange display screen on the front. It has a black base.

ocom
all your code

OCBS-W230



www.ocominc.com

CE FC

A \$

Detailed description: A handheld barcode scanner with a yellow and black body. It has a yellow trigger and a black handle.

ocom
all your code

OCBS-W700



www.ocominc.com

CE FC

A \$

Detailed description: A handheld barcode scanner with a white and black body and a yellow trigger. It has a black base.

ocom
all your code

OCBS-2008



www.ocominc.com

CE FC

A \$

Detailed description: A handheld barcode scanner with a black body and a blue trigger. It has a black base.

ocom
all your code



www.ocominc.com

CE FC

Detailed description: A handheld barcode scanner with a black body and a black trigger. It is connected to a black cable that ends in a USB connector. It has a black base.