

OCBS-2010: Código de barras de Venta caliente etiqueta del lector arma Precio

Modelo No .: OCBS-2010

Característica:

la tecnología de imágenes de alta resolución;
Lectura omnidireccional, fácil de escanear;
Alta compatibilidad para todos los principales símbolos de 1D y 2D;
Se puede leer el código de barras en la pantalla el código de barras y el color;
excelente precisión de exploración 5mil (se puede personalizar según sea necesario);
ajuste de la función especial de múltiples apoyado;
interfaces de múltiples opcionales;

Especificación:

| Características de presentación | |
|--|---|
| Resolución | 640 * 480, 256 niveles de gris |
| Fuente de luz | LED (630 nm ± 10 nm) |
| Iluminación | 0 ~ 100.000 LUX |
| ángulo de barrido | SR distancia estándar: horizontal: 45 °; Vertical: 30 ° |
| velocidad de escaneado | 25 cm / seg |
| simbología | 2D Data Matrix, Matrix 2 de 5, MaxiCódigo, MicroPDF417, Código MSI, PDF417, Código QR, Estándar 2 de 5, Telepen, TLC 39, etc. 1D Australian Post, azteca, BPO, Canada Post, Codabar, Codablock, Code 11, Code 39, Code 93, Code 128 / EAN128, holandés Post, EAN.UCC compuesto, Intercalado 2 de 5, Japan Post, Planeta, Código Plessey, Postnet, RSS, UPC / EAN, etc. |
| Precisión | ≥ 5mil Se puede personalizar según sea necesario |
| roll | 360 ° |
| Tono | 65 ° |
| Sesgar | 75 ° |
| Características físicas | |
| Interfaz | RS232 / USB (puerto virtual, sólo son compatibles con los sistemas operativos MS y Mac) |
| voltaje | 5 V DC ± 5% |
| Corriente | 300 mA (trabajando) 40mA (inactivo) |
| Cable | 1.5m |
| Peso | 150 gramo |
| Dimensiones | 170 mm x 100 mm x 75 mm |
| Entorno de usuario | |
| operar | -20 ° C a 60 ° C (-4 ° F a 144 ° F) |
| Temperatura | |

| | |
|-------------------------------|--------------------------------------|
| Temperatura de almacenamiento | -30 ° C a 70 ° C (-22 ° F a 158 ° F) |
| Humedad | 5% - 95% (sin condensación) |
| Choque | soltar de 120 cm al concreto Floor |

OCBS-2010: Código de barras de Venta caliente etiqueta del lector arma Precio

Demostración del cuadro



The image shows a handheld barcode scanner, model OCBS-2010, with a black body and orange accents. It is positioned against a light blue background with a green wave at the bottom.

ocom
At your side

OCBS-2010

www.ocominc.com

CE FC



The bottom right corner features several certification logos, including CE, FC, and others.



OCBS-2010



www.ocominc.com

CE FC





OCBS-2010



www.ocominc.com



OCBS-2010: Código de barras de Venta caliente etiqueta del lector arma Precio

productos de relación

ocom
all your code

OCBS-T009



www.ocominc.com

CE FC

A \$

Detailed description: A black, dome-shaped barcode scanner with a red sensor window and a small display on the front. It sits on a black base.

ocom
all your code

OCBS-T201



www.ocominc.com

CE FC

A \$

Detailed description: A black, upright barcode scanner with a large orange display screen on the front. It has a black base.

ocom
all your code

OCBS-W230



www.ocominc.com

CE FC

A \$

Detailed description: A handheld barcode scanner with a yellow and black body. It has a yellow trigger and a black handle.

ocom
all your code

OCBS-W700



www.ocominc.com

CE FC

A \$

Detailed description: A handheld barcode scanner with a white and black body and a yellow trigger. It has a black base.

ocom
all your code

OCBS-2008



www.ocominc.com

CE FC

A \$

Detailed description: A handheld barcode scanner with a black body and a blue trigger. It has a black base.

ocom
all your code



www.ocominc.com

CE FC

Detailed description: A handheld barcode scanner with a black body and a yellow trigger, connected to a black base by a long black cable. It has a USB connector at the end of the cable.