

Impresora térmica del recibo de la posición de OCPP-80E-URL

80m m con el cortador auto para el restaurante (Modelo No .: OCPP-80E-URL)

A.Features:

1. Tipo de escritorio o montado en la pared para la opción.
2. Soporta códigos de barras multi 1D e impresión de códigos 2D.
- Puerto Ethernet 3.100M, transmisión de datos a velocidad ultra alta.
4. Soporta 256 KB de almacenamiento de logotipo NV y una memoria intermedia de 2M.
5. Admite la función de recordatorio de orden, compatible con el controlador OPOS.y detección de marca negra(Opcional)
6. Soporta monitor de estado de impresión y función de orden anti-pérdida.

B. Parámetros técnicos:

Método de impresión:	Térmico directo
Velocidad de impresión:	200 mm / s
Ancho del rollo:	79.5 ± 0.5 mm
Diámetro de impresión:	Φ80mm
Grosor del papel:	0.06-0.08 mm
Capacidad de columna:	576 puntos / línea512 puntos / línea
Espaciado entre líneas :	3.75 mm(Ajustable por comandos)
Comando de impresión:	Compatible con el comando ESC / POS
Tipo de interfaz:	USB+Serie 25P/ Puerto paralelo 36P / LAN
dopronuncia vida:	1 millón de cortes
PAGvida de cabeza rint:	100 km
Buffer de entrada :	2048Kbytes
NV Flash:	256Kbytes
Adaptador de corriente:	AC110V / 240V,50 ~ 60Hz
Fuente de alimentación:	DC 24V / 2.5A
Suministro de cajones de efectivo:	DC 24V / 1A
Ambiente de trabajo:	Temperatura (0~45) humedad (10~80%)(Nonorte- condensar)
Ambiente de trabajo:	Temperatura (0-45) grado centígrado, humedad (10-80%) Nonorte- condensar
Entorno de almacenamiento:	Temperatura (-10~60°C); MARIDOl a humedad (10~90%)
Tamaño del personaje:	ANK,FontA: 1.5 * 3.0mm / FontB:1.1 * 2.1 mm
Código de barras:	UPC-A / UPC-E / JA(EAN13)/ JAN8(EAN8 / CODE39 / ITF / CODE93 / CODE128/Código QR/ PDF417 (opciones)
Caracteres:	PC347(Estándar Europa),Katakana,PC850(Plurilingüe),PC860(portugués),PC863(Francés canadiense),PC865(nórdico),Europa occidental,griego,hebreo,Europa del este,Corrí,WPC1252,PC866(Cirílico # 2),PC852(Latin2), PC858,IranII,letón,Arábica,PT151(1251)
Características físicas:	Peso: 1.25kg; Aspecto tamaño: 190 × 145 × 143metrom (largo * ancho * alto)

C. Fotos:



80mm Thermal Printer with Auto Cutter

OCPP-80E



Product Picture



Features:

Reliable with good price



Supports black mark detection and order reminding function, compatible with OPOS driver;



Supports multi 1D barcodes and 2D codes printing;



100M Ethernet port, ultra high speed data transmission;

Supports 256KB NV Logo storage
and 2M big buffer memory;



Desktop or wall-mounted
type for option;



Supports printing status monitor
and anti-losing order function.





Restaurant



Supermarket



Pharmacy



Warehouse



Clothing store



Bookstore

Parameter

Printing method:	Direct thermal
Printing speed:	230mm/s、260mm/s
Roll width:	79.5±0.5mm
Print diameter:	Φ80mm
Paper thickness:	0.06-0.08mm
Column capacity:	576dots/line , 512dots/line
Line's pacing :	3.75mm (Adjustable by commands)
Print command:	Compatible with the ESC/POS command
Interface type:	Serial+USB+Lan/36P parallel port/25P serial +USB/LAN
cutters life:	1million cuts
Print head life:	100 km
Input buffer :	2048Kbytes
NV Flash:	256Kbytes
Power adaptor:	AC110V/240V、50~60Hz
Power supply:	DC 24V/2.5A
Cash drawer supply:	DC 24V/1A
Work environment:	Temperature(0 ~ 45) humidity(10 ~ 80%) (Non- condense)
Work environment:	Temperature(0-45) degree centigrade, humidity(10-80%) Non- condense
Storage environment:	Temperature(-10 ~ 60℃); Humidity(10 ~ 90%)
Character size:	ANK, FontA:1.5*3.0mm/ FontB: 1.1*2.1mm
Barcode:	UPC-A/UPC-E/JA (EAN13) /JAN8 (EAN8/CODE39/ITF /CODE93/CODE128 QRCode
Characters:	PC347 (Standard Europe)、Katakana、PC850 (Multilingual)、 PC860 (Portuguese)、PC863 (Canadian-French)、PC865 (Nordic)、West Europe、Greek、Hebrew、East Europe、 Iran、WPC1252、PC866 (Cyrillic#2)、PC852 (Latin2)、 PC858、IranII、Latvian、Arabic、PT151 (1251)
Physical characteristics:	Weight: 1.25Kg; Appearance size: 190×145×143mm (length * width * height)

Supported Languages:

Afrikaans	Arabic (Tunisia)	English (British)	French (Switzerland)	Latvian	Spanish (Costa Rica)
Albanian	Arabic (Yemen)	English (Canada)	German (Austria)	Lithuanian	Spanish (Dominican)
Arabic (Algeria)	Basque	English (Caribbean)	German (Liechtenstein)	Macedonian	Spanish (Ecuador)
Arabic (Bahrain)	Belarus	English (Irish)	German (Luxembourg)	Polish	Spanish (Guatemala)
Arabic (Egypt)	Bulgarian	English (Jamaica)	German (Standard)	Portuguese (Brazil)	Spanish (Mexico)
Arabic (Iran)	Catalan	English (New Zealand)	German (Switzerland)	Portuguese (Portugal)	Spanish (Panama)
Arabic (Jordan)	Chinese (Singapore)	English (South Africa)	Greek	Romanian	Spanish (Paraguay)
Arabic (Kuwait)	Chinese (Hongkong)	English (US)	Hebrew	Russian	Spanish (Peru)
Arabic (Lebanon)	Chinese (PRC)	Estonian	Hun	Serbian	Spanish (Uruguay)
Arabic (Libya)	Chinese (Taiwan)	Faroese	Icelandic	Slovak	Spanish (Venezuela)
Arabic (Morocco)	Croatian	Farsi	Indonesian	Slovenian	Thai Language
Arabic (Oman)	Czech	Finnish	Italian (Switzerland)	Swedish	Turkish
Arabic (Qatar)	Danish and Norwegian	French (Belgium)	Italian	Spanish (Argentina)	Ukrainian
Arabic (Saudi Arabia)	Dutch (Belgium)	French (Canada)	Japanese	Spanish (Bolivia)	Urdu
Arabic (Syria)	Dutch (standard)	French (Luxembourg)	Korean	Spanish (Chile)	Vietnamese
Arabic (UAE)	English (Australia)	French (Standard)	Vietnamese	Spanish (Colombia)	


Power plug for option:




How to use?

Connecting the printer:

- ▶ The power adapter cable connect to the printer power interface
- ▶ The interface cable connect on the printer port behind
- ▶ The cash drawer connecting cable connect to the printer's behind the cash drawer interface




Installation of paper roll:



- Open the printer cover.
- Install the roller in the roll paper, and put them into the printer.
- Pull out some paper outside the printer and then close the printer cover.
- Close the top cover. Press the printer cover to avoid error position of roll paper.
- Tear-off the paper correctly.

Setting the Printing Mode(DIP switches):

The DIP switches are used to set the printer to perform various functions, such as cutter mode, character set, speed, beeper, print density and etc.



Power indicator:
Turn on/off the printer

Alarm indicator:
When the printer is out of paper, the cutter error occurs or printer head overheats, the ALARM indicator flashes.

Paper indicator:
Both of paper indicator and error indicator are on, means paper end-user, both of paper indicator and error indicator are off, means have paper.

FEED button:
Press to feed paper manually.

Clean of printer:

When the printer has the following conditions should clean the print head:

- ❑ The printer does not clear
- ❑ The page frame lengthways of printer has some not clean
- ❑ Paper feed with a large noise

Printer cleaning steps as follows:

- ✓ Shut off the power of printer, Open the Top Cover; If there is paper, please wipe off the paper;
- ✓ If it just finished a printing, please wait for a while until the print head cooling;
- ✓ With a soft cotton cloth dipped in ethanol (to be wrung) erase the thermal printer head thermal surface dust, stains;
- ✓ As the anhydrous ethanol evaporate completely, closed the top cover, and restart to print.

Production Process

No.	Production Process	No.	Production Process	No.	Production Process
1	 Inspection 1	2	 Soldering	3	 Assembling 1
4	 Assembling 2	5	 Function Test	6	 Ageing Test
7	 Inspection 2	8	 Packing 1	9	 Packing 2

Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours ageing test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments:

✓ Indicates information has been verified onsite by a certification specialist

Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

Certification:




Warranty and After Sales:




- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

Packing and Shipment:



Double wall corrugated board



Double outer cartons

Marks and fragile stickers

Outer protective film



Payment:



secure payment



Aliexpress

PayPal

Trade Assurance

Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Company Profile



TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers , Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.



Why you choose us?



Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Sales Center:

Address: Unit701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan

District, Shenzhen 518054, China

Website: www.ocominc.com www.possolution.com.cn;

E-mail: ocom@ocominc.com, info@possolution.com.cn ;

Tel: +86.755.86053207 ext 800;

Fax: +86.755.86053207 ext 868;

QQ: 2485890637, 190852203;

Wechat: szocominc, hj34924238;

Whatsapp: 008613352932860;



D.FAQ:

1. Garantía

OCOM se dedica a proporcionar los productos y servicios más rentables con la más alta calidad que satisfará la satisfacción de los clientes, nuestra garantía de los productos es de aproximadamente 12 meses a partir del envío normalmente, algunos modelos designados pueden tener hasta 24 meses de garantía. Para la orden total, podemos suministrarle algunas piezas de repuesto para la reparación local. Y después de eso, puede devolver las piezas defectuosas para volver a trabajar.

2. Condiciones de pago

Para la orden total, usted puede pagarnos usando T / T, LC, Western Union, fideicomiso u otros. Sobre la orden de las muestras, T / T, Western Union, fideicomiso, Paypal son aceptables. El servicio de depósito en garantía funciona con Alipay.com. Actualmente, puede pagar con Moneybookers, Visa, MasterCard y transferencia bancaria. También puede pagar con ciertas tarjetas de débito, como Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B y Euro6000.

3. Envío

Aceptamos todo tipo de formas de envío, incluidos: expreso, aéreo, marítimo, automóvil o recogido personalmente por los clientes.

4. Disponibilidad de muestra y & Política

Después de que los clientes confirmaron nuestra especificación, estamos muy contentos de proporcionar muestras para pruebas y calificación. Todas las muestras deben pagarse antes del envío, y el precio de las muestras es un poco más alto que el pedido en masa. Cuando se realiza el pedido masivo, podemos devolverte el costo de las muestras o enviarte más productos con los envíos. Puede comprar las muestras directamente con t / t, western union o paypal. Y también puede comprarlo en nuestra tienda en línea en aliexpress: http://www.aliexpress.com/store/403448?tracelog=minisite_CI El pedido de muestra es necesario antes de lanzarlo a nuestra factoría

5. Servicio post-venta:

* Contamos con la garantía comercial de nivel superior del 1% hasta USD12000 garantizado por alibaba, que puede analizar bien su dinero para garantizar el tiempo de entrega y la calidad de los productos. (1) La garantía de todos los productos no es inferior a un año, algunos modelos incluso hasta dos años de garantía. (2) Se proporcionarán piezas de repuesto para pedidos masivos para el mantenimiento local de los clientes. (3) Tener distribuidores o agentes autorizados en el mercado principal que puedan proporcionar servicios locales de reparación y reemplazo. (4) La administración profesional de CRM asegura el seguimiento rápido de las consultas y pedidos de los clientes. (5) Ventas con muchos años de experiencia en comercio exterior, dominio de idiomas extranjeros y fuerte sentido de responsabilidad. (6) 7 * 24 horas en línea, los días hábiles responden dentro de las cuatro horas, los días de descanso dentro de las 12 horas. 6. Descargar

Puede acceder a <http://www.possolution.com.cn/cn/download.html> descargar controladores, software SDK, especificaciones del producto y manuales de usuario.

7. Video guía

Para ayudar a los clientes a utilizar mejor nuestros productos, hemos grabado y cargado algunas guías de video, las puede encontrar en <http://www.possolution.com.cn/video.html>.

8. política de MOQ

Sin limitación de MOQ para los productos estándar, pero el precio unitario es diferente. Para la producción personalizada, puede discutir el MOQ con nuestro representante de ventas.

9. Solicite un presupuesto

Solicite una cotización en <http://www.possolution.com.cn/inquiry.html> MI.

Empresa: OCOM es uno de los principales proveedores de productos de punto de venta y de identificación automática que está calificado por la compañía Global Fortune 500. Tenemos la garantía de Garantía de Comercio de primer nivel.

La cartera de productos de OCOM abarca Impresora térmica, Impresora de códigos de barras, Impresora matriz DOT, Escáner de código de barras, Recolector de datos, Máquina POS y

otros productos periféricos POS, que se utilizan ampliamente para venta minorista, restaurantes, banca, lotería, transporte, logística y otras aplicaciones. Tenemos CE, FCC y otras certificaciones requeridas.

Desde su creación en junio de 2007, OCOM se ha mantenido fiel al sistema de calidad de ISO9001: 2008. Nos enfocamos en la calidad de los productos confiables y el precio competitivo. Servimos a más de 1300 clientes en 133 países, 40 de ellos son los mayores distribuidores en su territorio. Nuestros principales mercados se encuentran en Europa, Australia y en rápido crecimiento en Sudamérica y África. La lista de clientes incluye famosos Unilever, O2, Equicom ...

La misión de OCOM es ser una opción atractiva para nuestros socios, basada en nuestras tres creencias básicas "Integridad basada, esforzarse por la excelencia, cooperación de beneficio mutuo", nos gustaría establecer alianzas estables y confiables con clientes de todo el mundo. OEM / ODM es bienvenido.

Juntos buscamos lo mejor.

F.Contacto:

Contacto: Harold Hu

OCOM Technologies Limited

Dirección: 4 / F, bloque 10, parque industrial Zhongxing, carretera Chuangye, distrito de Nanshan,

Shenzhen 518054, China;

Sitio web: www.ocominc.com, www.possolution.com.cn;

E-mail: sales14@ocominc.com;

Skype: [sales14@ocominc.com](https://www.skype.com/people/sales14@ocominc.com)

MSN: ocomsales14@hotmail.com;

Whatsapp: 0086.18948789890;

Wechat: 0086.18948789890;

Móvil: 0086.18948789890;

QQ: 1467261417;

Tel: 0086.755.86053207-814;

Fax: 0086.755.86053207-868;