Caracteristicas:

Soporta Windows, JAVA, Android, IOS o Android + IOS OS;
USB, comunicación RS-232, Bluetooth (opcional);
Indicador de carga de la batería para un fácil acceso a la energía restante.
Modifique el nombre y la contraseña de la impresora Bluetooth en línea;
Soporte de código QR;
Mayor velocidad de impresión de 90 mm / seg .;
100 km de vida TPH;
Baterías de litio de baja potencia y gran capacidad;
Adaptador de corriente estándar para cargadores de automóviles.

Especificaciones del producto:

Dimensiones (ancho × profundidad × altura)	105 × 75 × 45 mm
Peso	134 gramos
Color	Negro
Ancho de impresión efectivo	48 mm
Método de impresión	Impresión de línea caliente
Orden de impresión	Conjunto de comandos compatible ESC / POS
Velocidad de impresión	Hasta 90 mm / seg
Resolución	8 puntos / mm (203 ppp)
Imprimir fuente	12x24 / 24x24
Capacidad de la columna	32 columnas / 16 columnas
Tamaño del personaje	1.5 x 3.0 mm (ancho x alto) / 3.0 x 3.0 mm (ancho x alto)
Tamaño del papel	58.0 ± 0.1 mm x diámetro 40.0 mm
Grosor del papel	0.06 a 0.08 mm
Juego de caracteres	Caracteres alfanuméricos / chinos
Interface	USB, RS-232, Bluetooth (opcional)
Flash	256 KB
Adaptador de corriente	9V DC / 2A
Energía de la batería	7.4V DC / 1500mA; la batería puede durar de 4 a 5 días, cuando está a plena potencia, puede imprimir de 120 a 150 metros de papel
Otras características	Detección de papel, detección de potencia, apagado manual
Ambiente de trabajo	Temperatura: -10 ° C ~ 50 ° C, humedad: 10% ~ 90%
Condición de almacenamiento	Temperatura: -20 ° C ~ 70 ° C, humedad: 5% ~ 95%
Nombre del dispositivo	Opciones personalizables, alfa y numéricas, hasta 30 caracteres ASCII.

Product Picture

Features

Simple but not easy

Battery charge indicator, easy to know rest power.

Higher print speed 90mm/sec

Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication

Higher print speed 90mm/sec.
100km TPH Life

Low power consumption and large capacity Lithium battery.

All-round show

Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery

Restaurant

Bus / Taxi Receipt

Traffic Citation

Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232，Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation

A Open the printer cover.

B Install the roller in the roll paper, and put them into the printer.

C Pull out some paper outside the printer and then close the printer cover.

D Close the top cover. Press the printer cover to avoid error position of roll paper.

E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile

OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.

Monica Fu

OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China
Tel: 0086.755.8605.3207 ext 801
Fax: 0086.755.8605.3207 ext 868
Web: www.ocominc.com
E-mail: sales01@ocominc.com, sales01@ocomtech.com.cn
Skype: ocomsales01; **MSN**: ocomsales01@hotmail.com
Ali TM: cn1001868228; **QQ**: 1483705401
Mobile/Wechat/Whatsapp: 0086.189 4871 3992

Reliable One-Stop Supplier for POS and Auto-ID Related Products