

Windows15 pulgadas All-in-one Touch Screen POS Machine

(M / N .: POS 8619)

Principales características

Intel Celeron J1900 Quad core 2.0GHZ
Unidad de disco duro SSD de 32 GB (predeterminada), SSD de 64 GB y SSD 120G para opcional
Pantalla táctil resistiva de 5 cables (predeterminada), pantalla capacitiva para opcional
Pantalla de cliente VFD para opcional

Solicitud

Catering: hotel, restaurante, restaurante de comida rápida, cafetería, panadería y pastelería.
Minorista: Business Street, boutique, grandes almacenes, tienda de cosméticos y peluquería de primera clase.
Recreación: sauna, spa, discoteca, parque temático, casino y puntos de venta para el boleto de lotería
Comercial: terminales de gestión de información para estacionamiento, posada, aviación, metro, estación y muelle.

Especificación

Modelo	POS -8619
Color opcional	En blanco y negro
Periféricos opcionales	VFD220E
Tablero principal	Procesador Intel Celeron
JPC	Intel Celeron J1900 Quad core 2.0GHZ
Chipset	Intel NM70
Soporte de memoria	DDRIII 1333 * 1 2GB (predeterminado)
Conductor duro	SSD 32GB (por defecto)
Tamaño del panel LCD	TFT LCD de 15 pulgadas
Brillo	350cd / m ²
Resolución	1024 * 768 (max)
Pantalla táctil	Pantalla táctil resistiva de 5 hilos
Ángulo de visión	Horizonte: 150; Vertical: 140
Puerto de entrada / salida	1 * botón de encendido 12V DC en jack * 1 Serial * 1 DB9 macho * 2 HDMI * 1 VGA (15Pin D-sub) * 1 LAN: RJ-45 * 1 USB (2.0) * 6 Salida de audio * 1 MIC IN * 1
Temperatura de almacenamiento	-20 °C a 60 °C
Conformidad	FCC clase A / CE Mark / LVD / CCC
Dimensión / peso del embalaje	410 * 310 * 410mm / 7.6 Kgs
Sistema operativo	Windows XP anterior, incrustado, WE POS, Linux
Adaptador de corriente	110-240V / 50-60HZ CA, entrada DC12 / 5A salida puesta

Descripción del producto



Product Picture



Features



Parameter

Model	POS-8619
Optional Color	Black or White
Optional Peripherals	VFD220E
Main Board	Intel Celeron Processor
CPU	Intel Celeron J1900 dual core 1.8GHZ
Chipset	Intel NM70
Memory Support	DDR3 1066/1333*1 2GB (default)
Hard Drive	SSD 32GB (default)
LCD panel Size	15 inch TFT LCD
Brightness	350cd/m ²
Resolution	1024*768(max)
Touch Screen	5 wire resistive touch screen
View Angle	Horizon: 160, Vertical: 140
	1* power button 12V DC in jack*1 PS2KB/M5*1 Serial*1 DB9 male Parallel*1 DB25 Parallel port VGA(15Pin D-sub)*1 LAN RJ-45*1 USB2.0*6 Audio out*1 MIC IN*1
I/O port	
Operating temperature	0°C to 40°C
Storage temperature	-20°C to 60°C
Compliance	FCC Class A/CE Mark/VDI/CCC
Packing dimension/ Weight	410*310*410mm / 7.8 Kg
Operating System	Windows XP above, Embedded WEPOS Linux
Power adapter	110-240V/50-60HZ AC power, Input DC12V/5A out put

Production Line



Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

✓ Indicates information has been verified onsite by TÜV on 2012.12.15

Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TÜV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

All-round show



Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No information	5
✓	Withstand Voltage Tester	CC257A	1
✓	Oscilloscope	TEB102	1
✓	DC Power Supply	PS-3550M	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No information	13

✓ Indicates information has been verified onsite by TÜV on 2012.12.15

Certifications



Application Area



Packing and Shipment



Monica Fu



OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Tel: 0086.755.8605.3207 ext 801

Fax: 0086.755.8605.3207 ext 868

Web: www.ocominc.com

E-mail: sales01@ocominc.com, sales01@ocomtech.com.cn

Skype: ocomsales01; **MSN:** ocomsales01@hotmail.com

Ali TM: cn1001868228; **QQ:** 1483705401

Mobile/Wechat/Whatsapp: 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products