

**58mm pequeño móvil Bluetooth MobilePos Impresora térmica de recibos
(Modelo: OCPP-M03)**

Especificación:

Dimensiones (W x D x H)	105 x 75 x 45 mm
Peso	134 g
Color	Negro
Ancho de impresión efectivo	48 mm
Método de impresión	Impresión de líneas térmicas
Comando de impresión	Conjunto de instrucciones compatible ESC / POS
Velocidad de impresión	Hasta 90 mm / s
Resolución	8 puntos / mm (203DPI)
Imprimir fuente	En 12X24 / 24x24 in
Capacidad de la columna	32 / 16columns
Tamaño del personaje	1,5 x 3,0 mm (anchura x altura) / 3,0 x 3,0 mm (anchura x altura)
Tamaño de papel	Diámetro de 58,0 mm a \pm 0,1 mm x 40,0
Espesor del papel	0,06 a 0,08 mm
Conjunto de caracteres	Texto alfanumérico / chino
Interfaz	USB, RS-232, Bluetooth (opcional)
Destello	256 KB
Adaptador de corriente	9V DC / 2A
Energía de la batería	El DC / 1500 mA 7.4V; La batería puede permanecer en 4-5 días, cuando está lleno de fuerza, puede imprimir el papel 120-150M
Otras características	Detección de papel, detección de energía, cierre manual
Las condiciones de trabajo	Temperatura: -10Celsius ~ 50CelsiusHumidity: 10% ~ 90%
Condiciones de almacenaje	Temperatura: -20Celsius ~ 70CelsiusHumidity: 5% ~ 95%
Nombre del dispositivo	Puede personalizarse para seleccionar letras y números de hasta 30 caracteres ASCII.
Contraseña	Código de emparejamiento de entrada predeterminado "1234" Se puede personalizar. Máximo 6 dígitos.
Tamaño del enchufe de alimentación	3,5 * 1,1 mm

Información sobre pedidos	P / N	Descripción
	OCPP-M03-BB	Con Bluetooth y la batería, supprot Android
	OCPP-M03-BB-AI	Con Bluetooth y la batería, supprot Android e IOS
	OCPP-M03-UB	Con Barrery USB Communication,
	OCPP-M03-U	Comunicación USB, sin BT, batería
	OCPP-M03-B	Comunicación Bluetooth, sin batería
	OCPP-M03-UC	Comunicación USB, con cargador de coche
	OCPP-M03-BC	Comunicación Bluetooth con cargador de coche
	OCPP-M03-C	Otros Personalizados



Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.



Documentos importantes:

*[Especificación](#)

*[Manual del programa](#)

*[Manual de instrucciones](#)

*[Conductor Para Windows](#)

[*Driver para Linux](#)

[*Parámetros de la impresora Herramientas de configuración](#)

[*USB Printdemo\(Demostración de software de aplicación\)](#)

[*Bluetooth Printdemo\(Demostración de software de aplicación\)](#)

[*SDK para Android](#)

[*discos compactos Archivos](#)

PREGUNTAS MÁS FRECUENTES: