

## 3inches BluetoothLabel imprimante thermique (M / N: OCBP -M80)

### Fonctionnalité:

1. étiquette de impression autocollant et reçu papier
2. Facile à définir la densité d'impression et la langue
3. Multi-interface and support de format de papier différent
4. LCD display peut afficher les paramètres de l'imprimante
5. Imprimez rapidement les codes à barres et les formulaires.
6. Prise en charge de plusieurs capteurs marque noire ed, Intervalle d'étiquette et détection de fin de papier

Méthode d'impression	Ligne thermique
Vitesse d'impression	80mm / s (papier thermique)
	70mm / s (autocollant étiquette)
Résolution	8 points / mm
	576 points / ligne
Largeur d'impression effective	72mm / 48mm / 37.5mm
Jeu de caractères	ASCII, GB18030 (chinois), BIG5, Codepage
Police d'impression	Police A: 12 * 24; Police B: 8 * 16
Personnage auto-défini	Oui
Type de papier	Papier thermique / papier d'étiquette
Largeur du papier	80mm / 58mm / 44mm pour papier thermique
Diamètre du rouleau de papier	40mm (max.)
Diamètre intérieur du noyau de roulement	13mm (min.)
Epaisseur Du Papier	0,06 ~ 0,16 mm
Méthode d'approvisionnement en papier	Chargement facile du papier
TPH	50 km
code à barre	1D: EAN-13, EAN-8, UPC-A, UPC-E, CODE39, CODE93, CODE128, CODABAR, ENTRELACÉ 25
	2D: PDF417, QR CODE, Matrice de données
Commander	CPCL / ESC- POS
Chauffeur	Windows 98 / ME / 2000 / NT / XP / 2003 Serveur / Vista / Win7 / Win 8
Capteur	Capteur de fin de papier, marque noire, intervalle d'étiquette
Interface	USB / Bluetooth
Bouton	Puissance, Avance, Mode
Indicateur	Puissance, Avance, Mode
Mémoire	Flash: 512kb; RAM: 128 Ko


Recevoir la taille de la mémoire tampon	32K
SDK	Windows CE; Windows Mobile 5.0 / 6.0; Symbian; Blackberry et Android
Multi langues	46 pages de code
Alimentation (adaptateur)	DC8.4V / 1A
Puissance de la batterie	Batterie Li-ion rechargeable de 7,4 V, 1,65 A, 1400 mAh
Charge de la batterie	100m d'impression en continu
Temps de charge	moins de 3 heures
Durée de la batterie	360 heures
Poids net	196g
Poids brut	360g (avec papier pour batterie et rouleau)
Dimension de l'imprimante (WxLxH)	104mm x109mm x 48mm
Couleur	Noir
Exploitation temporaire	-10-50 ° C
humidité d'exploitation	10% à 80%
Application	Restaurants, Grands magasins, Cuisine, Dépanneurs, Détaillants spécialisés, Supermarché
Accessoires	Batterie, câble USB du chargeur, lecteur de CD, étui en cuir et rouleau de papier
	Option: chargeur de véhicule
Taille du paquet	210mm x 155mm x 90mm (1.5kg)




# 3 Inches Bluetooth Thermal Label Printer OCBP-M80



Product Picture





## Features:

Support label sticker  
and receipt paper printing



LCD display can show the  
printer parameter settings



Easy to set the print language and density



Multiple Sensor Supported Black mark, Label interval and Paper end detection

## Application Area



Traffic police enforcement



Logistics transportation



Drug regulatory



Warehouse



Supermarket



File management



Library



Hospital

## Parameter

Printing Method	Thermal Line
Printing Speed	80mm/s ( Thermal Paper ) 70mm/s ( Label Sticker )
Resolution	8 dots/mm 576 dots/line
Effective Printing Width	72mm/48mm/37.5mm
Character Set	ASCII, GB18030 (Chinese), BIG5, Codepage
Print Font	Font A: 12*24; Font B: 8*16
Self-defined Character	Yes
Paper Type	Thermal paper/Label Sticker
Paper Width	80mm/58mm/44mm for thermal paper
Paper Roll Diameter	40mm(max.)
Roll Core Inner Diameter	13mm(min.)
Paper Thickness	0.06~0.16mm
Paper Supply Method	Drop-in easy paper loading

TPH	50km
Barcode	1D: EAN-13, EAN-8, UPC-A, UPC-E, CODE39, CODE93, CODE128, CODABAR, INTERLEAVED 25
	2D: PDF417, QRCODE, DATA Matrix
Emulation	CPCL/ESC-POS
Driver	Windows 98 / ME / 2000 / NT / XP / 2003 Server/Vista/Win7/Win 8
Sensor	Paper End Sensor,Black Mark, Label Interval
Interface	USB/Bluetooth
Button	Power, Feed, Mode
Indicator	Power, Feed, Mode
Memory	Flash: 512kb; RAM: 128kb
Receive Buffer Size	32K
SDK	Windows CE; Windows Mobile 5.0/6.0; Symbian; Blackberry and Android
Multi-languages	46 codepages
Power Supply (Adapter)	DC9V/2A
Battery Power	7.4V, 1.65A rechargeable Li-ion battery
Battery Charge	100m continuous printing
Charge Time	less than 3 hours
Battery Duration	360 hours
Net Weight	196g
Gross Weight	360g (Including battery & roll paper)
Printer Dimension(WxLxH)	104mm x109mm x 48mm
Color	Black
Operating Temp	-10-50Celsius
Operating Humidity	10%-80%
Application	Restaurants, Department Stores, Kitchen, Convenience Stores, Specialty Retail, Supermarket
Accessories	Battery,Charger USB Cable,CD Driver,Leather Case and Paper-roll
	Option: vehicle charger
PackageSize	210mm x 155mm x 90mm(1.5kg)

### Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE. FCC. TUV. RoHs and



other certifications. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

## Test Equipments:


✓ Indicates information has been verified onsite by a certification specialist

### Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

## Certification:



## Warranty and After Sales:





- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7\*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

### Packing and Shipment:




Double wall corrugated board



Double outer cartons



Marks and fragile stickers



Outer protective film



### Payment:



secure payment



## Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



## Company Profile

||| **Company Profile**



### TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .

**Documents pertinents:**

[OCBP -M80 Spec](#)