# 58mm Mini Ticket imprimante thermique (Modèle: OCPP-582)

### **Spécifications:**

| Procédé d'impression     | Thermique directe   |
|--------------------------|---|
| Imprimer la police       | FONT A: 33 ou 35; FONT B: 40 ou 42  |
| La taille des caractères | A la police: 12 × 24; B de la police: 9 × 17; Chine: 24 X 24              |
| Barcode                  | JAN13(EAN13)JAN8(EAN8)CODE39  |
| commande d'impression    | Compatible avec EPSON ESC / POS   |
| Langue                   | support de la langue de l'acheteur  |
| Caractère par ligne      | 384dots / ligne (203DPI)  |
| La vitesse d'impression  | 90 mm / sec   |
| Largeur du papier        | 57,5 ± 0,5 mm   |
| L'épaisseur du papier    | 0.06-0.08mm   |
| MCBF (la vie)            | 50 km   |
| Dimension                | 235X145X125mm   |
| Poids brut               | 2.6kg   |
| Cutter automatique       | cutter manuel   |
| Capteur                  | Papier Near End, capteur Fin papier, couverture capteur d'ouverture       |
| Rouleau de papier        | φ65mm   |
| Interface                | Parallèle, USB, LAN   |
| Conducteur               | Win 9x / ME Win / Win 2000 / Win 2003 / Win NT / Win XP / Windows Vista / |
|                          | Windows 7 / Linux   |
| Source de courant        | DC12V / 3A  |

### Détails du produit:





## Simple but not easy

High speed, long lifetime, high quality, low repair rate, applicable for various software









# All-round show



### Application Area

Food delivery, restaurant, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Price Tag, Retail/Farm










### Parameter

| Printing method    | Direct thermal  |
|--------------------|---|
| Print font         | FONT A: 33 or 35; FONT B: 40 or 42                                  |
| Character size     | Font A: 12 × 24; Font B: 9 × 17; Chinese: 24 X 24                   |
| Barcode            | JAN13 (EAN13) JAN8 (EAN8) CODE39                                    |
| Printing command   | compatible with EPSON ESC/POS                                       |
| Language           | Buyer language support  |
| Character per line | 384dots/line (203DPI)   |
| Printing speed     | 90mm/sec  |
| Paper width        | 57.5±0.5mm  |
| Paper thickness    | 0.06-0.08mm   |
| MCBF(life)         | 50km  |
| Dimension          | 235X145X125mm   |
| Gross weight       | 2.6KG   |
| Auto cutter        | manual cutter   |
| Sensor             | Paper Near End Sensor, Paper End Sensor, Cover open                 |
| Roll paper         | φ65mm   |
| Interface          | Parallel, USB, LAN  |
| Driver             | Win 9X/Win ME/Win 2000/Win 2003/Win NT/Win XP/Win Vista/Win 7/Linux |





### Connection







- a. Plug the DC cord connector into the printer's power connector...
- b. Plug the data cable connector into the printer's interface connector.
- C. Plug the drawer cable into the drawer kick-out connector on the back of the printer next to the interface connector.

### Shipping and payment

- 1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
- 2. EXPRESS: around 3-7 working days to arrive
- 3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
- 4. By sea: depend on which destination port
- 5. T/T
- Western Union
- 7. Escrow
- 8. L/C



### Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT prod-



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.













### **Documents pertinents:**

- \*Spécification
- \*IP Manuel Configurer adresse
- \*Manuel d'instruction
- \* Pilote pour tous les système Windows
- \*Pilote pour Linux
- \*Paramètres de l'imprimante Réglage Outils
- **\*CD Fichiers**