

**58mm petite poche Bluetooth mobile Pos Imprimante à reçu thermique
(Modèle: OCPP-M03)**

Spécifications:

Dimensions (L x P x H)	105 × 75 × 45mm
Poids	134 g
Couleur	Noir
Largeur d'impression effective	48 mm
Procédé d'impression	Impression thermique en ligne
commande Imprimer	ESC / POS de jeu d'instructions compatibles
La vitesse d'impression	Pour 90mm / sec
Résolution	8 points / mm (203DPI)
Imprimer la police	Dans 12X24 / 24x24 dans
la capacité de la colonne	32 / 16columns
La taille des caractères	1,5 × 3,0 mm (largeur x hauteur) / 3.0x3.0mm (largeur x hauteur)
Taille du papier	Diamètre de 58,0 mm ± 0,1 mm à x40.0
Épaisseur du papier	De 0,06 à 0,08 mm
Jeu de caractères	Alphanumérique / texte chinois
Interface	USB, RS-232, Bluetooth (en option)
Flash	256KB
Adaptateur secteur	9V DC / 2A
Alimentation par batterie	Le DC / 1500 mA 7.4V; batterie peut rester en 4-5 jours, quand il est plein de force, elle peut imprimer du papier 120-150M
Autres Caractéristiques	la détection de papier, détection de puissance, a stoppé manuellement
Les conditions de travail	Température: -10Celsius ~ 50CelsiusHumidity: 10% ~ 90%
Les conditions de stockage	Température: -20Celsius ~ 70CelsiusHumidity: 5% ~ 95%
Nom de l'appareil	Peut être personnalisé pour sélectionner les lettres et les nombres jusqu'à 30 caractères ASCII.
Mot de passe	Entrée par défaut d'appariement code "1234" Il peut être personnalisé. Maximum 6 digitales.
Taille de la fiche d'alimentation	3.5 * 1.1 mm

Informations de commande	P / N	Description
	OCP-PP-M03-BB	Avec Bluetooth et la batterie, Support Android
	OCP-PP-M03-BB-AI	Avec Bluetooth et la batterie, Support Android et IOS
	OCP-PP-M03-UB	Avec Communication USB Batterie,
	OCP-PP-M03-U	Communication USB, sans BT, Batterie
	OCP-PP-M03-B	Bluetooth Communication, sans batterie
	OCP-PP-M03-UC	Communication USB, avec chargeur de voiture
	OCP-PP-M03-BC	Communication Bluetooth avec chargeur de voiture
	OCP-PP-M03-C	Personnalisés



Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com, Together we quest for the best.



Documents pertinents:

*[Spécification](#)

*[Manuel du programme](#)

*[Manuel d'instruction](#)

*[Driver for WinXP Win2000 WinVista Win8-32bit](#)

[*Pilote pour Win8-64bit](#)

[*Pilote pour Linux](#)

[*Paramètres de l'imprimante Réglage Outils](#)

[*USB Printdemo\(Application Software démo\)](#)

[*Bluetooth Printdemo\(Application Software démo\)](#)

[*SDK pour Android](#)

[*CD Fichiers](#)

Vidéos Connexes:

[Comment le ocpp-m05-bb est fonctionne via le câble Bluetooth et USB](#)

[OCPP-M05-BB-je travailler avec Android et IOS Système](#)

[Vidéo pour le travail OCPP-M05 avec tablette andriod via un câble USB](#)

FAQ: