

58MM Bluetooth imprimante thermique portable de soutien Android imprimante thermique

Caractéristiques:

Support de Windows, Java, Android

Bluetooth, port USB

Une plus grande vitesse d'impression de 90 mm / sec.

100 km TPH vie.

Faible consommation d'énergie et une grande capacité de la batterie au lithium.

Spécifications:

Global Dimensions (L x P x H)	105 x 75 x 45 mm
Poids	134g
Couleur	Noir
Largeur d'impression efficace	48mm
Méthode d'impression	Impression thermique en ligne
Les commandes d'impression	ESC / POS commande set compatible
Vitesse d'impression	Jusqu'à 90 mm / sec
Résolution	8 points / mm (203 dpi)
Imprimer police	12x24 / 24x24
la capacité de la colonne	32 colonnes / 16columns
Taille des caractères	1,5 x 3,0 mm (L x H) / 3.0x3.0mm (L x H)
Dimensions du papier	58,0 ± 0,1 mm x diamètre 40.0mm
L'épaisseur du papier	0,06 à 0,08 mm
Jeu de caractères	Alphanumérique / chinois Kanji
Interface	USB, Bluetooth
Tampon de données	Jusqu'à 5K octets
Adaptateur secteur	9V DC / 2A
Batterie	7.4V DC / 1500mA; batterie peut rester en pendant 4-5 jours, quand elle est pleine puissance, il peut imprimer 120-150M papier
D'autres caractéristiques	la détection de papier, détection de puissance, arrêt manuel bas
Les conditions de travail	Température: -10-50Degree, Humidité: 10% -90%
Les conditions de stockage	Température: -20-70Degree, Humidité: 5% à 95%
Nom de l'appareil	Peut être personnalisé, lettre et numérique pour l'option, au maximum 30 ASCII caractères.
Mot de passe	Entrez le code d'appariement par défaut "1234", il peut être personnalisé. Au maximum 6 digitales.
La fiche d'alimentation dimension	3.5 * 1.1mm



58mm Bluetooth Thermal Printer for Andorid or IOS system

OCPP-M03



Product Picture





Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows, Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com, Together we quest for the best.

