

Mini bluetooth mobile Android portable pos imprimante ticket thermique

(Modèle: OCPP-M082)

Caractéristiques:

Dimensions (L x P x H)	98 x 103 x 45mm
Poids	280 g
Couleur	Noir
largeur d'impression efficace	72 mm
Méthode d'impression	Impression thermique en ligne
commande Imprimer	ESC / POS jeu d'instructions compatibles
Vitesse d'impression	90 mm / s
Résolution	8 points / mm (203DPI)
Imprimer la police	Dans 12X24 / 24x24 dans
Capacité de la colonne	48 / 24columns
Taille des caractères	1,5 x 3,0 mm (largeur x hauteur) / 3.0x3.0mm (largeur x hauteur)
Taille du papier	Diamètre de 80,0 mm ± 0,1 mm x30.0
Épaisseur du papier	De 0,06 à 0,08 mm
Jeu de caractères	Alphanumeric / Texte chinois
Interface	USB, RS-232, Bluetooth (en option)
Flash	256KB
Adaptateur secteur	9V DC / 2A
alimentation par batterie	DC / 2000 mA 7.4V; la batterie peut rester en 4-5 jours, quand il est plein de force, elle peut imprimer du papier 120-150M
Autres caractéristiques	détection de papier, détection de puissance, arrêtez manuellement vers le bas
Les conditions de travail	Température: -10degreeC~50degreeC Humidité: 10%~90%
Conditions de stockage	Température: -20degreeC~70 degreeC Humidité: 5%~95%
Nom de l'appareil	Peut être personnalisé pour sélectionner des lettres et des chiffres jusqu'à 30 caractères ASCII.
Mot de passe	Entrée par défaut le code d'association "1234" Il peut être personnalisé. Maximum 6 digitals.
Taille de la prise d'alimentation	3,5 * 1,1 mm

	N / P	La description
Ouinformations dering	OCPP-M082-BB	Avec Bluethooth et la batterie, Supprot Android
	OCPP-M082-BB-AI	Avec Bluethooth et la batterie, Supprot Android et IOS
	OCPP-M082-UB	Avec Communication USB Barrery,
	OCPP-M082-U	Communication USB, sans BT, Batterie
	OCPP-M082-B	Bluetooth Communication sans batterie
	OCPP-M082-UC	Communication USB, avec chargeur de voiture
	OCPP-M082-BC	Bluetooth Communication avec chargeur de voiture
	OCPP-M082-C	Autres Customized

Détails du produit:





Features

Simple but not easy

Support Windows, Android,
or iPhone OS;



Bluetooth, USB and
RS232 communication.

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec.



100km TPH Life.





Low power consumption
and large capacity
Lithium battery.

All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation



Overall Dimension (W×D×H)	98×103×45mm
Weight	280g
Color	Black
Effective print width	72mm
Print method	Thermal line printing
Print commands	ESC/POS/STAR compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	48 columns/24 columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(W x H)
Paper dimensions	80.0±0.1mm x diameter 30.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji ASCII Font A:12×24 Font B: 9x17 Korean code page 949
Communication Interface	USB/RS-232, Bluetooth
Flash	256KB
Power Adapter	9V DC/1.5A
Battery Power	7.4V DC/ 2000mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
Other features	Paper detection, power detection, Manual shut down
	Temperature:-10 degC ~ 50 degC.Humidity:10% ~

Working conditions	90%
Storage conditions	Temperature:-20 degC ~ 70 degC, Humidity:5% ~ 95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.
Power plug dimension	3.5*1.1mm

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.



Documents pertinents:

- *[SPÉCIFICATIion](#)
- *[Manuel du programme](#)
- *[Manuel d'instructions](#)
- *[Driver for WinXP Win2000 WinVista Win7 Win8-32bit](#)
- *[Pilote pour Win7 Win8-64bit](#)
- *[Pilote pour Linux](#)
- *[Paramètres de l'imprimante Réglage Outils](#)
- *[USB Printdemo\(Application Software demo\)](#)
- *[Bluetooth Printdemo\(Application Software demo\)](#)
- *[SDK Pour Android](#)
- *[CD Fichiers](#)