

Mini USB lecteur de codes barres laser

(OCBS-LA11)

Caractéristique:

✖1. Handheld code à barres laserscanner avec la fonction de détection automatique;

2. Flexible opération avec 360 degrés support en métal rotation;

Vitesse de balayage 3. High (100 scans / sec) et longue distance de lecture;

4. Excellente capacité de décodage;

5. KBW, RS232 et USB pris en charge;

6. Gris et Noir Couleur disponible

Un cahier des charges:

Performance Les caractéristiques	
Lumière La source:	Visible laser (650-670nm)
Balayage Taux:	100 balayages par seconde
En train de lire Distance	2.5 ~ 600mm (100% UPC / EAN)
Type de scanner:	Bi-directional
Résolution:	0.10mm (4mil) PCS 0.9
Contraste d'impression minimum:	30%, de réflexion minimum différence (@ 650nm)
Taux d'erreur:	1/3000000
Capacité de décodage:	UPC / EAN, UPC / EAN avec Supplementals, UCC / EAN128, Code 39, Code 39 ASCII complet, le code 39 Trioptic, Code 128, le code ASCII 128 complète, codabar, 2 parmi 5 entrelacé, discrète 2 de 5, Code 93, MSI, le code 11, ATA, RSS variantes, chinois 2 de 5 ...
Physique Les caractéristiques	
Interfaces prises en charge:	PS2, RS232, USB
Tension:	DC + 5V +/- 5%
Actuel:	100 mA
Courant de repos:	& lt; 40 mA
Source d'énergie:	Puissance ou externe Hôte (RS232) alimentation
Angle de balayage	Inclination 45 ° 60 ° Altitude
Dimensions:	L165mm X X W63mm H87mm
Poids:	129g (sans support)
Supporter	Optionnel
Couleur:	Gris et noir
Utilisateur Milieu	
en fonctionnement Température:	0 °C ~ 40 °C
Espace de rangement Température:	-40 °C ~ 60 °C
Humidité:	5 ~ 95% d'humidité relative, sans condensation
Électrostatique Décharge:	Confirmer +/- Évacuation de l'air de 15 kV et de +/- 8 kV de décharge de contact

Laissez tomber Caractéristiques:	Résiste 1.5m multiples chutes sur béton
Sûr:	
EMI / RFI:	FCC Classe A et CE
Sécurité du laser:	CDRH classe 2 produit laser



ocom
All your side

*Handheld Laser
Barcode Scanner*

OCBS-LA11

Product Picture





Features

Simple but not easy

Handheld laser barcode scanner with auto sense function;



Flexible operation with 360 degree



rotation metal stand;



High scan rate (100 scans/sec) and long reading distance;



Excellent decode capability;



KBW, RS232 and USB supported;



All-round show





Parameter

Performance Characteristics	
Light Source:	Visible laser (650-670nm)
Scan Rate:	100 scans per second
Reading Distance	2.5 ~600mm (100% UPC/EAN)
Scanner Type:	Bi-directional
Resolution:	0.10mm (4mil) at PCS 0.9
Print Contrast Minimum:	30%, minimum reflective difference (@650nm)
Error Rate:	1/3000000
Decode Capability:	UPC/EAN, UPC/EAN with supplementals, UCC/EAN128, code 39, code 39 full ASCII, code 39 trioptic, code 128, code 128 full ASCII, codabar, interleaved 2 of 5, discrete 2 of 5, code 93, MSI, code 11, ATA, RSS variants, Chinese 2 of 5...

Physical Characteristics	
Interfaces Supported:	PS2, RS232, USB
Voltage:	DC+5V+/-5%
Current:	100 mA
Idle Current:	<40 mA
Power Source:	Host power or external (RS232) power supply
Scanning Angle	Inclination 45° Elevation 60°
Dimensions:	L165mm X W63mm X H87mm
Weight:	129g (without stand)
Stand	Optional
Color:	Grey and black
User Environment	
Operating Temperature:	0°C~40°C
Storage Temperature:	-40°C~ 60°C
Humidity:	5~95% relative humidity, non-condensing
Electrostatic Discharge:	Confirm to +/-15KV air discharge and +/-8KV of contact discharge
Drop Specifications:	Withstands multiple 1.5m drops to concrete
Safe:	
EMI/RFI:	FCC Class A and CE
Laser Safety:	CDRH class 2 laser product

Shipping and payment

1. 1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port

5. T/T
6. Western Union
7. Escrow
8. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com, Together we quest for the best.

