

## Mini terminal d'inventaire portable sans fil (Modèle: OCBS -D004)

### Spécification:

Communications sans fil:	
Modulation	GFSK
Taux de transmission	200Kbps
Puissance	10dBm
Distance de transmission	Distance de ligne droite visuelle 300 mètres
Antenne	Antenne à ressort intégrée
Caractéristiques de performance	
Source de lumière	Laser 650nm
Codes à barres pris en charge	EAN-8, EAN-13, CUP-A, CUP-E, Code 39, Code 93, Code 128, EAN128, Codaber, Industoal 2 sur 5, Interleave 2 sur 5, Matrix 2 sur 5, MSI etc.
Type de scanner:	Bi-directionnel
Taux de balayage	48 ± 2 scan / seconde
Distance de balayage	10-520mm
Largeur de balayage	20mm @ fenêtre, 220mm @ 200mm
Résolution	0.10mm (pcs0.9)
Profondeur de champ	0 ~ 250mm (0.33mm, PCS 90%)
Manière de travail	Déclenchement automatique ou automatique (mode continu)
Caractéristiques physiques	
Mémoire:	1M (Peut stocker 30 000 codes-barres)
Interfaces	Récepteur mini-USB de configuration standard; RS232 et PS2 en option
Actuel:	96mA (travail) 46mA (veille)
Batterie:	Batterie lithium-ion rechargeable intégrée (3.7V, 1900mAh)
Matériel	ABS + PC
Dimension:	102mmX46mmX28mm (collecteur de données) 52mmX20mmX10mm (récepteur)
Poids:	130g (avec batterie)
Environnement de l'utilisateur	
Température de fonctionnement	-20 degrés C ~ 45 degrés C
Température de stockage	-20 degrés C ~ 60 degrés C
Humidité:	5 ~ 95% d'humidité relative, sans condensation
Sûr	
EMI / RFI:	CE & Conformité FCC DOC
Norme de sécurité	Les deuxièmes normes nationales de sécurité laser
Informations de commande	
OCBS -D004	433MHZ Mini terminal d'inventaire portatif sans fil
OCBS -D104	Mini-câble USB Stocktaking Terminal portable

### Détails du produit:



**ocom**  
All your side

**Wireless/USB cable  
Mini Portable Stocktaking Terminal  
OCBS-D004/OCBS-D104**



**Product Picture**



## Features

### *Simple but not easy*

Mini data collector,  
convenient and portable;



Wireless version:  
working distance can meet general  
request, 30 to 300m in open area;



Instantly store and bulk transfer mode,  
secure to keep the data;  
Can store 30,000 barcodes;



Auto-turn-off at low voltage.  
Settable standby time,  
high efficiency and energy saving;



Easy and comfortable operation;



## All-round show





## Application Area

**Commercial:** handheld mobile POS, chains / stores / counters data acquisition, shoes ordering, card management, bill management

**Commonality:** mobile government, mobile police, population information management, postal management, library management

**Logistics:** warehouse management, product traceability, picking medicine distribution, logistics and express, logistics and distribution

**Industry:** production process management, forestry data collection, three meter reading, fixed asset management,



## Parameter

Wireless Communications:	
Modulation	GFSK
Transmission rate	200Kbps
Power	10dBm
Transmission Distance	Visual straight line distance 300 meters
Antenna	Built-in spring antenna

Performance Characteristics	
Light Source	650nm laser
Supported barcodes	EAN-8, EAN-13, UPC-A, UPC-E, Code 39, Code 93, Code 128, EAN128, Codaber, Industoal 2 of 5, Interleave 2 of 5, Matrix 2 of 5, MSI etc
Scanner Type:	BI-directional
Scan rate	48±2 scan/second
Scan distance	10-520mm
Scan width	20mm@window, 220mm@200mm
Resolution	0.10mm ( pcs0.9)
Depth of Field	0~250mm (0.33mm, PCS 90%)
Working Way	Triggered or automatic (continuous mode) scanning
Physical Characteristics	
Memory:	1M (Can store 30,000 barcodes)
Interfaces:	Standard configuration mini USB receiver; RS232 and PS2 optional
Current:	96mA (working) 46mA(standby)
Battery:	Built-in rechargeable lithium ion battery (3.7V, 1900mAh)
Material	ABS+PC
Dimension:	102mmX46mmX28mm (Data Collector) 52mmX20mmX10mm (Receiver)
Weight:	130g (with battery)
User Environment	
Operation Temperature	-20 Degree C~45 Degree C
Storage Temperature	-20 Degree C~60 Degree C
Humidity:	5~95% relative humidity, non-condensing
Safe	
EMI/RFI:	CE & FCC DOC compliance
Safety Standard	The second national laser safety standards
Ordering Information	
OCBS-D004	433MHZ Wireless Mini Portable Stocktaking Terminal
OCBS-D104	USB Cable Mini Portable Stocktaking Terminal

## Production Line





## Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets





Monica Fu



## OCOM Technologies Limited

**Add:** 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

**Tel:** 0086.755.8605.3207 ext 801

**Fax:** 0086.755.8605.3207 ext 868

**Web:** [www.ocominc.com](http://www.ocominc.com)

**E-mail:** [sales01@ocominc.com](mailto:sales01@ocominc.com), [sales01@ocomtech.com.cn](mailto:sales01@ocomtech.com.cn)

**Skype:** ocomsales01; **MSN:** ocomsales01@hotmail.com

**Ali TM:** cn1001868228; **QQ:** 1483705401

**Mobile/Wechat/Whatsapp:** 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products