

# Scanner tenu dans la main de code barres de laser de sens automatique de 32 bits avec le support (Modèle: OCBS -LA09)

## Spécification:

Caractéristiques de performance	
Source de lumière:	650nm visible
Taux de numérisation:	200 scans par seconde
CPU	32 bits
Distance de lecture	2,5 ~ 600 mm (100% UPC / EAN)
Largeur de numérisation	50mm à 60mm, 220mm à 200mm
Type de scanner:	Bidirectionnel
Mode de fonctionnement	Détection automatique
Résolution:	Série à haute résolution de 3mil / série de champ de profondeur longue de 5mil
Imprimer le contraste minimum:	30%, différence de réflexion minimale
Capacité de décodage:	UPC / EAN, UPC / EAN avec suppléments, UCC / EAN 128, Code 39, Code 39 Full ASCII, Code trioptique 39, Code 128, Code 128 ASCII complet, Codabar, Entrelacé 2 sur 5, Discret 2 sur 5, Code 93, MSI, Code 11, variantes RSS, chinois 2 sur 5, MSI / Plessey, Royaume-Uni / Plessey, UCC / EAN 128, code chinois, série GS1 DataBar (RSS)
Angle de balayage	± 65 ° (inclinaison); ± 60 ° (pas) ± 42 ° (lacet)
Caractéristiques physiques	
Interfaces supportées:	PS2, RS232, USB pour option
Tension:	5V DC ± 5%
Actuel:	85 mA (en fonctionnement); 100 (max)
Indicateur	Beeper, LED
Matériel	ABS + PC
Supporter	Avec
Dimensions:	156 * 68 * 83 mm (L * W * H)
Poids:	235g
Couleur:	Gris ou noir
Environnement utilisateur	
Température de fonctionnement:	0 °C ~ 45 °C
Température de stockage:	-40 °C ~ 60 °C
Humidité:	5% -90% (sans condensation)
Décharge électrostatique:	Conforme à une décharge d'air de +/- 15KV et +/- 8KV de décharge de contact
Éclairage ambiant	0 ~ 100 000 LUX
Spécifications de la goutte:	Résiste à de multiples gouttes de 1,5 m sur la surface du béton
Classification laser	EN60825-1, classe 1

## Détails du produit:





## Features

**Simple but not easy**

200scan/sec high scan rate and long reading distance;





Excellent decode capability;



KBW, RS232 and USB supported;



Durable construction combined with future-proofing





Competitive price for 32bit model



## || All-round show





## Parameter

Performance Characteristics	
Light Source:	650nm visible
Scan Rate:	200 scans per second
CPU	32 bit
Reading Distance	2.5 ~600mm (100% UPC/EAN)
Width of Scan	50mm@60mm, 220mm@200mm
Scanner Type:	Bi-directional
Operation mode	Auto Sense
Resolution:	3mil high resolution series / 5mil long depth field series
Print Contrast Minimum:	30%, minimum reflective difference
Decode Capability:	UPC/EAN, UPC/EAN with Supplementals, UCC/EAN 128, Code 39, Code 39 Full ASCII, Trioptic Code 39, Code 128, Code 128 Full ASCII, Codabar

	Interleaved 2 of 5, Discrete 2 of 5, Code 93, MSI, Code 11, RSS variants, Chinese 2 of 5, MSI/Plessey, UK/Plessey, UCC/EAN 128, chinese code , GS1 DataBar (RSS) series
Scanning Angle	±65°(tilt); ±60°(pitch); ±42°(yaw)
<b>Physical Characteristics</b>	
Interfaces Supported:	PS2, RS232, USB
Voltage:	5V DC±5%
Current:	85 mA (Operating); 100 (Max)
Indicator	Beeper, LED
Material	ABS+PC
Stand	Optional
Dimensions:	156*68*83 mm (L*W*H)
Weight:	235g
Color:	Grey and black
<b>User Environment</b>	
Operating Temperature:	0°C~45°C
Storage Temperature:	-40°C~60°C
Humidity:	5%-90% (non-condensing)
Electrostatic Discharge:	Conforms to +/-15KV air discharge and +/-8KV of contact discharge
Ambient Illumination	0 ~ 100,000 LUX
Drop Specifications:	Withstands multiple 1.5m drops to concrete surface
Laser classification	EN60825-1, class 1

## Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which

3. INTERNATIONAL AIR MAIL, usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),  
Together we quest for the best.







Monica Fu



## OCOM Technologies Limited

---

**Add:** 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

**Tel:** 0086.755.8605.3207 ext 801

**Fax:** 0086.755.8605.3207 ext 868

**Web:** [www.ocominc.com](http://www.ocominc.com)

**E-mail:** [sales01@ocominc.com](mailto:sales01@ocominc.com), [sales01@ocomtech.com.cn](mailto:sales01@ocomtech.com.cn)

**Skype:** ocomsales01; **MSN:** ocomsales01@hotmail.com

**Ali TM:** cn1001868228; **QQ:** 1483705401

**Mobile/Wechat/Whatsapp:** 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products