Caractéristiques:

Soutenir Windows, JAVA, Android, IOS ou Android + IOS OS;
USB, communication RS-232, Bluetooth (en option);
Indicateur de charge de la batterie pour accéder facilement à la puissance restante.
Modifiez le nom et le mot de passe de l'imprimante Bluetooth en ligne;
Prise en charge du code QR;
Vitesse d'impression supérieure de 90 mm / sec;
100 km de vie TPH;
Piles au lithium de faible puissance et de grande capacité;
Adaptateur secteur standard pour chargeurs de voiture.

Spécifications du produit:

Dimensions (largeur × profondeur × hauteur)	105 × 75 × 45 mm
Poids	134 grammes
Couleur	Noir
Largeur d'impression efficace	48 mm
Méthode d'impression	Impression en ligne directe
Commande d'impression	Jeu de commandes compatible ESC / POS
Vitesse d'impression	Jusqu'à 90 mm / sec
Résolution	8 points / mm (203dpi)
Police d'impression	12x24 / 24x24
Capacité de colonne	32 colonnes / 16 colonnes
Taille du personnage	1,5 x 3,0 mm (largeur x hauteur) / 3,0 x 3,0 mm (largeur x hauteur)
Format de papier	58,0 ± 0,1 mm x diamètre 40,0 mm
Épaisseur du papier	0,06 à 0,08 mm
Jeu de caractères	Caractères alphanumériques / chinois
Interface	USB, RS-232, Bluetooth (en option)
Flash	256Ko
Adaptateur secteur	9V DC / 2A
Puissance de la batterie	7.4V DC / 1500mA, la batterie peut durer 4-5 jours, quand il est à pleine puissance, il peut imprimer 120-150 mètres de papier
Autres fonctionnalités	Détection de papier, détection de puissance, arrêt manuel
Environnement de travail	Température: -10 ° C ~ 50 ° C, humidité: 10% ~ 90%
Condition de stockage	Température: -20 ° C ~ 70 ° C, humidité: 5% ~ 95%
Nom de l'appareil	Options personnalisables, alpha et numériques, jusqu'à 30 caractères ASCII.

Product Picture

Features

Simple but not easy

Battery charge indicator, easy to know rest power.

Higher print speed 90mm/sec

Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication

Higher print speed 90mm/sec.
100km TPH Life

Low power consumption and large capacity Lithium battery.

All-round show

Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery

Restaurant

Bus / Taxi Receipt

Traffic Citation

Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232，Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation

A Open the printer cover.

B Install the roller in the roll paper, and put them into the printer.

C Pull out some paper outside the printer and then close the printer cover.

D Close the top cover. Press the printer cover to avoid error position of roll paper.

E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile

OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.

Monica Fu

OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China
Tel: 0086.755.8605.3207 ext 801
Fax: 0086.755.8605.3207 ext 868
Web: www.ocominc.com
E-mail: sales01@ocominc.com, sales01@ocomtech.com.cn
Skype: ocomsales01; **MSN**: ocomsales01@hotmail.com
Ali TM: cn1001868228; **QQ**: 1483705401
Mobile/Wechat/Whatsapp: 0086.189 4871 3992

Reliable One-Stop Supplier for POS and Auto-ID Related Products