

Terminal de point de vente portable Android 58mm, imprimante de reçus thermique 1D/2D, lecteur de codes-barres, prise en charge du Terminal de point de vente portable 4G

(M/N : POS-T2)

Caractéristiques:



Processeur Deca-core MT6797 Tri-Cluste-A72*2A53*8 2,3 GHz ;

Imprimante thermique intégrée de reçus et d'étiquettes haute vitesse de 58 mm ;

Standard 3 Go de RAM 16 Go de ROM ;

Haut-parleur intégré à grand volume ;

Module NFC intégré ;

2 * emplacement pour carte SIM ;

Prise en charge de la charge rapide USB type-C ;

Batterie amovible au cobalt pur de grande capacité de 6 400 mAh ;

Lecteur de codes à barres 1D et 2D et imprimante digitale pour les options.

Spécification technique :

Modèle	POS-T2
Nom	Écran tactile capacitif de 5,5 pouces, Soutiener la signature électronique
Batterie	3,8 V /6 400 mAh
Adaptateur secteur	Entrée : 100-240 V, 50/60 Hz, 1,5 A. Sortie : 5 V CC/2 A.
Interface chargeur	USB de type C
Afficher	
Écran principal	Écran tactile HD de 5,5 pouces
Résolution	1280*720
Performance	
CPU	Processeur Deca-core MT6797 Tri-Cluste-A72*2A53*8 2,3 GHz
RAM	3 Go
Éclair	Mémoire Flash de 16 Go
Communication	2G/3G/4G
Système opérateur	Android 8.0
Bouton	Bouton d'alimentation, bouton de numérisation, bouton de volume
Bluetooth	Bluetooth 4.0
WIFI	WIFI 802.11 b.g.n.ac
Imprimante	Imprimante de reçus thermique de 58 mm
Rouleau de papier	Largeur : 58 mm ; Diamètre : ≤40 mm
Scanner	Décodage de la caméra Scanner 2D (en option)
NFC	Supporte ISO/IEC 14443A&B, Mifare, carte felica
Emplacement SIM	Sim*2
Conférencier	Haut-parleur audio numérique
Empreinte digitale	Empreinte digitale (facultatif)
GPS ou AGPS	Prise en charge GPS AGPS
MDM	Support
Accessoires périphériques	emballer

Accessoires	USB Type-C*1
	adaptateur secteur * 1
	manuel d'utilisation*1
Environnement	
Température de fonctionnement	0 à 40 degrés centigrades
Température de stockage	-10 à 60 degrés centigrades
Humidité de travail	10%~80%
Humidité de stockage	10%~90%

SMART Handheld POS Terminal

MULTI-PLATFORM AUTOMATIC PRINTING
easy to deal with a variety of working environment





Thermal Receipt
Label Printing



Touch HD
Screen



Multi-version
Connection



5 Million
Pixels



3GB+16GB
Standard



Removable 6400mAh
Large Capacity Battery



NFC
Standard



CPU
Deca-core

Multiple versions Connection options

Support full Net-com, Bluetooth, WIFI multiple versions of connection, Excellent experience



Support 2.4G&5G

Built-in NFC Module

2G/3G/4G communication

Support Download APP from Google Play Store

High Quality and Performance, Your reliable POS



Large paper bin Print more durable

Can accommodate 42mm diameter thermal paper to avoid frequent paper changes and improve printing efficiency.

58mm

Maximum
paper width

42mm


Maximum
paper diameter



■ SMART PRINTING

5.5-inch HD IPS Screen

720*1280 resolution, stable every pixel, allowing users to see more clearly



2D Barcode Scanner for Optional

5 Million Rear HD Camera
quickly identify barcodes QR codes
record important information



Scan code



Photo



Video



NFC Contactless Card

NFC contactless card reader payment function



Strong Performance



Memory

3GB RAM+16GB ROM



Processor

2.3GHz processor

Built-in MDM Control System



Application Management

Support Software Shielding, Pre-installation, Intergrated Testing, Remote Upgrade and management ,etc.

appMgr
myAppList
marketList

System Customization

Specified APP can be installed or reinstalled by default once Internet connected for first time or be deleted.

systemCustom
defaultApp

Device Management

Check all information and usage status of hardware devices such as operation logs.

deviceMgr
MyDevice

Statistics

Check device activation time, positioning, software information and version.

Statistics
Mydevice
DeviceInfo

Kioak APP

Specified APP runs automatically after the hardware is powered on. Can't quit, can't be uninstalled.

Kioak
Kioak App.
security

Double Frequency WIFI

Double insurance of 4G high Speed network and dual-frequency WIFI network can ensure the real-time data communication in different using environment



2.4G 5G



Large Capacity Battery

Removable 6400mAh large capacity pure cobalt battery



Fingerprint Security

Ministry of Public Security or FBI fingerprints (Optional)

70%

Sensitive
Ascension



Fingerprint ID



Structure specification

SMART PRINTING



Simple construction Easy operation



Dimensions

SMART PRINTING



197*82*57.5mm



Manual measurement has slight errors and does not affect the use.

Packaging accessories

SMART-PRINTING



Beautiful packaging, original accessories



01 Machine 02 User Manual 03 Roller Paper

04 Type C Cable 05 Charging Adaptor

Applicable Scene

Powerful functions such as mobile cashier, receipt printing, pin storage, queuing, billing, label printing, QR code collection, NFC membership management, infrared physical temperature measurement, etc.



Documents pertinents :

[POS-SDK T2](#)