

## Bluetooth Mini portable imprimante ticket thermique, imprimante de reçus mobile

**(Modèle: OCPP-M082)**

### Caractéristiques:

Dimensions (L x P x H)	98 x 45mm x 103
Poids	280 g
Couleur	Noir
Largeur d'impression effective	72 mm
Procédé d'impression	Impression thermique en ligne
Commande Imprimer	ESC / POS de jeu d'instructions compatibles
La vitesse d'impression	Pour 90mm / sec
Résolution	8 points / mm (203DPI)
Imprimer la police	Dans 12X24 / 24x24 dans
La capacité de la colonne	48 / 24columns
La taille des caractères	1,5 x 3,0 mm (largeur x hauteur) / 3.0x3.0mm (largeur x hauteur)
Taille de papier	Diamètre de 80,0 mm ± 0,1 mm à x30.0
Épaisseur du papier	De 0,06 à 0,08 mm
Jeu de caractères	Alphanumérique / texte chinois
Interface	USB, RS-232, Bluetooth (en option)
Flash	256KB
Adaptateur secteur	9V DC / 2A
Alimentation par batterie	DC / 2000 mA 7.4V; batterie peut rester en 4-5 jours, quand il est plein de force, il peut imprimer sur du papier 120-150M
Autres caractéristiques	La détection de papier, détection de puissance, a stoppé manuellement
Les conditions de travail	Température: -10degreeC~50degreeC Humidité: 10%~90%
Conditions de stockage	Température: -20degreeC~70 degreeC Humidité: 5%~95%
Nom de l'appareil	Peut être personnalisé pour sélectionner les lettres et les nombres jusqu'à 30 caractères ASCII.
Mot de passe	Entrée par défaut code d'appairage «1234»Il peut être personnalisé. Maximum 6 digitales.
Taille de la fiche d'alimentation	3.5 * 1.1 mm

### Détails du produit:



**80mm Bluetooth  
Thermal Receipt Printer  
for Andriod or IOS  
OCPP-M082**



**Product Picture**





## Features

### **Simple but not easy**

Support Windows, Android and iPhone OS;



Bluetooth, USB and RS232 communication.

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec.



100km TPH Life.



Mini Thermal Printer  
Model: OCOM-8000  
Printing Speed: 80mm/sec  
Paper: 80mm Width  
Power Supply: 5V 1A  
www.ocominc.com



Low power consumption  
and large capacity  
Lithium battery.

### All-round show





## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,  
Warehouse management, Delivery, Illegal Parking Ticket,  
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation



<b>Overall Dimension (W×D×H)</b>	98×103×45mm
<b>Weight</b>	280g
<b>Color</b>	Black
<b>Effective print width</b>	72mm
<b>Print method</b>	Thermal line printing
<b>Print commands</b>	ESC/POS/STAR compatible command set
<b>Print speed</b>	Up to 90mm/sec
<b>Resolution</b>	8 dots/mm(203dpi)
<b>Print font</b>	12x24/ 24x24
<b>Column capacity</b>	48 columns/24 columns
<b>Character size</b>	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm( W x H)
<b>Paper dimensions</b>	80.0±0.1mm x diameter 30.0mm
<b>Paper thickness</b>	0.06 to 0.08mm
<b>Character set</b>	Alphanumeric/ Chinese Kanji ASCII Font A:12×24 Font B: 9x17 Korean code page 949
<b>Communication Interface</b>	USB/RS-232, Bluetooth
<b>Flash</b>	256KB
<b>Power Adapter</b>	9V DC/1.5A
<b>Battery Power</b>	7.4V DC/ 2000mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
<b>Other features</b>	Paper detection, power detection, Manual shut down
	Temperature:-10 degC ~ 50 degC.Humidity:10% ~

Working conditions	90%
Storage conditions	Temperature:-20 degC ~ 70 degC, Humidity:5% ~ 95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.
Power plug dimension	3.5*1.1mm

## Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.



## Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com), Together we quest for the best.



## Documents pertinents:

- \*[FICHE TECHNIQUEion](#)
- \*[Manuel du programme](#)
- \*[Manuel d'instructions](#)
- \*[Driver for WinXP Win2000 WinVista Win7 Win8-32bit](#)
- \*[Pilote pour Win7 Win8-64bit](#)
- \*[Pilote pour Linux](#)
- \*[Paramètres de l'imprimante Réglage Outils](#)
- \*[USB Printdemo\(Application Software démo\)](#)
- \*[Bluetooth Printdemo\(Application Software démo\)](#)
- \*[SDK Pour Android](#)
- \*[CD dossiers](#)