smart android mobile gprs handheld lottery pos terminal (POS-M680)

Keywords:
pos terminal,
android pos terminal ,
lottery pos terminal

Brief Introduction
POS-M680 is a high-end multi-media POS, developed on the Android system. And it’s configured with 7 inch touch screen, magnetic, IC and RFID card reader, thermal printer, barcode scanner. It is able to match diversified needs ranging from financial self-attendance, membership management, identification recognition and etc. And widely used in restaurant, banking, hotel, shopping mall, lottery and etc.
Features:
->Android 4.0 operation system
->7 Inch High-definition color screen（1024*600 solution）
->3*SAM card slot,ISO7816 standard
->Abundant device Interface can access sacnner keypad cash drawer

Application area
->Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop
->Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop
l Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket
->Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf

Specification
Processor
Corte-A8, 1.0GHz
OS
Android 4.0
Memory
512M RAM+4G ROM
SD
Micro SD（Up to TF 32GB)
Display
7 INCH High-definition color screen（1024*600 solution）
Touch Screen
Multipoint capacitive touch screen
Printer
High speed Thermal Printer. Paper Width: 57MM,Diameter: 42MM
Magnetic Card Reader
ISO7811 1/2/3 Tracks, Support Dual-swiping
IC Card Reader
ISO7816 standard
RFID Card Reader
ISO14443TypeA, TypeB and ISO15693
Camera
3 Mega-pixel With autofocus
Fingerprint Scanner
Live, biometric fingerprint sensor/reader, capacitive touch screen, 508 DPI , <1s,
Barcode Scanner
1D/2D barcode decoding by camera or Scan Engine
Communication

GSM:850/900/1800/1900,WCDMA□B1/B2/B5,CDMA: BC0
Wi-Fi
802.11b/g/n WLAN,Support hotspot
Voice
Support Audio Jack or hands-free calls, recording, Voice
Speaker
2*speakers
PSAM Card Slot
3*SAM card slot,ISO7816 standard
SIM Card Slot
1*SIM card slot
Battery
Chargeable battery,1000mAh,7.4V
USB
2*USB2.0, 1*mini USB supports OTG features
LAN
1*RJ45 port
HDMI
1*HDMI port
LINE
2*RJ11 ports
RS232
1*RS232
Power
DC 9V/3A
Working environment
Working temperature: -20 ℃ ~ 60 ℃
Storage temperature: -30 ℃ ~ 70 ℃
Relative humidity: 10%□90%
Size
240(L) X 220(W) X 80mm(H)
Weight
1.2 KG
Package size
350(L)*260(W)*150(H)mm
Package weight
2.5 KG

OCOM

At your side

POS-M680

www.ocominc.com

OCOM

At your side

POS-M680

www.ocominc.com