

**(Μοντέλο: OCPP-M082)**

**Προδιαγραφές:**

Διαστάσεις (Π x Β x Υ)	98 x 103 x 45 χιλιοστά
Βάρος	280 g
Χρώμα	Μαύρος
Αποτελεσματικό πλάτος εκτύπωσης	72 χιλιοστά
Μέθοδος εκτύπωσης	Θερμική γραμμή εκτύπωσης
Εντολή Εκτύπωση	ESC / POS συμβατό σετ εντολών
Ταχύτητα εκτύπωσης	Και 90mm / sec
Ανάλυση	8 dots / mm (203DPI)
Εκτύπωση γραμματοσειράς	Σε 12X24 / 24x24 στην
Η χωρητικότητα της στήλης	48 / 24columns
Το μέγεθος των χαρακτήρων	1,5 x 3,0 χιλιοστά (πλάτος x ύψος) / 3.0x3.0mm (πλάτος x ύψος)
Μέγεθος χαρτιού	Διάμετρος 80.0 mm έως ± 0,1 χιλιοστά x30.0
Πάχος Χαρτιού	0,06 - 0,08 mm
Σύνολο χαρακτήρων	Αλφαριθμητικό / κινέζικα Κείμενο
Διασύνδεση	USB, RS-232, Bluetooth (προαιρετικό)
Λάμψη	256KB
Τροφοδοτικό	9V DC / 2A
Ισχύς μπαταρίας	DC / 2000 mA 7.4V? μπαταρία μπορεί να παραμείνει μέσα σε 4-5 μέρες, όταν είναι γεμάτο δύναμη, μπορεί να εκτυπώσει 120-150M Χαρτί
Άλλα χαρακτηριστικά	Χαρτί ανίχνευση, ανίχνευση εξουσία, να κλείσει χειροκίνητα
Τις συνθήκες εργασίας	Θερμοκρασία: -10degreeC~50degreeCΥγρασία: 10%~90%
Οι συνθήκες αποθήκευσης	Θερμοκρασία: -20degreeC~70 degreeC Υγρασία: 5%~95%
Όνομα της συσκευής	Μπορεί να προσαρμοστεί για να επιλέξετε τα γράμματα και αριθμούς έως 30 χαρακτήρες ASCII.
Σύνθημα	Προεπιλογή Είσοδος αντιστοίχιση κωδικού "1234"Μπορεί να προσαρμοστεί. Μέγιστη 6 digitals.
Μέγεθος του φιν	3,5 * 1,1 χιλιοστά

**Πληροφορίες προϊόντος:**



**80mm Bluetooth  
Thermal Receipt Printer  
for Android or IOS  
OCPP-M082**



**Product Picture**





## Features

### Simple but not easy

Support Windows, Android and iPhone OS;



Bluetooth, USB and RS232 communication.

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec.



100km TPH Life.



Mini Thermal Printer  
Model: OCOM-8000  
Printing Speed: 90mm/sec  
Paper: 80mm Width  
Power Supply: 5V 1A  
www.ocominc.com



Low power consumption  
and large capacity  
Lithium battery.

### All-round show





## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,  
Warehouse management, Delivery, Illegal Parking Ticket,  
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation



<b>Overall Dimension (W×D×H)</b>	98×103×45mm
<b>Weight</b>	280g
<b>Color</b>	Black
<b>Effective print width</b>	72mm
<b>Print method</b>	Thermal line printing
<b>Print commands</b>	ESC/POS/STAR compatible command set
<b>Print speed</b>	Up to 90mm/sec
<b>Resolution</b>	8 dots/mm(203dpi)
<b>Print font</b>	12x24/ 24x24
<b>Column capacity</b>	48 columns/24 columns
<b>Character size</b>	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm( W x H)
<b>Paper dimensions</b>	80.0±0.1mm x diameter 30.0mm
<b>Paper thickness</b>	0.06 to 0.08mm
<b>Character set</b>	Alphanumeric/ Chinese Kanji ASCII Font A:12×24 Font B: 9x17 Korean code page 949
<b>Communication Interface</b>	USB/RS-232, Bluetooth
<b>Flash</b>	256KB
<b>Power Adapter</b>	9V DC/1.5A
<b>Battery Power</b>	7.4V DC/ 2000mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
<b>Other features</b>	Paper detection, power detection, Manual shut down
	Temperature:-10 degC ~ 50 degC.Humidity:10% ~

Working conditions	90%
Storage conditions	Temperature:-20 degC ~ 70 degC, Humidity:5% ~ 95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.
Power plug dimension	3.5*1.1mm

## Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.



## Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com), Together we quest for the best.



## Σχετικά έγγραφα:

- \*[ΠΡΟΔΙΑΓΡΑΦΕΣΙόν](#)
- \*[Εγχειρίδιο Πρόγραμμα](#)
- \*[Εγχειρίδιο οδηγιών](#)
- \*[Driver για WinXP Win2000 WinVista Win7 Win8-32bit](#)
- \*[Driver για Win7 Win8-64bit](#)
- \*[Driver for Linux](#)
- \*[Παράμετροι Printer Setting Εργαλεία](#)
- \*[USB Printdemo\(Αίτηση demo Λογισμικού\)](#)
- \*[Bluetooth Printdemo\(Αίτηση demo Λογισμικού\)](#)
- \*[SDK για το Android](#)
- \*[CD Αρχεία](#)