

### 3 ιντσών θερμικός εκτυπωτής BluetoothLabel (M / N: AAOO-M80)

**Χαρακτηριστικό:**

- 1.Ετικέτα χαρτιού εκτύπωσης αυτοκόλλητο και χαρτί παραλαβής
- 2.Easy να ρυθμίσετε την πυκνότητα εκτύπωσης και Langue
- 3.Multi-interface και διαφορετική υποστήριξη μεγέθους χαρτιού
- 4.Η προβολή LCD μπορεί να εμφανίσει τις ρυθμίσεις παραμέτρων του εκτυπωτή
- 5 Canquickly εκτύπωση barcodes imge και φόρμες.
- 6.MultipleSensor Υποστήριξημαύρο σήμα,Διάστημα ετικέτας και Ανίχνευση τελικού χαρτιού

Μέθοδος εκτύπωσης	Θερμική γραμμή
Ταχύτητα εκτύπωσης	80mm / s (θερμικό χαρτί)
	70mm / s (αυτοκόλλητο ετικέτας)
Ανάλυση	8 στιγμές / mm
	576 στιγμές / γραμμή
Αποτελεσματικό πλάτος εκτύπωσης	72 mm / 48 mm / 37,5 mm
Σετ χαρακτήρα	ASCII, GB18030 (Κινέζικα), BIG5, Codepage
Εκτύπωση γραμματοσειράς	Γραμματοσειρά A: 12 * 24; Γραμματοσειρά B: 8 * 16
Αυτοπροσδιορισμένος χαρακτήρας	Ναί
Τύπος χαρτιού	Θερμικό χαρτί / χαρτί ετικετών
Πλάτος χαρτιού	80mm / 58mm / 44mm για θερμικό χαρτί
Διάμετρος ρολού χαρτιού	40 χιλιοστά (μέγιστο)
Κύρια εσωτερική διάμετρος κυλίνδρου	13mm (λεπτά)
Πάχος χαρτιού	0,06 ~ 0,16mm
Μέθοδος τροφοδοσίας χαρτιού	Τοποθετήστε την εύκολη φόρτωση χαρτιού
TPH	50χλμ
Barcode	1D: EAN-13, EAN-8, UPC-A, UPC-E, CODE39, CODE93, CODE128, CODABAR, INTERLEAVED 25
	2D: PDF417,QRCODE,DATA Matrix
Εντολή	CPCL / ESC-POS
Οδηγός	Windows 98 / ME / 2000 / NT / XP / 2003 Server / Vista / Win7 / Win 8
Αισθητήρα	Αισθητήρας τελικού χαρτιού, Μαύρο σήμα, Διάστημα ετικετών
Διεπαφή	USB / Bluetooth
Κουμπί	Ισχύς, Τροφοδοσία, Λειτουργία
Δείκτης	Ισχύς, Τροφοδοσία, Λειτουργία
Μνήμη	Flash: 512kb; RAM: 128kb


Λήψη του μεγέθους του buffer	32K
SDK	Windows CE; Windows Mobile 5.0 / 6.0; Symbian; Blackberry και Android
Πολυγλωσσικές γλώσσες	46 κωδικοσελίδες
Τροφοδοτικό (προσαρμογέας)	DC8.4V / 1A
Τροφοδοσία μπαταρίας	7.4V, 1.65A, επαναφορτιζόμενη μπαταρία ιόντων λιθίου 1400mAh
Φόρτιση μπαταρίας	Συνεχής εκτύπωση 100 μέτρων
Χρόνος φόρτισης	λιγότερο από 3 ώρες
Διάρκεια μπαταρίας	360 ώρες
Καθαρό βάρος	196g
Μεικτό βάρος	360g (Συμπεριλαμβανομένου του χαρτιού μπαταριών και ρολών)
Διάσταση εκτυπωτή (Π x Υ x Β)	104 mm x 109 mm x 48 mm
Χρώμα	Μαύρος
Θερμοκρασία λειτουργίας	-10-50 ° C
Υγρασία λειτουργίας	10% -80%
Εφαρμογή	Εστιατόρια, πολυκαταστήματα, κουζίνα, καταστήματα ευκολιών, ειδικότητα λιανικής, σουπερμάρκετ
αξεσουάρ	Μπαταρία, καλώδιο USB φορτιστή, οδηγό CD, δερμάτινη θήκη και ρολό χαρτιού
	Επιλογή: φορτιστής οχήματος
Μέγεθος πακέτου	210 χιλιοστά x 155 χιλιοστά x 90 χιλιοστά (1,5 χιλιόγραμμα)




**3 Inches Bluetooth  
Thermal Label Printer  
OCBP-M80**



Product Picture





## Features:

Support label sticker  
and receipt paper printing



LCD display can show the  
printer parameter settings



Easy to set the print language and density



Multiple Sensor Supported Black mark, Label interval and Paper end detection

## Application Area



Traffic police enforcement



Logistics transportation



Drug regulatory



Warehouse



Supermarket



File management



Library



Hospital

## Parameter

Printing Method	Thermal Line
Printing Speed	80mm/s ( Thermal Paper ) 70mm/s ( Label Sticker )
Resolution	8 dots/mm 576 dots/line
Effective Printing Width	72mm/48mm/37.5mm
Character Set	ASCII, GB18030 (Chinese), BIG5, Codepage
Print Font	Font A: 12*24; Font B: 8*16
Self-defined Character	Yes
Paper Type	Thermal paper/Label Sticker
Paper Width	80mm/58mm/44mm for thermal paper
Paper Roll Diameter	40mm(max.)
Roll Core Inner Diameter	13mm(min.)
Paper Thickness	0.06~0.16mm
Paper Supply Method	Drop-in easy paper loading

TPH	50km
Barcode	1D: EAN-13, EAN-8, UPC-A, UPC-E, CODE39, CODE93, CODE128, CODABAR, INTERLEAVED 25
	2D: PDF417, QR CODE, DATA Matrix
Emulation	CPCL/ESC-POS
Driver	Windows 98 / ME / 2000 / NT / XP / 2003 Server/Vista/Win7/Win 8
Sensor	Paper End Sensor,Black Mark, Label Interval
Interface	USB/Bluetooth
Button	Power, Feed, Mode
Indicator	Power, Feed, Mode
Memory	Flash: 512kb; RAM: 128kb
Receive Buffer Size	32K
SDK	Windows CE; Windows Mobile 5.0/6.0; Symbian; Blackberry and Android
Multi-languages	46 codepages
Power Supply (Adapter)	DC9V/2A
Battery Power	7.4V, 1.65A rechargeable Li-ion battery
Battery Charge	100m continuous printing
Charge Time	less than 3 hours
Battery Duration	360 hours
Net Weight	196g
Gross Weight	360g (Including battery & roll paper)
Printer Dimension(WxLxH)	104mm x109mm x 48mm
Color	Black
Operating Temp	-10-50Celsius
Operating Humidity	10%-80%
Application	Restaurants, Department Stores, Kitchen, Convenience Stores, Specialty Retail, Supermarket
Accessories	Battery,Charger USB Cable,CD Driver,Leather Case and Paper-roll
	Option: vehicle charger
PackageSize	210mm x 155mm x 90mm(1.5kg)

### Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE. FCC. TUV. RoHs and



other certifications. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

## Test Equipments:


✓ Indicates information has been verified onsite by a certification specialist

### Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

## Certification:




## Warranty and After Sales:





- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7\*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

### Packing and Shipment:



Double wall corrugated board



Double outer cartons

Marks and fragile stickers



Outer protective film



### Payment:



secure payment



## Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



## Company Profile

||| **Company Profile**

### TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .

**Σχετικά έγγραφα:**  
[OCBP-M80 Spec](#)