

Φορητό Barcode Θερμικό εκτυπωτή ετικετών Bluetooth

(M / N: OCBP-M80)

Χαρακτηριστικό γνώρισμα:

- 1.Μπορώ αυτοκόλλητο σήμα εκτύπωσης και χάρτινη απόδειξη
- 2.Easy για να ρυθμίσετε την πυκνότητα εκτύπωσης και Langue
- 3.Multi-interface και υποστήριξη διαφόρων μέγεθος χαρτιού
- 4.LCD οθόνη μπορεί να εμφανίσει τις ρυθμίσεις των παραμέτρων του εκτυπωτή
- 5 Μπορεί να εκτυπώσει γρήγορα Imge barcodes και τις μορφές.
- 6.Multiple αισθητήρα Υποστηριζόμενες μαύρο σημάδι, διάστημα Label και τέλος Χαρτί ανίχνευσης

Θερμικό εκτυπωτή ετικετών, φορητό θερμικό εκτυπωτή ετικετών, εκτυπωτή ετικετών bluetooth

Μέθοδος εκτύπωσης	Θερμική Γραμμή
Ταχύτητα εκτύπωσης	80 χιλιοστά / s (θερμικό χαρτί)
	70 χιλιοστά / s (αυτοκόλλητο)
Ανάλυση	8 dots / mm
	576 κουκκίδες / γραμμή
Αποτελεσματική εκτύπωση Πλάτος	72 χιλιοστά / 48 χιλιοστά / 37,5 χιλιοστών
Σύνολο χαρακτήρων	ASCII, GB18030 (κινέζικα), BIG5, Κωδικοσελίδας
Εκτύπωση γραμματοσειράς	Font A: 12 * 24? Font B: 8 * 16
Αυτο-ορίζεται Χαρακτήρας	Ναί
Τύπος χαρτιού	Θερμικό χαρτί / Χαρτί ετικέτας
Πλάτος χαρτιού	80 χιλιοστά / 58 χιλιοστών / 44 χιλιοστά για θερμικό χαρτί
Διάμετρος ρολού χαρτιού	40 mm (max.)
Roll πυρήνα Εσωτερική διάμετρος	13 χιλιοστά (min.)
Πάχος Χαρτιού	0,06 ~ 0,16 χιλιοστά
Μέθοδος Τροφοδοσία χαρτιού	Drop-in εύκολη φόρτωση χαρτιού
TPH	50 χιλιόμετρα
Barcode	1D: EAN-13, EAN-8, UPC-A, UPCZ, Code39, CODE93, Code128, Codabar, διεμπλεγμένο 25
	2D: PDF417, QRCode, Data Matrix
Άμιλλα	CPCL / ESC-POS
Driver	Windows 98 / ME / 2000 / NT / XP / Server 2003 / Vista / Win7 / Win 8
Αισθητήρας	Χαρτί Τέλος αισθητήρα, Μαύρο σημάδι, Label Διάστημα
Διασύνδεση	USB / Bluetooth
Κουμπί	Ισχύς, Ζωοτροφών, Λειτουργία
Δείκτης	Ισχύς, Ζωοτροφών, Λειτουργία
Μνήμη	Flash: 512KB? RAM: 128KB
Λάβετε Buffer Size	32K
SDK	Windows CE? Windows Mobile 5.0 / 6.0? Symbian? Blackberry και Android
Multi-γλώσσες	46 κωδικοσελίδες
Τροφοδοσία (Adapter)	DC9V / 2A
Ισχύς μπαταρίας	7.4V, 1.65A επαναφορτιζόμενη μπαταρία Li-ion
Φόρτισης της μπαταρίας	100m συνεχή εκτύπωση
Χρόνος φόρτισης	λιγότερο από 3 ώρες
Διάρκεια μπαταρίας	360 ωρών
Καθαρο ΒΑΡΟΣ	196α
Μικτό βάρος	360g (συμπεριλαμβανομένης της μπαταρίας & amp? Ρολό χαρτιού)

Εκτυπωτής Διάσταση (WxLxH)	104 χιλιοστά x109mm x 48 χιλιοστά
Χρώμα	Μαύρο
Θερμοκρασία λειτουργίας	-10 Έως 50 ° C
Υγρασία λειτουργίας	10% -80%
Εφαρμογή	Εστιατόρια, Πολυκαταστήματα, Κουζίνα, Convenience Stores, Ειδικότητα λιανικής, σούπερ μάρκετ
Αξεσουάρ	Μπαταρία, φορτιστής καλώδιο USB, CD με πρόγραμμα οδήγησης, δερμάτινη θήκη και χαρτιού σε ρολό
	Επιλογή: φορτιστής αυτοκινήτου
PackageSize	210 χιλιοστού x 155 χιλιοστά x 90 χιλιοστά (1,5 kg)



3 Inches Bluetooth Thermal Label Printer OCBP-M80



Product Picture




User's Manual --English Version

All rights reserved. Without the prior written permission of Beijing Spirit Technology Development Co., Ltd., no part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise. While every precaution for errors or omissions has been taken in this manual, Beijing Spirit Technology Development Co., Ltd.

4





Features:

Support label sticker
and receipt paper printing



LCD display can show the
printer parameter settings



Easy to set the print language
and density



Multiple Sensor Supported Black mark,
Label interval and Paper end detection

Application Area



Traffic police enforcement



Logistics transportation



Drug regulatory



Warehouse



Supermarket



File management



Library



Hospital

Parameter

Printing Method	Thermal Line
Printing Speed	80mm/s (Thermal Paper) 70mm/s (Label Sticker)
Resolution	8 dots/mm 576 dots/line
Effective Printing Width	72mm/48mm/37.5mm
Character Set	ASCII, GB18030 (Chinese), BIG5, Codepage
Print Font	Font A: 12*24; Font B: 8*16
Self-defined Character	Yes
Paper Type	Thermal paper/Label Sticker
Paper Width	80mm/58mm/44mm for thermal paper
Paper Roll Diameter	40mm(max.)
Roll Core Inner Diameter	13mm(min.)
Paper Thickness	0.06~0.16mm
Paper Supply Method	Drop-in easy paper loading

TPH	50km
Barcode	1D: EAN-13, EAN-8, UPC-A, UPC-E, CODE39, CODE93, CODE128, CODABAR, INTERLEAVED 25
	2D: PDF417, QR CODE, DATA Matrix
Emulation	CPCL/ESC-POS
Driver	Windows 98 / ME / 2000 / NT / XP / 2003 Server/Vista/Win7/Win 8
Sensor	Paper End Sensor, Black Mark, Label Interval
Interface	USB/Bluetooth
Button	Power, Feed, Mode
Indicator	Power, Feed, Mode
Memory	Flash: 512kb; RAM: 128kb
Receive Buffer Size	32K
SDK	Windows CE; Windows Mobile 5.0/6.0; Symbian; Blackberry and Android
Multi-languages	46 codepages
Power Supply (Adapter)	DC9V/2A
Battery Power	7.4V, 1.65A rechargeable LI-ion battery
Battery Charge	100m continuous printing
Charge Time	less than 3 hours
Battery Duration	360 hours
Net Weight	196g
Gross Weight	360g (Including battery & roll paper)
Printer Dimension(WxLxH)	104mm x109mm x 48mm
Color	Black
Operating Temp	-10-50Celsius
Operating Humidity	10%-80%
Application	Restaurants, Department Stores, Kitchen, Convenience Stores, Specialty Retail, Supermarket
Accessories	Battery, Charger USB Cable, CD Driver, Leather Case and Paper-roll
	Option: vehicle charger
PackageSize	210mm x 155mm x 90mm(1.5kg)

Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and



other certifications. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments:

✓ indicates information has been verified onsite by a certification specialist

Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

Certification:



Warranty and After Sales:



- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

Packing and Shipment:



Payment:



secure payment



Alibaba

PayPal

Trade Assurance

Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Company Profile



TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers , Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.





Why you choose us?



Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Sales Center:

Address: Unit701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Website: www.ocominc.com www.possolution.com.cn;

E-mail: ocom@ocominc.com, info@possolution.com.cn ;

Tel: +86.755.86053207 ext 800;

Fax: +86.755.86053207 ext 868;

QQ: 2485890637, 190852203;

Wechat: szocominc, hj34924238;

Whatsapp: 008613352932860;

