

58 χιλιοστά μικρή φορητή Bluetooth κινητά Pos Θερμικό εκτυπωτή Παραλαβή
(Μοντέλο: OCPP-M03)

Προδιαγραφή:

Dimensions (Π x Β x Υ)	105 x 75 x 45 χιλιοστά
Βάρος	134 g
Χρώμα	Μαύρος
Αποτελεσματικό πλάτος εκτύπωσης	48 χιλιοστά
Μέθοδος εκτύπωσης	Θερμική γραμμή εκτύπωσης
Εντολή Εκτύπωση	ESC / POS συμβατό σετ εντολών
Ταχύτητα εκτύπωσης	Και 90mm / sec
Ψήφισμα	8 dots / mm (203DPI)
Εκτύπωση γραμματοσειράς	Σε 12X24 / 24x24 στην
Η χωρητικότητα της στήλης	32 / 16columns
Το μέγεθος των χαρακτήρων	1,5 x 3,0 χιλιοστά (πλάτος x ύψος) / 3.0x3.0mm (πλάτος x ύψος)
Μέγεθος χαρτιού	Διάμετρος 58,0 χιλιοστά σε ± 0,1 χιλιοστά x40.0
Πάχος Χαρτιού	0,06 - 0,08 mm
Σύνολο χαρακτήρων	Αλφαριθμητικό / κινέζικα Κείμενο
Διασύνδεση	USB, RS-232, Bluetooth (προαιρετικό)
Φλας	256KB
Τροφοδοτικό	9V DC / 2A
Ισχύς μπαταρίας	Η DC / 1500 mA 7.4V? μπαταρία μπορεί να παραμείνει μέσα σε 4-5 ημέρες, όταν είναι γεμάτο δύναμη, μπορεί να εκτυπώσει 120-150M Χαρτί
Άλλα Χαρακτηριστικά	Αναγνώρισης χαρτιού, ανίχνευση εξουσία, να κλείσει χειροκίνητα
ΣΥΝΘΗΚΕΣ ΕΡΓΑΣΙΑΣ	Θερμοκρασία: -10Celsius ~ 50CelsiusHumidity: 10% ~ 90%
Οι συνθήκες αποθήκευσης	Θερμοκρασία: -20Celsius ~ 70CelsiusHumidity: 5% ~ 95%
Όνομα συσκευής	Μπορεί να προσαρμοστεί για να επιλέξετε γράμματα και αριθμούς έως 30 χαρακτήρες ASCII.
Κωδικός	Προεπιλογή Είσοδος αντιστοίχιση κωδικού "1234" Μπορεί να προσαρμοστεί. Μέγιστη 6 digitals.
Μέγεθος του φιν	3,5 * 1,1 χιλιοστά

Πληροφορίες παραγγελίας	P / N	Περιγραφή
	OCPP-M03-BB	Με τη λειτουργία Bluetooth και μπαταρία, support Android
	OCPP-M03-BB-AI	Με τη λειτουργία Bluetooth και μπαταρία, support Android και IOS
	OCPP-M03-UB	Με Battery USB Επικοινωνίας,
	OCPP-M03-U	USB επικοινωνίας, χωρίς BT, Μπαταρία
	OCPP-M03-B	Bluetooth ανακοίνωση, χωρίς μπαταρία
	OCPP-M03-UC	USB επικοινωνίας, με φορτιστή αυτοκινήτου
	OCPP-M03-BC	Επικοινωνία Bluetooth με φορτιστή αυτοκινήτου
	OCPP-M03-C	Άλλες Προσαρμοσμένη



Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.



Σχετικά έγγραφα:

*[Προσδιορισμός](#)

*[Εγχειρίδιο Πρόγραμμα](#)

*[Εγχειρίδιο Οδηγιών](#)

*[Driver για WinXP Win2000 WinVista Win8-32bit](#)

[*Driver για Win8-64bit](#)

[*Driver for Linux](#)

[*Παράμετροι Printer Setting Εργαλεία](#)

[*USB Printdemo\(Αίτηση demo Λογισμικού\)](#)

[*Bluetooth Printdemo\(Αίτηση demo Λογισμικού\)](#)

[*SDK για το Android](#)

[*CD Αρχεία](#)

Σχετικά Βίντεο:

[Πώς είναι το ocpp-M05-bb λειτουργεί μέσω Bluetooth και USB καλώδιο
OCPP-M05-BB-δουλεύω με Android και IOS Σύστημα
Βίντεο για την εργασία OCPP-M05 με δισκίο android μέσω καλωδίου USB](#)

Συχνές ερωτήσεις: