

Bluetooth Laser Barcode Scanner --OCBS-W700-B

Προδιαγραφές:

ΦΥΣΙΚΕΣ characteristics	
Πηγή φωτός	Ορατό κόκκινο λέιζερ 650 nm
Scanner Διαστάσεις (W * H * D)	160 χιλιοστά * 70 χιλιοστά * 40 χιλιοστά
Βάρος	300G
Υλικό	ABS + PC
Λειτουργία σάρωσης	Σάρωση Μια γραμμή? Χειροκίνητη / Αυτόματη
Δείκτης Way	Buzzer και Indicator Light
Characterstics ΑΠΟΔΟΣΗΣ	
Πλάτος σάρωσης πεδίο	20 χιλιοστά παράθυρο @ σαρωτή @ 260 χιλιοστά 260 χιλιοστά
Βάθος σάρωσης πεδίο	4mil (0,1 χιλιοστά) / 5-60mm 5mil (0,12 χιλιοστά) / 10-100 10mil (0,25 χιλιοστά) / 15-250mm 35mil (0,89 χιλιοστά) / 140-600mm 43mil (1,1 χιλιοστά) / 150-800mm
Ταχύτητα Σάρωσης	120 σαρώσεις / sec
Σάρωση ακριβείας	0,10 χιλιοστά (pcs0.9)
Εκτύπωση Αντίθεση	Ελάχιστο 30% διαφορά αντανάκλαση
Error Rate	1 / (6 εκατομμύρια)
Δυνατότητα Decode	Διεθνής γενική 1D barcodes
Τρέχουσα	60mA (εργασίας)? ≤5uA (σε κατάσταση αναμονής)
Σάρωση Corner	32 °
Σάρωση Υψόμετρο	68 °
Σάρωση Γωνία Avertence	52 °
Συχνότητα Λειτουργίας	2.4 ~ 2.483GHz
Απόσταση Επικοινωνίας	30m max
Επικοινωνία	Bluetooth
Characterstics ΠΕΡΙΒΑΛΛΟΝ ΧΡΗΣΤΗ	
Drop Προδιαγραφές	2m ελεύθερη πτώση
Laser Level	Πρότυπο ασφάλειας Επίπεδο-1 laser
Χρέωση Ισχύος	5VDC



Bluetooth Barcode Scanner

OCBS-W700-B

Product Picture





Features

Simple but not easy

Support Bluetooth V2.0 and above;
Frequency: 2.4~2.483GHz;



Communication distance: 30m (max);



Integrated non-volatile memory
(can store about 500 barcodes);



800mA big capacity Li-battery.



||| All-round show



Parameter

PHYSICAL CHARACTERISTICS	
Light Source	Visible Red Laser 650 nm
Scanner Dimensions(W * H * D)	160mm * 70mm * 40mm
Weight	300G
Material	ABS + PC
Scanning Mode	One line scanning; Manual / Automatic
Indicator Way	Buzzer and Indicator Light
PERFORMANCE CHARACTERISTICS	
Width of Scan Field	20mm@scanner window 260mm@260mm
Depth of Scan Field	4mil (0.1mm)/5-60mm 5mil (0.12mm)/10-100mm 10mil (0.25mm)/15-250mm 35mil (0.89mm)/140-600mm 43mil (1.1mm)/150-800mm
Scan Speed	120 scans/sec
Scan Precision	0.10mm (pcs0.9)
Printing Contrast	Minimum 30% reflection difference
Error Rate	1/(6million)
Decode Capability	International general 1D barcodes
Current	60mA (working); \leq 5uA(standby)
Scanning Corner	32°
Scanning Elevation	68°
Scanning Angle of Advertence	52°
Working Frequency	2.4~2.483GHz
Communication Distance	30m max
Communication	Bluetooth
USER ENVIRONMENT CHARACTERISTICS	
Drop Specification	2m free fall

Laser Level	Level-1 laser safety standard
Charge Power	5VDC

Production Line



Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets

✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

✓ Indicates information has been verified onsite by TUV on 2013.7.15

Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	UT400	4

✓	Original & unique meters	171-174	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

✓ Indicates information has been verified onsite by TUV on 2013.7.15

Certifications



Packing and Shipment



Payment

Payment



Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.





Why you choose us?



Company Profile

This Assessed Supplier Has Been
Independently Verified

Build Your Growth On Trust





TÜVRheinland®
Precisely Right.



OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Europe, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.





Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Sales Center:

Address: 11/F, Tower A, New Energy Building, #2009, Nanhai Ave., Nanshan district, Shenzhen
Guangdong, 518054, China;

E-mail: ocom@ocominc.com , ocomtech@gmail.com ;

Skype: [ocominc2000](https://www.skype.com/user/ocominc2000), [ocominc](https://www.skype.com/user/ocominc);

MSN: [ocomtech@hotmail.com](https://www.hotmail.com/ocomtech), [ocominc@hotmail.com](https://www.hotmail.com/ocominc);

Trademanager: [szocominc](https://www.trademanager.com/szocominc), [cn1500439666](https://www.trademanager.com/cn1500439666);

QQ: 2485890637, 190852203;

Tel/Fax: +86.755.8605.3207.

