

58MM φορητό θερμικό εκτυπωτή Bluetooth Android Υποστήριξη θερμικό εκτυπωτή

Χαρακτηριστικά:

Υποστήριξη των Windows, Java, Android

Bluetooth, θύρα USB

Ανώτατη ταχύτητα εκτύπωσης 90 χιλιοστά / sec.

100 χιλιόμετρα TPH ζωή.

Χαμηλή κατανάλωση ενέργειας και μεγάλη μπαταρία λιθίου χωρητικότητας.

Προδιαγραφές:

Συνολικά Διαστάσεις (Π x Β x Υ)	105 x 75 x 45 χιλιοστά
Βάρος	134g
Χρώμα	Μαύρο
Αποτελεσματικό πλάτος εκτύπωσης	48 χιλιοστά
Μέθοδος εκτύπωσης	Εκτύπωσης Θερμική γραμμή
Εντολές εκτύπωσης	ESC / POS συμβατό σετ εντολών
Ταχύτητα εκτύπωσης	Μέχρι και 90mm / sec
Ψήφισμα	8 dots / mm (203dpi)
Γραμματοσειράς	12x24 / 24x24
Χωρητικότητα της στήλης	32 στήλες / 16columns
Το μέγεθος των χαρακτήρων	1,5 x 3,0 mm (Π x Υ) / 3.0x3.0mm (WxH)
Διαστάσεις χαρτιού	58,0 ± 0,1 χιλιοστά x 40,0 χιλιοστά διάμετρος
Πάχος χαρτιού	0,06 έως 0,08 χιλιοστά
Σύνολο χαρακτήρων	Αλφαριθμητικό / Chinese Kanji
Διασύνδεση	USB, Bluetooth
Buffer δεδομένων	Μέχρι 5K bytes
Τροφοδοτικό	9V DC / 2A
Ισχύς μπαταρίας	7.4V DC / 1500mA? μπαταρία μπορεί να μείνει από 4-5 ημέρες, όταν είναι πλήρης δύναμη, μπορεί να εκτυπώσει 120-150m χαρτί
Άλλα χαρακτηριστικά	Ανίχνευση χαρτιού, ανίχνευση ρεύματος, Εγχειρίδιο διακοπής λειτουργίας
Οι συνθήκες εργασίας	Θερμοκρασία: -10-50Degree, Υγρασία: 10% -90%
Οι συνθήκες αποθήκευσης	Θερμοκρασία: -20-70Degree, Υγρασία: 5% -95%
Όνομα συσκευής	Μπορεί να προσαρμοστεί, e-mail και ψηφιακών για την επιλογή, σε max 30 ASCII χαρακτήρων.
Κωδικός	Πληκτρολογήστε το προεπιλεγμένο κωδικό ζευγαρώματος "1234", που μπορεί να προσαρμοστεί. Στο max 6 digitals.
Διάσταση βύσμα τροφοδοσίας	3,5 * 1,1 χιλιοστά



58mm Bluetooth Thermal Printer for Andorid or IOS system

OCPP-M03



Product Picture





Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com, Together we quest for the best.

