

Μίνι φορητή Android κινητό bluetooth pos θερμικό εκτυπωτή παραλαβή

(Μοντέλο: OCPP-M082)

προδιαγραφές:

Διαστάσεις (Π x Β x Υ)	98 x 103 x 45 χιλιοστά
Βάρος	280 g
Χρώμα	Μαύρος
Αποτελεσματικό πλάτος εκτύπωσης	72 χιλιοστά
μέθοδος εκτύπωσης	Θερμική Γραμμή εκτύπωσης
εντολή εκτύπωσης	ESC / POS συμβατό σετ εντολών
ταχύτητα εκτύπωσης	Και 90mm / sec
Ανάλυση	8 dots / mm (203DPI)
Εκτύπωση γραμματοσειράς	Σε 12X24 / 24x24 στην
χωρητικότητα της στήλης	48 / 24columns
το μέγεθος των χαρακτήρων	1,5 x 3,0 mm (πλάτος x ύψος) / 3.0x3.0mm (πλάτος x ύψος)
Μέγεθος χαρτιού	Διάμετρος 80.0 mm έως ± 0,1 χιλιοστά x30.0
Πάχος χαρτιού	0,06 έως 0,08 mm
Σύνολο χαρακτήρων	Αλφαριθμητικό / κινέζικα Κείμενο
διασύνδεση	USB, RS-232, Bluetooth (προαιρετικό)
Λάμψη	256KB
Τροφοδοτικό	9V DC / 2A
Ισχύς μπαταρίας	DC / 2000 mA 7.4V? μπαταρία μπορεί να μείνει σε 4-5 ημέρες, όταν είναι γεμάτο δύναμη, μπορεί να εκτυπώσει 120-150M Χαρτί
Άλλα χαρακτηριστικά	ανίχνευση του χαρτιού, η ανίχνευση εξουσία, με το χέρι κλείσει
Συνθήκες εργασίας	Θερμοκρασία: -10degreeC~50degreeCΥγρασία: 10%~90%
Οι συνθήκες αποθήκευσης	Θερμοκρασία: -20degreeC~70 degreeC Υγρασία: 5%~95%
Όνομα της συσκευής	Μπορεί να προσαρμοστεί για να επιλέξετε γράμματα και αριθμούς έως 30 χαρακτήρες ASCII.
Σύνθημα	Κωδικός αντιστοίχιση προεπιλογή Input "1234"Μπορεί να προσαρμοστεί. Μέγιστο 6 digitals.
Μέγεθος του φιλ	3,5 * 1,1 χιλιοστά

	P / N	Περιγραφή
Ήθεσδων από παράνομες δραστηριότητες πληροφόρησης	OCP-P-M082-BB	Με Bluetooth και την μπαταρία, support Android
	OCP-P-M082-BB-AI	Με Bluetooth και την μπαταρία, support Android και iOS
	OCP-P-M082-UB	Με Battery USB Επικοινωνίας,
	OCP-P-M082-U	USB επικοινωνίας, χωρίς BT, μπαταρία
	OCP-P-M082-B	Bluetooth επικοινωνίας, χωρίς μπαταρία
	OCP-P-M082-UC	USB επικοινωνίας, με φορτιστή αυτοκινήτου
	OCP-P-M082-BC	Επικοινωνίας Bluetooth με φορτιστή αυτοκινήτου
	OCP-P-M082-C	άλλες Προσαρμοσμένα

Λεπτομέρειες προϊόντος:





Features

Simple but not easy

Support Windows, Android,
or iPhone OS;



Bluetooth, USB and
RS232 communication.

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec.



100km TPH Life.





Low power consumption
and large capacity
Lithium battery.

All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation



Overall Dimension (W×D×H)	98×103×45mm
Weight	280g
Color	Black
Effective print width	72mm
Print method	Thermal line printing
Print commands	ESC/POS/STAR compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	48 columns/24 columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(W x H)
Paper dimensions	80.0±0.1mm x diameter 30.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji ASCII Font A:12×24 Font B: 9x17 Korean code page 949
Communication Interface	USB/RS-232, Bluetooth
Flash	256KB
Power Adapter	9V DC/1.5A
Battery Power	7.4V DC/ 2000mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
Other features	Paper detection, power detection, Manual shut down
	Temperature:-10 degC ~ 50 degC.Humidity:10% ~

Working conditions	90%
Storage conditions	Temperature:-20 degC ~ 70 degC, Humidity:5% ~ 95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.
Power plug dimension	3.5*1.1mm

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com, Together we quest for the best.



Σχετικά έγγραφα:

- *[ΠΡΟΔΙΑΓΡΑΦΕΣΙόν](#)
- *[Εγχειρίδιο προγράμματος](#)
- *[Εγχειρίδιο οδηγιών](#)
- *[Driver για WinXP Win2000 WinVista Win7 Win8-32bit](#)
- *[Driver για Win7 Win8-64bit](#)
- *[Πρόγραμμα οδήγησης για Linux](#)
- *[Παράμετροι εκτυπωτή Ρύθμιση Εργαλεία](#)
- *[Printdemo USB\(Demo Λογισμικού Εφαρμογών\)](#)
- *[Bluetooth Printdemo\(Demo Λογισμικού Εφαρμογών\)](#)
- *[SDK για αντρόιντ](#)
- *[CD αρχεία](#)