### OCBP-005: Ανταγωνιστικό κόστος AirPrint άμεση θερμική barcode εκτυπωτή ετικετών

(Μοντέλο: ΟСΒΡ-005)

### **≥**χαρακτηριστικά:

- 1.Label θέση χαρτί auto?
- 2.Labels ξεκολλήσουν, κόψτε αυτομάτως;
- 3. Ρυθμίστε την κεφαλή του εκτυπωτή πίεση;
- 4.Compatible με την αφθονία των ετικετών λογισμικό;
- 5.ΒΜΡ, ΡΟΧ, ΒΑΟ εικόνες κατεβάσετε κατάστημα;
- 6.Support Serial, USB, LAN μαζί?
- 7. Support PDF417, QR Code, DOTMATRIX?

### Προδιαγραφές:

Μοντέλο εκτυπωτή	OCBP-005	
Ανάλυση	203 DPI (8 dot / mm)	
Μέθοδος εκτύπωσης	Άμεση θερμική	
Εκτυπώσεις αισθητήρα θερμοκρασίας κεφαλής		
Η εκτύπωση του αισθητήρα θέσης της κεφαλής	Micro διακόπτη	
ανιχνευσης	Φωτοηλεκτρικός αισθητήρα	
Ταχύτητα εκτύπωσης	127 χιλιοστά / sec (max)? 50,8 χιλιοστά / sec (min)	
Πλάτος εκτύπωσης	16 χιλιοστά ~ 82 χιλιοστά	
Μέσα ενημέρωσης	Τύπος μέσου: Ρολό χαρτί, αυτοκόλλητο, ετικέτα φορές, κ.λπ. Διάμετρος Media: Εσωτερική διάμετρος: 25mm? Εξωτερική διάμετρος: 80 χιλιοστά	
Εσωτερική	FONT 0 έως FONT 8? Συνήθως χρησιμοποιούνται γραμματοσειρές ενός	
γραμματοσειράς	byte	
Διεύρυνση & amp?	1 έως 10 φορές διεύρυνση προς τις δύο κατευθύνσεις? 0 Πτυχίο, 90	
	μοιρών, 180 προγράμματα, 270 προγράμματα, 360 μοιρών περιστροφής	
Χαρτί off τύπου	Κόψτε & amp? ξεφλουδίζω	
Μνήμη	2MB μνήμη Flash ROM, 2MB DRAM	
Εικόνα	Μονόχρωμος PCX, BMP αρχεία εικόνας μπορεί να είναι φορτίο σε Flash, DRAM	
Barcode	CODE128, EAN128, ITF, Code39, Code93, EAN13, EAN13 + 2, EAN13 5, EAN8, EAN8 + 2, EAN8 + 5, Codabar, POSTNET, UPC-A, UPCA + 2, UPCA + 5, UPC-E, UPCE + 2, UPCE + 5, cpost, MSI, EΠΕΕ, PLESSEY, ITF14, EAN14, PDF417, QR Code, DATMATRIX	
Διασύνδεση	USB + RS232 + LAN ή USB	
Εξουσία	Είσοδος: 24VDC, 2.5A	

Περιβάλλο	Θερμοκρασία λειτουργίας: 5 Βαθμός C έως 45 βαθμούς C Αποθήκευση Θερμοκρασία: -40 ° C για έως 55 βαθμούς C Λειτουργικός Υγρασία: 20% ~ 80%, χωρίς συμπύκνωση υδρατμών, ελεύθερο αέρα Αποθήκευση Υγρασία: & lt? = 93% (40 βαθμούς C), χωρίς συμπύκνωση υδρατμών, ελεύθερο αέρα
Διάσταση	Μέγεθος: D220mm * H148mm * W150mm

Διαφορετική οπτική γωνία:



Τοποθέτηση χαρτιού:









### Features

# Simple but not easy


Support PDF417, QR CODE, DOTMATRIX;











Labels peel off, tear off automatically;





Support Serial, USB, LAN together;

aming com

THEN OUT

# All-round show







### Application Area











Warehouse

Airline service

Clothes Store





Logistic freight



**Drug Store** 







### Parameter

Printer Model	OCBP-005	198 M	
Resolution	203 DPI (8 dot/mm)	203 DPI (8 dot/mm)	

Printing Method	Direct Thermal		
Printing head temperature sensor	Thermal sensitive resistance		
Printing head position sensor	Micro switch		
Paper exists detection	Photoelectric sensor		
Printing Speed	127 mm / sec (max); 50.8mm/sec (min)		
Printing Width	16 mm ~82 mm		
Media	Media Type: Paper roll, sticker, label fold, etc.  Media diameter: Inner dia:25mm; Outer dia: 80 mm		
Internal font	FONT 0 to FONT 8; Commonly used in single-byte fonts		
Enlargement & rotation	1 to 10 times enlargement in both directions; 0°, 90°, 180°, 270°, 360° rotation		
Paper off type	Tear off & peel off		
Memory	2MB Flash Rom, 2MB DRAM		
Image	Monochromatic PCX, BMP image files can be load to FLASH, DRAM		
Barcode	CODE128, EAN128, ITF, Code39, Code93, EAN13, EAN13+2, EAN13+5, EAN8, EAN8+2, EAN8 CODABAR, POSTNET, UPC-A, UPCA+2, UPCA+5, UPC-E, UPCE+2, UPCE+5, CPOST, MSI, MSPLESSEY, ITF14, EAN14, PDF417, QR CODE, DATMATRIX		
Interface	USB+RS232+ LAN or USB		
Power	nput: 24VDC, 2.5A		
Environment	Operating Temperature: 5°C to 45°C  Storage Temperature: -40°C to 55°C  Operating Humidity: 20% ~ 80%, non-condensing, Free air  Storage Humidity: ≤93%(40°C), non-condensing, Free air		
Dimension	Size: D220mm * H148mm *W150mm		

# Production Line





# Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
V	Thermal Printer	40,000 Sets / Month	250,000 Sets
1 000	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
~	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
V	Barcode Scanner	40,000 Sets / Month	20,000 Sets
1	POS Machine	5,000 Sets / Month	10,000 Sets
<b>✓</b>	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

### Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfication.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.


### Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
<b>✓</b>	Ageing Tester	No Information	6
1 200	Withstand Voltage Tester	CC2670A	1 0000
1	Oscilloscope	TBS1102	111 1 1 1 m
V	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
1	Calliper	GUANGLU	2
V	Multi-meter	VC890D	7
1	Test Computer	No Information	13

### Certifications



### Packing and Shipment





### Payment



















### Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.





### Why you choose us?



Flexible Cooperation

### Company Profile

# This Assessed Supplier Has Been Independently Verified

Build Your Growth On Trust













OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Eruope, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.





### Contact us

Any queries, please contact us immediately, big supprise is waiting for you.

Sales Center:

Address: Unit 701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District,

Shenzhen 518054, China;

Websites: http://www.possolution.com.cn; http://www.ocominc.com;

E-mail: ocom@ocominc.com, ocomtech@gmail.com;

Skype: ocominc2000, ocominc;

MSN: ocomtech@hotmail.com, ocominc@hotmail.com;

Trademanager: szocominc, cn1500439666;

QQ: 2485890637,190852203; Tel/Fax: +86.755.8605.3207.

