

OCPP-80E-P Θερμικός εκτυπωτής 80 χιλιοστών υψηλής ταχύτητας εισόδου POS με αυτόματο κόψιμο για εστιατόριο(Μοντέλο Νο .: OCPP-80E-P),

A. Χαρακτηριστικά:

1. Επιτραπέζιο ή τοίχου τύπου για επιλογή.
- 2.Υποστηρίζει πολλαπλές 1D γραμμωτούς κώδικες και εκτύπωση 2D κωδικών.
- Θύρα Ethernet 3.100M, μετάδοση δεδομένων εξαιρετικά υψηλής ταχύτητας.
4. Υποστηρίζει αποθήκευση λογοτύπου 256KB NV και μνήμη μεγάλης μνήμης 2M.
5. Υποστηρίζει τη λειτουργία υπενθύμισης παραγγελίας, συμβατή με το πρόγραμμα οδήγησης OPOS.και ανίχνευση μαύρου σημείου(Προαιρετικός)
6. Υποστηρίζει λειτουργία παρακολούθησης κατάστασης εκτύπωσης και λειτουργία κατά της απώλειας σειράς.

B. Τεχνικές παραμέτρους:

Μέθοδος εκτύπωσης:	Άμεση θερμική
Ταχύτητα εκτύπωσης:	200 mm / s
Πλάτος ρόλου:	79,5 ± 0,5 mm
Διάμετρος εκτύπωσης:	Φ80mm
Πάχος χαρτιού:	0,06-0,08 mm
Χωρητικότητα στήλης:	576dots / γραμμή512 Σημεία / γραμμή
Διάστιχο :	3.75mm(Ρυθμιζόμενο με εντολές),
Εντολή εκτύπωσης:	Συμβατό με την εντολή ESC / POS
Τύπος διασύνδεσης:	USB+25P σειρά/ / 36P παράλληλη θύρα / LAN
ντολές ZOH:	1 εκατ. Περικοπές
Πιδαρκεία ζωής κεφαλής:	100 χλμ
Buffer εισόδου :	2048Kbytes
NV Flash:	256Kbytes
Φορτιστής:	AC110V / 240V,50 ~ 60Hz
Παροχή ηλεκτρικού ρεύματος:	DC 24V / 2,5A
Συσκευασία σε μετρητά:	DC 24V / 1A
Εργασιακό περιβάλλον:	Θερμοκρασία (0~45) υγρασία (10~80%)(Όχι- συνοψίζω),
Εργασιακό περιβάλλον:	Θερμοκρασία (0-45) βαθμό Centigrade, υγρασία (10-80%) Όχι- συνοψίζω
Περιβάλλον αποθήκευσης:	Θερμοκρασία (-10~60°C),. Ηυγρασία (10~90%)
Μέγεθος χαρακτήρων:	ANK,FontA: 1.5 * 3.0mm / FontB:1,1 * 2,1 mm
Barcode:	UPC-A / UPC-E / JA(EAN13),/ JAN8(EAN8 / CODE39 / ITF / CODE93 / CODE128/ /QRCode/ PDF417 (επιλογές)
Χαρακτήρες:	PC347(Τυποποιημένη Ευρώπη),Κατακάνα,PC850(Πολύγλωσσος),PC860(Πορτογαλικά),PC863(Καναδικό-γαλλικό),PC865(σκανδιναβικός),Δυτική Ευρώπη,Ελληνικά,Εβραϊκά,Ανατολική Ευρώπη,Ιράν,WPC1252,PC866(Κυριλλικό # 2),PC852(Latin2),
Φυσικά χαρακτηριστικά:	PC858,IranII,Λετονίας,αραβικός,PT151(1251), Βάρος: 1,25 Kg. Μέγεθος εμφάνισης: 190 × 145 × 143mm (μήκος * πλάτος * ύψος)

C. Εικόνες:



80mm Thermal Printer with Auto Cutter

OCPP-80E



Product Picture



Features:

Reliable with good price



Supports black mark detection and order reminding function, compatible with OPOS driver;



Supports multi 1D barcodes and 2D codes printing;



100M Ethernet port, ultra high speed data transmission;

Supports 256KB NV Logo storage and 2M big buffer memory;



Desktop or wall-mounted type for option;



Supports printing status monitor and anti-losing order function.





Restaurant



Supermarket



Pharmacy



Warehouse



Clothing store



Bookstore

Parameter

Printing method:	Direct thermal
Printing speed:	230mm/s、260mm/s
Roll width:	79.5±0.5mm
Print diameter:	Φ80mm
Paper thickness:	0.06-0.08mm
Column capacity:	576dots/line , 512dots/line
Line's pacing :	3.75mm (Adjustable by commands)
Print command:	Compatible with the ESC/POS command
Interface type:	Serial+USB+Lan/36P parallel port/25P serial +USB/LAN
cutters life:	1million cuts
Print head life:	100 km
Input buffer :	2048Kbytes
NV Flash:	256Kbytes
Power adaptor:	AC110V/240V、50~60Hz
Power supply:	DC 24V/2.5A
Cash drawer supply:	DC 24V/1A
Work environment:	Temperature(0 ~ 45) humidity(10 ~ 80%) (Non- condense)
Work environment:	Temperature(0-45) degree centigrade, humidity(10-80%) Non- condense
Storage environment:	Temperature(-10 ~ 60℃); Humidity(10 ~ 90%)
Character size:	ANK, FontA:1.5*3.0mm/ FontB: 1.1*2.1mm
Barcode:	UPC-A/UPC-E/JA (EAN13) /JAN8 (EAN8/CODE39/ITF /CODE93/CODE128 QRCode
Characters:	PC347 (Standard Europe)、Katakana、PC850 (Multilingual)、 PC860 (Portuguese)、PC863 (Canadian-French)、PC865 (Nordic)、West Europe、Greek、Hebrew、East Europe、 Iran、WPC1252、PC866 (Cyrillic#2)、PC852 (Latin2)、 PC858、IranII、Latvian、Arabic、PT151 (1251)
Physical characteristics:	Weight: 1.25Kg; Appearance size: 190×145×143mm (length * width * height)

Supported Languages:

Afrikaans	Arabic (Tunisia)	English (British)	French (Switzerland)	Latvian	Spanish (Costa Rica)
Albanian	Arabic (Yemen)	English (Canada)	German (Austria)	Lithuanian	Spanish (Dominican)
Arabic (Algeria)	Basque	English (Caribbean)	German (Liechtenstein)	Macedonian	Spanish (Ecuador)
Arabic (Bahrain)	Belarus	English (Irish)	German (Luxembourg)	Polish	Spanish (Guatemala)
Arabic (Egypt)	Bulgarian	English (Jamaica)	German (Standard)	Portuguese (Brazil)	Spanish (Mexico)
Arabic (Iran)	Catalan	English (New Zealand)	German (Switzerland)	Portuguese (Portugal)	Spanish (Panama)
Arabic (Jordan)	Chinese (Singapore)	English (South Africa)	Greek	Romanian	Spanish (Paraguay)
Arabic (Kuwait)	Chinese (Hongkong)	English (US)	Hebrew	Russian	Spanish (Peru)
Arabic (Lebanon)	Chinese (PRC)	Estonian	Hun	Serbian	Spanish (Uruguay)
Arabic (Libya)	Chinese (Taiwan)	Faroese	Icelandic	Slovak	Spanish (Venezuela)
Arabic (Morocco)	Croatian	Farsi	Indonesian	Slovenian	Thai Language
Arabic (Oman)	Czech	Finnish	Italian (Switzerland)	Swedish	Turkish
Arabic (Qatar)	Danish and Norwegian	French (Belgium)	Italian	Spanish (Argentina)	Ukrainian
Arabic (Saudi Arabia)	Dutch (Belgium)	French (Canada)	Japanese	Spanish (Bolivia)	Urdu
Arabic (Syria)	Dutch (standard)	French (Luxembourg)	Korean	Spanish (Chile)	Vietnamese
Arabic (UAE)	English (Australia)	French (Standard)	Vietnamese	Spanish (Colombia)	

Power plug for option:



How to use?

Connecting the printer:

- ▶ The power adapter cable connect to the printer power interface
- ▶ The interface cable connect on the printer port behind
- ▶ The cash drawer connecting cable connect to the printer's behind the cash drawer interface



Installation of paper roll:



- Open the printer cover.
- Install the roller in the roll paper, and put them into the printer.
- Pull out some paper outside the printer and then close the printer cover.
- Close the top cover. Press the printer cover to avoid error position of roll paper.
- Tear-off the paper correctly.

Setting the Printing Mode(DIP switches):

The DIP switches are used to set the printer to perform various functions, such as cutter mode, character set, speed, beeper, print density and etc.



Power indicator:
Turn on/off the printer

Alarm indicator:
When the printer is out of paper, the cutter error occurs or printer head overheats, the ALARM indicator flashes.

Paper indicator:
Both of paper indicator and error indicator are on, means paper end-user, both of paper indicator and error indicator are off, means have paper.

FEED button:
Press to feed paper manually.

Clean of printer:

When the printer has the following conditions should clean the print head:

- ❑ The printer does not clear
- ❑ The page frame lengthways of printer has some not clean
- ❑ Paper feed with a large noise

Printer cleaning steps as follows:

- ✓ Shut off the power of printer, Open the Top Cover; If there is paper, please wipe off the paper;
- ✓ If it just finished a printing, please wait for a while until the print head cooling;
- ✓ With a soft cotton cloth dipped in ethanol (to be wrung) erase the thermal printer head thermal surface dust, stains;
- ✓ As the anhydrous ethanol evaporate completely, closed the top cover, and restart to print.

Production Process

No.	Production Process	No.	Production Process	No.	Production Process
1	 Inspection 1	2	 Soldering	3	 Assembling 1
4	 Assembling 2	5	 Function Test	6	 Ageing Test
7	 Inspection 2	8	 Packing 1	9	 Packing 2

Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours ageing test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments:

✓ Indicates information has been verified onsite by a certification specialist

Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

Certification:



Warranty and After Sales:



- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

Packing and Shipment:



Double wall corrugated board



Double outer cartons

Marks and fragile stickers

Outer protective film



Payment:



secure payment



Aliexpress

PayPal

Trade Assurance

Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Company Profile



TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers , Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.



Why you choose us?



Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Sales Center:

Address: Unit701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan

District, Shenzhen 518054, China

Website: www.ocominc.com www.possolution.com.cn;

E-mail: ocom@ocominc.com, info@possolution.com.cn ;

Tel: +86.755.86053207 ext 800;

Fax: +86.755.86053207 ext 868;

QQ: 2485890637, 190852203;

Wechat: szocominc, hj34924238;

Whatsapp: 008613352932860;



D.FAQ:

1. Εγγύηση

Η OCOM είναι αφοσιωμένη στην παροχή των πιο οικονομικά αποδοτικών προϊόντων και υπηρεσιών με την υψηλότερη ποιότητα που θα ικανοποιήσει την ικανοποίηση των πελατών, η εγγύηση των προϊόντων είναι περίπου 12 μήνες από την αποστολή κανονικά, μερικά καθορισμένα μοντέλα μπορούν να έχουν μέχρι και 24 μήνες εγγύηση. Για μαζική παραγγελία, μπορούμε να σας προμηθεύσουμε μερικά ανταλλακτικά για τοπική επισκευή. Και μετά από αυτό, μπορείτε να επιστρέψετε τα τμήματα αποτυχίας για

επαναχρησιμοποίηση.

2. Όροι πληρωμής

Για μαζική παραγγελία, μπορείτε να μας πληρώσετε χρησιμοποιώντας T / T, LC, Western Union, Escrow ή άλλους. Σχετικά με την παραγγελία δειγμάτων, T / T, Western Union, Escrow, Paypal είναι αποδεκτές. Η υπηρεσία Escrow τροφοδοτείται από το Alipay.com. Επί του παρόντος, μπορείτε να πληρώσετε χρησιμοποιώντας Moneybookers, Visa, MasterCard και τραπεζική μεταφορά. Μπορείτε επίσης να πληρώσετε με επιλεγμένες χρεωστικές κάρτες, όπως Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B και Euro6000.

3. Αποστολή

Δεχόμαστε κάθε είδους τρόπους ναυτιλίας, όπως: express, air, sea, car ή pickup από τους πελάτες προσωπικά.

4. Δείγμα Διαθεσιμότητας & Πολιτική

Αφού οι πελάτες επιβεβαίωσαν τις προδιαγραφές μας, είμαστε πολύ ευτυχείς να δώσουμε δείγματα για δοκιμές και προσόντα. Όλα τα δείγματα πρέπει να καταβληθούν πριν από την αποστολή και η τιμή του δείγματος είναι λίγο μεγαλύτερη από τη σειρά μάζας. Όταν τοποθετηθεί η μαζική παραγγελία, μπορούμε να σας επιστρέψουμε το κόστος των δειγμάτων ή να σας στείλουμε περισσότερα προϊόντα με τα φορτία. Μπορείτε να αγοράσετε τα δείγματα από εμάς απευθείας χρησιμοποιώντας t / t, western union ή paypal. Και μπορείτε επίσης να το αγοράσετε στο ηλεκτρονικό μας κατάστημα στο aliexpress: http://www.aliexpress.com/store/403448?tracelog=minisite_CI Η παραγγελία δείγματος είναι απαραίτητη πριν ξεκινήσουμε την παραγωγή μας στο εργοστάσιο μας

5. Υπηρεσία εξυπηρέτησης μετά την πώληση:

* Έχουμε την κορυφαία εγγύηση εμπορικού επιπέδου 1% μέχρι USD12000 που εγγυάται η alibaba, η οποία μπορεί να επηρεάσει τα χρήματά σας καλά για να εξασφαλίσει το χρόνο προόδου και την ποιότητα των προϊόντων. (1) Η εγγύηση όλων των προϊόντων δεν είναι μικρότερη από ένα έτος, μερικά μοντέλα ακόμα και μέχρι δύο χρόνια εγγύηση. (2) Θα παρασχεθούν ανταλλακτικά για μαζικές παραγγελίες για την τοπική συντήρηση των πελατών. (3) Έχουν διανομείς ή εξουσιοδοτημένους αντιπροσώπους στην κύρια αγορά, οι οποίοι μπορούν να παρέχουν τοπικές υπηρεσίες επισκευής και αντικατάστασης. (4) Η επαγγελματική διαχείριση CRM ασφαλίζει γρήγορα τις ερωτήσεις του πελάτη και την παρακολούθηση παραγγελιών. (5) Πωλήσεις με πολυετή πείρα στο εξωτερικό εμπόριο, γνώστες ξένων γλωσσών και έντονο αίσθημα ευθύνης. (6) 7 * 24 ώρες online, οι εργάσιμες ημέρες ανταποκρίνονται εντός τεσσάρων ωρών, οι ημέρες ανάπαυσης εντός 12 ωρών. 6. Λήψη

Μπορείτε να αποκτήσετε πρόσβαση στο <http://www.possolution.com.cn/cn/download.html> προγράμματα οδήγησης κατεβάσετε, λογισμικό SDK, προδιαγραφές προϊόντων και εγχειρίδια χρήσης.

7. Οδηγός βίντεο

Για να βοηθήσουμε τους πελάτες να χρησιμοποιούν καλύτερα τα προϊόντα μας, έχουμε καταγράψει και φορτώσει κάποιες οδηγίες βίντεο, μπορείτε να τις βρείτε στη διεύθυνση <http://www.possolution.com.cn/video.html>.

8. Πολιτική MOQ

Δεν υπάρχει περιορισμός για τα τυποποιημένα προϊόντα, αλλά η τιμή μονάδας είναι διαφορετική. Για εξατομικευμένη παραγωγή, μπορείτε να συζητήσετε το MOQ με τον αντιπρόσωπο πωλήσεων μας.

9. Ζητήστε προσφορά

Ζητήστε μια προσφορά στο <http://www.possolution.com.cn/inquiry.html> MI.

Εταιρία: Η OCOM είναι ένας από τους κορυφαίους προμηθευτές ολοκληρωμένων

προϊόντων POS και Auto-ID που έχουν πιστοποιηθεί από την εταιρεία Global Fortune 500. Διαθέτουμε εγγύηση εγγυήσεων Εγγύησης Εγγύησης 1 επιπέδου.

Το χαρτοφυλάκιο προϊόντων της OCOM καλύπτει τα προϊόντα Thermal Printer, Barcode Printer, DOT Matrix Printer, Barcode Scanner, Data Collector, POS Machine και άλλα προϊόντα POS Peripherals, τα οποία χρησιμοποιούνται ευρέως για λιανικό εμπόριο, εστιατόρια, τράπεζες, λαχεία, μεταφορές, logistics και άλλες εφαρμογές. Έχουμε CE, FCC και άλλες απαιτούμενες πιστοποιήσεις.

Δεδομένου ότι ιδρύθηκε τον Ιούνιο του 2007, OCOM έχουν κολλήσει στο σύστημα ποιότητας του ISO9001: 2008. Έχουμε επικεντρωθεί στην αξιόπιστη ποιότητα των προϊόντων και ανταγωνιστικές τιμές. Εξυπηρετούσαμε περισσότερους από 1300 πελάτες σε 133 χώρες, εκ των οποίων οι 40 είναι οι μεγαλύτεροι διανομείς στην επικράτειά τους. Οι κύριες αγορές μας είναι στην Ευρώπη, την Αυστραλία και την ταχέως αναπτυσσόμενη Νότια Αμερική και την Αφρική. Ο κατάλογος πελατών περιλαμβάνει τα περίφημα Unilever, O2, Equicom ...

Η αποστολή της OCOM είναι να αποτελέσει την εξαιρετική επιλογή για τους εταίρους μας, με βάση τις τρεις βασικές μας πεποιθήσεις: «Ακεραιότητα με βάση, Προσπαθήστε για την αριστεία, Win-win συνεργασία», θέλουμε να δημιουργήσουμε σταθερές και αξιόπιστες συνεργασίες με πελάτες σε όλο τον κόσμο. OEM / ODM είναι ευπρόσδεκτη.

Μαζί αναζητούμε το καλύτερο.

F.Contact:

Επικοινωνία: Harold Hu

OCOM Technologies Limited

Διεύθυνση: 4 / F, Block 10, Zhongxing Βιομηχανικό Πάρκο, Chuangye Road, Nanshan District, Shenzhen 518054, Κίνα.

Ιστοσελίδα: www.ocominc.com, www.possolution.com.cn;

Ηλεκτρονικό ταχυδρομείο: sales14@ocominc.com;

Skype: [sales14@ocominc.com](https://www.skype.com/en/contacts/sales14@ocominc.com)

MSN: ocomsales14@hotmail.com;

Whatsapp: 0086.18948789890;

Wechat: 0086.18948789890;

Mobile: 0086.18948789890;

QQ: 1467261417;

Τηλ: 0086.755.86053207-814;

Φαξ: 0086.755.86053207-868;