

**Χαρακτηριστικά:**

Υποστήριξη Windows, JAVA, Android, IOS ή Android + IOS OS?

Σύνδεση USB, RS-232, Bluetooth (προαιρετικό);

Ένδειξη φόρτισης μπαταρίας για εύκολη πρόσβαση στην υπόλοιπη ισχύ.

Τροποποιήστε το όνομα και τον κωδικό πρόσβασης του εκτυπωτή Bluetooth online.

Υποστήριξη κώδικα QR.

Υψηλότερη ταχύτητα εκτύπωσης 90 mm / sec.

100 km TPH ζωής.

Μπαταρίες λιθίου χαμηλής ισχύος και μεγάλης χωρητικότητας.

Τυπικό τροφοδοτικό για φορτιστές αυτοκινήτου.

**Προδιαγραφές προϊόντων:**

Διαστάσεις (πλάτος x βάθος x ύψος)	105 x 75 x 45 mm
Βάρος	134 γραμμάρια
Χρώμα	Μαύρο
Αποτελεσματικό πλάτος εκτύπωσης	48 mm
Μέθοδος εκτύπωσης	Εκτύπωση με καυτή γραμμή
Παραγγελία εκτύπωσης	Σύνολο εντολών που είναι συμβατό με ESC / POS
Ταχύτητα εκτύπωσης	Μέχρι 90 mm / sec
Ανάλυση	8 σημεία / mm (203dpi)
Εκτύπωση γραμματοσειράς	12x24 / 24x24
Χωρητικότητα στήλης	32 στήλες / 16 στήλες
Μέγεθος χαρακτήρων	1,5 x 3,0 mm (πλάτος x ύψος) / 3,0 x 3,0 mm (πλάτος x ύψος)
Μέγεθος χαρτιού	58,0 ± 0,1 mm x διαμέτρου 40,0 mm
Πάχος χαρτιού	0,06 έως 0,08 mm
Σύνολο χαρακτήρων	Αλφαριθμητικοί / Κινέζοι χαρακτήρες
Διασύνδεση	USB, RS-232, Bluetooth (προαιρετικά)
Flash	256KB
Τροφοδοτικό	9V DC / 2A
Τροφοδοσία μπαταρίας	7.4V DC / 1500mA, η μπαταρία μπορεί να διαρκέσει 4-5 ημέρες, όταν είναι σε πλήρη ισχύ, μπορεί να εκτυπώσει 120-150 μέτρα χαρτιού
Άλλα χαρακτηριστικά	Ανίχνευση χαρτιού, ανίχνευση ισχύος, χειροκίνητη απενεργοποίηση
Περιβάλλον εργασίας	Θερμοκρασία: -10 ° C ~ 50 ° C, υγρασία: 10% ~ 90%
Συνθήκη αποθήκευσης	Θερμοκρασία: -20 ° C ~ 70 ° C, υγρασία: 5% ~ 95%
Όνομα συσκευής	Προσαρμοστές, άλφα και αριθμητικές επιλογές, έως και 30 χαρακτήρες ASCII.



## 58mm Bluetooth Thermal Printer for Andorid or IOS system

OCPP-M03



### Product Picture





## Features

### **Simple but not easy**

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec





Support Windows, Android, or iPhone OS;  
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.  
100km TPH Life



Low power consumption and large capacity Lithium battery.



## All-round show





## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



## Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

## Paper Roll Installation





- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

## Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C



## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),  
Together we quest for the best.





Monica Fu



## OCOM Technologies Limited

---

**Add:** 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

**Tel:** 0086.755.8605.3207 ext 801

**Fax:** 0086.755.8605.3207 ext 868

**Web:** [www.ocominc.com](http://www.ocominc.com)

**E-mail:** [sales01@ocominc.com](mailto:sales01@ocominc.com), [sales01@ocomtech.com.cn](mailto:sales01@ocomtech.com.cn)

**Skype:** ocomsales01; **MSN:** ocomsales01@hotmail.com

**Ali TM:** cn1001868228; **QQ:** 1483705401

**Mobile/Wechat/Whatsapp:** 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products