

21.5 Inch Windows/Android Self-Service POS System

(M/N: POS -K003)

Χαρακτηριστικά:

Top design in this kiosk industry, quick responses, run stably;

Highly integrating multi-function, space-saving, easy to operate;

Best shopping experience and improving the store image;

Labor cost-saving;

Time saving for the customers waiting at cashier front desk;

High quality scanner make goods-scanning quickly;

Support the payment of Wechat and Alipay;

Support wall-mounting and standing alone.

Σpecificatiόν

Μοντέλο	POS -K003-W	POS -K003-ENA
Όνομα	21.5 inch all in one touch screen Περίπτερο	
Στέγαση	plastic with metal combined	
Χρώμα	whole white χρώμα	
Απεικόνιση		
Main screen size	21.5 inch touch screen monitor	21.5 inch touch screen monitor
Ανάλυση	1920*1080	1920*1080
χρώμαΛάμψη	250cd/m2	
View angle	Ορίζοντας: 178; Vertical :178	
Αφή μικρόscreen	10-σημείο projected G+G capacitive touch	
Εκτέλεση		
Μητρική πλακέτα	Intel Celeron Bay Trail J1900 2.0GHz or intel core I3 / I5 4th generation CPU for option	ARM Cortex-A17 -RK 3288 quad core 1.8GHz CPU
Σύστημα Μνήμη	1*SO-DIMM DDRIII slot, support1333*/1600 4GB	On board 2GB DDRIII
Συσκευή αποθήκευσης	M SATA SSD 64GB	16GB eMMC
Audio	On board Real Tek ALC662 audio chip	On board Real Tek audio chip ALC5640
LAN	10/100Mbs, Realtek RTL8111F Lan chip	10M/100M, RTL8201F
WIFI	Support 802.11 a/b/g	Support 802.11 a/b/g
Ομιλητής	Built in 8ohm/10watt speakers	
ΦΩΤΟΓΡΑΦΙΚΗ ΜΗΧΑΝΗ	Face recognition for payment (option)	
Λειτουργικό σύστημα	Windows7/8/10, Embedded, WE POS ,Linux	Android 7.1
Connectivity		
External I/O port (J1900/RK3288)	Power διακόπτης*1 100V-240V 50HZ/60HZ AC power Socket*1 USB*2 LAN:RJ-45*1	
Scanning platform	πακέτο	
Πηγή φωτός	Illumination:617nm red LED	
Παροχή ηλεκτρικού ρεύματος	5V DC	

Support 1D	UPC,EAN, Code128, Code 39,Code 93, Κώδικας11, Interleaved 2 of 5, Matrix 2 of 5, CodénaBar, MSI Plessey,GS1 DataBar,China Pos tal,Korean Pos tal, etc....
Support 2D	PDF417, Micro PDF417,Data Matrix,Maxicode,QR Code, Micro QR,Aztec,Hanxin, etc.....
Barcode precision	4 mil code39
Barcode Sensitivity	Πίσσα:±60°@ 0°Roll and 0°Skew Ρολό:±360°@ 0°Pitchand0°Λοξότητα Λοξότητα:±65°@ 0°Roll and 0°Πίσσα
Prompt Mode	Βομβητής
Διεπαφή	USB
Εκτυπωτής	
80mm thermal printer	Direct thermal printing
	150mm/s printing speed
	79.5-/+ 0.5mm paper width and printable width 72mm
	Auto cutter function
	Power DC 24V
Resolution 203DPI	
περιβάλλον	
Θερμοκρασία λειτουργίας	0 to 40 degrees centigrade
Θερμοκρασία αποθήκευσης	-10 to 60 degrees centigrade
Working humidity	10%~80% No condensation
Storage humidity	10%~90% No condensation
αξεσουάρ	
Καλώδιο ρεύματος	Power cable plug compatible with USA /EU / UK etc and customized available
CD driver	Motherboard driver and touch driver inside (Επιλογή)
Άλλα	
Συμμόρφωση	FCC Class A/CE Mark/LVD/CCC



POS-K003





POS-K003





POS-K003







POS-K003





POS-K003

