

Auto Sense Laser Barcode Scanner

(M/N:OCBS-LA09)



Features:

- l. 200scan/sec high scan rate and long reading distance
- m. Excellent decode capability
- n. KBW, RS232 and USB supported
- o. Durable construction combined with future-proofing
- p. With auto sense and steady stand

Specification

| General | |
|--------------------------------|---|
| Model | OCBS-LA09 |
| Material | ABS+PC |
| Color | black |
| Stand | With |
| Interfaces | PS2, RS232, USB for option |
| Indicator | Beeper, LED |
| CPU | 32-bit |
| Operation mode | Auto Sense |
| Voltage | 5V DC±5% |
| Current | 85 mA (Operating); 100 (Max) |
| Electrostatic Discharge | Conforms to +/-15KV air discharge and +/-8KV of contact discharge |
| Drop Specifications | Withstands multiple 1.5m drops to concrete surface |
| Laser classification | EN60825-1 class 1 |
| Performance | |
| Scan Speed | 200 scans per second |
| Reading Distance | 2.5 ~600mm (100% UPC/EAN) |
| Width of Scan | 50mm@60mm, 220mm@200mm |
| Scanner Type | Bi-directional |
| Resolution | 3mil high resolution series / 5mil long depth field series |
| Ambient Illumination | 0 ~ 100,000 LUX |
| Print Contrast | 25% |
| Light Source | 650nm visible |
| Scanning Angle | ±65°(tilt); ±60°(pitch); ±42°(yaw) |
| Decode Capability | UPC/EAN, UPC/EAN with Supplemental, UCC/EAN 128, Code 39, Code 39 Full ASCII, Trioptic Code 39, Code 128, Code 128 Full ASCII, Coda bar, Interleaved 2 of 5, Discrete 2 of 5, Code 93, MSI, Code 11, RSS variants, Chinese 2 of 5, MSI/Plessey, UK/Plessey, UCC/EAN 128, Chinese code, GS1 Data Bar, RSS series |
| Physical | |
| Weight | Gross:550g |
| package | 230*140*10mm |
| 20 in 1 carton | 480*240*550mm/12.25kg |
| Environment | |
| Working temperature & humidity | 0 to 45 degrees centigrade, 10%~80% No condensation |
| Storage temperature & humidity | -20 to 60 degrees centigrade, 10%~90% No condensation |

More pictures











