

Model	OCKP-8005
Printing method	Thermal line dot method
Paper type	Thermal paper roll
Interface	USB +RS232+LPT
Resolution	203dpi(8dots/mm)
Paper width	79.5±0.5mm
Printing speed	150mm/s
Effective printing area	72mm
Character set	ASCII,GB2312-80□Chinese□
Print font	ANK□(9*17,12*24)□Chinese□□24*24□
Paper roll outside diameter	Max:150mm
Paper roll inner diameter	Min:18mm
Paper thickness	0.055-0.15mm
Print Life	≥100Km
Cutter life	≥1,000,000cuts
Bar-code types	1D:UPCA□UPC- E□JAN13(EAN13)□JAN8(EAN8)□CODE39□ITF□CODABAR□CODE128□CODE93 2D:QR Code
Detection	Paper out,Paper near end, paper taken
Power adaptor	DC24V/2A
Dimensions	147.6mm*256.5mm*146mm
weight	1.65kg
Package box	290*210*200mm/1.8kg
Operating temperature	0°C~50°C
Operating humidity	20%RH ~85% RH
Storage temperature	-20°C~60°C
Storage humidity	5% ~90%RH




温馨提示
请使用厂家专配的适配器









温馨提示
请使用厂家专配的适配器







