

# (OCBP-M88)Label Printer Machine 300dpi Small Android Product POS Cable Mini Mobile Impresora Shipping Package Printer

(M/N:OCBP-M88)

## Features:

- Front paper output structure makes paper feed smoother and less jams
- Fully body TPU wrap,strong anti-drop performance
- Support label interval sensor
- The width of the paper bin can be adjusted
- 50 diameter paper roller can be installed
- The USB Type-C interface can be both charge and communication
- The LCD screen can directly observe the printer status
- Support the physical button to set the printer
- Free label editing software,convenient for end users to use directly

## Specification:

| General                       |   |
|-------------------------------|---|
| Model                         | OCBP-M88  |
| Color                         | Gray and white  |
| Processor                     | 32 bit CPU  |
| Interface                     | USB type-C and Bluetooth  |
| Printer head life             | 100Km   |
| Battery                       | 2600mAh, 7.4V 15Wh Non-removable battery  |
| Charging time                 | 4-5 hours   |
| screen                        | 1 inch TFT color screen   |
| Sensors                       | Gap sensor,Cover opening sensor,Black mark sensor,Overheating sensor,paper end sensor                     |
| Working time                  | 200meter printing, 7 days standby time  |
| Power supply                  | 5V DC/1A  |
| Memory                        | 8MB   |
| software                      | Windows/Android/IOS/MAC   |
| Safety standards              | CE ,FCC,Rohs etc  |
| Printing capability           |   |
| Printing method               | Direct Thermal  |
| Resoluiton                    | 8 dots/mm(203 DPI)  |
| Print speed                   | 80mm/s  |
| Print width/ length           | 72mm Max/ 1778mm Max  |
| Print command                 | ESC/POS, CPCL command   |
| Barcode and character         |   |
| Barcode                       | EAN-8, EAN-13, ITF, UPC-A, UPC-E, Codebar, Code93, Code39, Code128,QR Code,PDF417,Data Matrix,Grid Matrix |
| Character set                 | Alphanumeric/ GBK/Unicode   |
| Media                         |   |
| Media type                    | Continuous,Gap, Black mark  |
| Media width                   | 15-80mm   |
| Media thickness               | 0.05-0.18mm   |
| Media roll diameter           | 50mm Max  |
| Physical                      |   |
| Dimension                     | 102mm*113mm*57mm  |
| Weight/Package box            | Net:390g Gross:531.3g/192.5×129.4×63.8mm  |
| 16 in 1 carton                | 384×345×295mm/10kg  |
| Environment                   |   |
| Working temperature&humidity  | 0 to 45 degrees centigrade, 10%~80% No condensation   |
| Storage temperature& humidity | -20 to 60 degrees centigrade , 10%~90% No condensation  |

## Product overview:

















