

Cheapest multi directional automatic waterproof cmos omnidirectional 1d 2d qr code barcode reader

(M/N:OCBS-T215)

Features:



Large reading window;

Quickly identify the screen 1D/2D code;

Hidden anti-pull data cable socket.

Specification

General	
Model	OCBS-T215
Interface	USB
Operating Voltage	5V
Starting Current	420mA
Work Current	400mA
Standby Current	270mA
Performance	
Sensor	Overall exposure 640*480 CMOS sensor
Light source	Red LED
Field view	57.2° (H), 44.2°(V)
Motion tolerance	> 0.3m/s
Scan Angle	Pitch ±70°@ 0°Roll and 0° Skew Roll 360°@ 0°Pitch and 0° Skew Skew ±70°@ 0°Roll and 0° Pitch
Symbol Contrast	20% minimum reflective difference
Ambient Light Immunity	0-100,000 Lux
Typical Depth of Field	Code39(5mil):20mm-80mm, EAN13(13mil):10mm-160mm QR(15mil):10mm-140mm Data Matrix (15mil):10mm-100mm PDF417 (10mil):10mm-120mm
Decoding ability	(Codabar),(Code 39),(Code 32),(Industrial 2 of 5),(Interleaved 2 of 5),(Standard 2 of 5),(Matrix 2 of 5),(Code 93),(Code 11),(Code 128),(UPC-A),(UPC-E),(EAN/JAN-8),(EAN/JAN-13),(GS1 DataBar(RSS14) (PDF417),(QR Code),(Micro QR),(Data Matrix),(Aztec),(Hanxi code)
Physical	
Weight	Gross:640g
Package	230*170*95mm
Environment	
Working temperature& humidity	0 to 45 degrees centigrade, 10%~80% No condensation
Storage temperature& humidity	-20 to 60 degrees centigrade , 10%~90% No condensation















Model: OCBS-T215

Interface: USB



OCBST2152214100001

Made in China





1. Introduction	1
2. Safety Instructions	2
3. How to Use the Device	3
4. Troubleshooting	4
5. Contact Us	5

HOW TO USE THE DEVICE



1. Introduction

The device is used to... (text is small and partially illegible)

2. Safety Instructions

Do not use the device... (text is small and partially illegible)

3. How to Use the Device

1. Turn on the device... (text is small and partially illegible)

4. Troubleshooting

If the device does not work... (text is small and partially illegible)

5. Contact Us

For more information... (text is small and partially illegible)

© 2010 OCOM. All rights reserved. This document is the property of OCOM. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without permission in writing from OCOM. Printed in China.





2D Barcode Scanner
Model: OCBS-T215 Color: Black
Interface: USB CE FC
Power Input: 5V1A
OCBS T215 2214100001
Made in China