

Large Window 2D Scanning Platform

(M/N:OCBS-T215)

Features:



Large reading window;

Quickly identify the screen 1D/2D code;

Hidden anti-pull data cable socket.

Specification

General	
Model	OCBS-T215
Interface	USB
Operating Voltage	5V
Starting Current	420mA
Work Current	400mA
Standby Current	270mA
Performance	
Sensor	Overall exposure 640*480 CMOS sensor
Light source	Red LED
Field view	57.2° (H), 44.2°(V)
Motion tolerance	> 0.3m/s
Scan Angle	Pitch ±70°@ 0°Roll and 0° Skew Roll 360°@ 0°Pitch and 0° Skew Skew ±70°@ 0°Roll and 0° Pitch
Symbol Contrast	20% minimum reflective difference
Ambient Light Immunity	0-100,000 Lux
Typical Depth of Field	Code39(5mil):20mm-80mm, EAN13(13mil):10mm-160mm QR(15mil):10mm-140mm Data Matrix (15mil):10mm-100mm PDF417 (10mil):10mm-120mm
Decoding ability	(Codabar),(Code 39),(Code 32),(Industrial 2 of 5),(Interleaved 2 of 5),(Standard 2 of 5),(Matrix 2 of 5),(Code 93),(Code 11),(Code 128),(UPC-A),(UPC-E),(EAN/JAN-8),(EAN/JAN-13),(GS1 DataBar(RSS14) (PDF417),(QR Code),(Micro QR),(Data Matrix),(Aztec),(Hanxi code)
Physical	
Weight	Gross:640g
Package	230*170*95mm
Environment	
Working temperature& humidity	0 to 45 degrees centigrade , 10%~80% No condensation
Storage temperature& humidity	-20 to 60 degrees centigrade , 10%~90% No condensation















Model: OCBS-T215

Interface: USB



OCBST2152214100001

Made in China









2D Barcode Scanner
Model: OCBS-T215 Color: Black
Interface: USB
Power Input: 5V1A CE FC

OCBS T2152214100001
Made in China