

OCBS-W233 Auto Bluetooth Mini 1D/2D Wireless Barcode Scanner (M / N: OCBS -W233)

specification

Light resource	CMOS (5600K white LED)
processor	32 bit
Image resolution	1MP (1280 * 800)
Wireless function	2.4G + USB or 2.4G + Bluetooth + USB for optional
Supported symboligies	2D: PDF417, Micro PDF 417, QR Code (QR1 / 2, Micro), Data Matrix, Aztec, Chinese sensitive code 1D: UPC-A, UPC-E, EAN-8, EAN-13, Code128, Code39, Code 93, Code32, Code11, Codabar, Plessey, MSI, Interleaved 2 on 5, IATA 2 on 5, Matrix 2 on 5, Straight 2 of 5, Pharmacode, RSS-14, RSS-14 Expanded, RSS-14 Limited, Com pos ite Code-A, Com pos ite Code-B, Com pos ite Code-C.
Precision	1D ≥ 4 mil (0.10 mm)
	2D ≥ 7 mil (0.10 mm)
Depth of scan field	Code 39-5mil: 60mm-120mm
	UPCA-13mil (100%): 35 mm 310 mm
Decode the error rate	Less than 1/8 million
Print contrast signal	≥ 30th
scanning angle	Yaw (Skew)55th and & Pitch55 °
Battery	2000 mAh (scanning and transmission 30000 times)
Working voltage	5 VDC ± 10%
current	work 250mA ± 5%
Operating temperature	0° C ~ + 50 ° C
Storage temperature	-40 ° C ~ + 70 ° C
Humidity	5% -95%
certifications	CE, IP54, ROHS, FCC ,CEM, RED, LVD
Weight	275g
Box dimensions	190 mm * 115 mm * 85 mm;
Box weight	50 sets / ctn; 16 kg / ctn;
Carton size	600 mm × 450 mm × 420 mm

Product images detail



OCBS-W233





OCBS-W233





OCBS-W233



Packaging & shipment



OCBS-W233





OCBS-W233

