

OCBS-W239 2D Wireless Handheld Wholesale Barcode Scanner

(M/N:OCBS-W239)

Features:

2.4G or 2.4G +Bluetooth for option;
300,000 pixel and global exposure high precision scanning engine;
Low power design can scan 20,000 times;
Scanning high density barcode has high performance;
Superior performance for Small two-dimensional codes;
Cradle is for charging and receiving.

Specification

| General | |
|-------------------------------|---|
| Model | OCBS-W239 |
| Wireless function | 2.4G or 2.4G+Bluetooth for option |
| Battery | 3.7V/2500mAh (20000 times scan and transmission) |
| Prompting Mode | LED / buzzer |
| Working Voltage | +4.2V±10% VDC |
| Working current | 226mA |
| Starting Current | 204mA |
| Standby current | 96mA |
| Shock Specifications | Designed to withstand 1.5m drops |
| Performance | |
| Illumination | White LED |
| Aiming | Red LED |
| Image sensor | CMOS |
| Image resolution | 640*480 |
| Print contrast | ≥ 20% minimum reflective difference |
| scan angle | Roll/Pitch/Yaw:65°Pitch:65°Roll:360° |
| Decoding ability | 1D :Codabar,Code 39,Code 32 Pharmaceutical (PARAF),Interleaved 2 of 5,NEC 2 of 5,Code 93,Straight 2 of 5 Industrial,Straight 2 of 5 IATA,Matrix 2 of 5,Code 11,Code 128,GS1-128,UPC-A,UPC-E,EAN/JAN-8,EAN/JAN-13,MSI,GS1 DataBar Omnidirectional,GS1 DataBar Limited,GS1 DataBar Expanded,China Post(Hong Kong 2 of 5),Korea Post 2D:Codeblock A,Codeblock F,PDF417,Micro PDF417,GS1 Composite Codes,QR Code,Data Matrix,MaxiCode,Aztec,HANXIN Code39(4mil):6-15cm ,Code39(5mil):4-20cm,Code39(13mil):6-35cm QR(15mil):4-20cm, QR(20mil):3-25cm, QR(30mil):3-35cm UPC-A(13mil):4-35cm,ENA-13(5mil): 6-15cm,ENA-13(5mil): 3-35cm |
| Physical | |
| Weight | Gross:290g |
| Package | 122*165*105mm/493g |
| 30 in 1 carton | 525*430*360mm/16.5kg |
| Environment | |
| Working temperature& humidity | 0 to 45 degrees centigrade, 10%~80% No condensation |
| Storage temperature& humidity | -20 to 60 degrees centigrade , 10%~90% No condensation |



















