

Bluetooth Communication 58mm Thermal Receipt Printer (Model No.: OCPP-586-B)

FEATURES:

- Small size and elegant design
- Can drive cash drawer
- High printing speed
- Compatible with ESPON
- Printing head life: 50KM

SPECIFICATION:

Printing Method	Direct thermal
Print Density	384dots/line (203DPI)
Character Size	384dots/line, ANK character, Font: A: 12*24dots, 1.5(W)*3.0(H) mm Simplified/Traditional: 24*24dots, 3.0(W)*3.0(H)mm
Barcode Type	JAN13(EAN13)JAN8(EAN8)CODE39 QR (Optional function)
Printing Command	Compatible with EPSON ESC/POS
Language	OEM437/Katakana/OEM850/OEM860/OEM863/OEM865/West Europe/ Greek/Hebrew/East Europe/Iran/WPC1252/OEM866/OEM852/ OEM858/Iran/Latvian/ Arabic/PT151.1251/OEM747/ WPC1257/Vietnam/OEM864/Hebrew/WPC1255/Thai
Printing Speed	90mm/sec
Paper Width	57.5±0.5mm
Paper Thickness	0.06-0.08mm
MCBF(life)	50km
Dimension	190*132*119mm
Gross Weight	1.2KG
Auto Cutter	manual cutter
Sensor	Paper Near End Sensor, Paper End Sensor, Cover open sensor
Roll Paper	Φ75mm
Interface	RS-232C, Parallel, USB, LAN bluetooth (optional)
Driver	Win 9X, Win 2000, Win 2003, Win XP, Win Vista, Win 7 compatible with ESPON
Printer Supply	DC12V/3A
Cash Drawer Control	DC12V/1A
Working Temperature	0-45 degree C, Humidity: 10-80%
Saving Temperature	-10-60 degree C, Humidity: 10-90%

Pictures:



0CPP-586



www.ocominc.com



ocom
At your side



CE FC   

ocom
At your side



CE FC   

ocom
At your side



CE FC   

ocom
At your side



CE FC   

ocom
At your side



CE FC   



Relevant documents:
[OCPP-586 Spec](#)