

# 80mm Thermal Receipt Printer With Auto Cutter

(M/N:OCP-80K)

## Features:

1. It can be used as top paper coming printer and front paper coming printer
2. It's built-in power adaptor, which avoid messy cord everywhere, saving much space
3. Support 8 kinds abundant interface combination
4. Supports multi 1D barcode and QR code printing
5. Support printer status monitoring function
6. Support printing queuing ticket function
7. 100M Ethernet port, ultra high speed data transmission
8. 256KB NV Logo storage and 256kb big buffer memory
9. 48 or 80mm adjustable paper separator for option
10. 150KM long life printer head

## Specification

Model	OCP-80K
Name	80mm desktop thermal printer with auto cutter
Color	Black
Interface	USB/USB+LAN/USB+BT/USB+WIFI/URL+WIFI/URL+BT/USB+RS232
Power supply	Input:AC 100V-240V 50-60Hz Output:DC 24V/2.5A
Cash drawer	OK 24V/1A
Graphics printing	Supports bitmap download and print (each bitmap size Max 20K)
Printer head lifespan	150KM
Cutter	Auto cutter
Sensors	Paper out, cover open, cutter jam, paper jam and black mark detection(optional)
Buffer	Input buffer:256K/256K/Flash 256K
Accessories	Data cable, power adaptor, power cord, paper roller, CD manual, Paper separator(optional)
OS supporting	Compatible with: Windows, Android, Windows/Linux
Safety standards	CE, FCC, RoHS, etc.
Printing method	Direct thermal line
Resolution	576 Dots/Line or 512 Dots/Line (8dots/mm, 203dpi)
Printing speed	250mm/s (L48) 240mm/s (L48+BT/L4+WIFI) 300mm/s (URL/URL+BT/URL+WIFI)
Print width	72mm
Graphics printing	Supports bitmap download and print
Printing Command	Compatible with ESC/POS
Barcode	1D barcode: UPC-A/UPC-E/JAN13/EAN13/JAN8/EAN8/CODE39/ITF/CODABAR/CODE93/CODE128 2D barcode (QR CODE/Simple USB or QR solution no QR code function)
Character	Standard GB18030 simplified / traditional Chinese Fonts
Character size	36dots/line, ANS character, Font: 8, 12, 14dots, 1.5(W)*3.0(H) mm FontB: 9*17dots 1.1(W)*2.1(H)mm Special font: traditional, 24*46dots, 3.0(W)*3.0(H)mm optional
Japanese/Korea	Optional
User-defined language	PC437/Katakana/PC850/PC860/PC863/PC865/WestEurope/Greek/Hebrew/EastEurope/Iran/WPC1252/PC866/PC852/PC858/Iran/Latvian/Arabic/PT151.1251/PC737/WPC1257/Thai/Vietnam/PC864/PC1001/Latvian/PC1001/PT151.1251/WPC1257/PC864/Thai/Vietnam/Thai
Media	
Paper type	Thermal roll paper
Paper width	48mm/52mm/56mm/64mm/68mm/76mm/80mm
Paper thickness	0.08-0.09mm
Paper roll diameter	8.5mm Max
Paper separator	Optional
Dimension	156*145*35mm
Weight	1.05kg
Package box	300*180*180 mm
12 in 1 carton	615*370*355mm/21.5kg
Working temperature, humidity	0 to 45 degrees centigrade, 10%~80% No condensation
Storage temperature, humidity	-20 to 60 degrees centigrade, 10%~90% No condensation















Thermal Receipt Printer  
Model: OCPP-80K  
Interface: USB&RS232&LAN  
Paper Width: 80mm  
Print Speed: 280mm/sec  
Power Input: 24V/2.5A  
Cash Drawer: 24V/1A  
OCPP80K2137100139  
Made in China  
CE









**Accortl** Thermal Receipt Printer  
Model: TCRP 80  
Power: 1000-12000mAh  
Case: 100x100x100mm  
Color: Black  
Type: 80mm  
Print Speed: 200mm/min  
CE



WQ 80

**MINI PRINTER**

*Join Us*