

# Mini Portable 58mm Bluetooth Thermal Printer

(Model Number: OCPP- M12)

## Features:

Mini size suitable for portable application;

Windows, Java, Linux, Android, IOS operation system supported;

SDK for Android, IOS;

57\*40 paper warehouse;

One printer can connected with up to 8 smart devices (7 Android, one Apple device) visa bluetooth;

7.4V, 1500mA Battery;

Higher print speed 90mm/sec;

50km thermal printer head life;

Multiple languages supported;

ESC/POS command set compatible.

## Specification:

Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Effective print width	48mm
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji

Interface	USB and Bluetooth
Flash	256KB
Power Adapter	5V DC/1A
Battery Power	7.4V DC
Working conditions	Temperature:-10~50 degC, Humidity:10%~90%
Storage conditions	Temperature:-20~70 degC, Humidity:5%~95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized





OCPP-M12





# OCP-PP-M12





# OCPM-M12



## Relevant documents:

[OCPM-M12 Spec](#)