

# 15.6 Inch Windows Multi-point Capacitive Touch POS System

(Model No.: POS-1509)

## Features:

Standard Pentium quad-core 1.6GHz 3710 CPU;  
Support Highest Turbo Frequency to 2.64GHz;  
4GB RAM+64GB SSD;  
15.6 inch LVDS Screen;  
(16:9)1366\*768 resolution;  
Multi-point Capacitive Touch Panel;  
5 million touch lifetime;  
Aluminum base for adjusting the screen elevation angle.

## Specifications:

|                       |  |
|-----------------------|--|
| Model                 | POS-1509   |
| Main board (standard) | Pentium quad-core 1.6GHz 3710 Highest Turbo Frequency 2.64GHz              |
| Main board (option)   | Celeron quad core 1.99 GHz J1900N  |
| OS                    | Windows 7 or 10 demo version without license                               |
| RAM                   | 4GB Standard 8GB for option  |
| Memory                | 64GB SSD standard, 128GB for option  |
| Screen Size           | 15.6 inch Main Screen  |
| Resolution            | 1366*768   |
| Touch Screen          | ten-point capacitive touch screen  |
| Brightness            | 350cd/m <sup>2</sup>   |
| View Angle            | Horizon: 150; Vertical: 140  |
| I/O port              | VGA*1, USB*4, RS232*1, DC input*1<br>RJ45(Ethernet port)*1, Audio output*1 |
| Operating temperature | 0 to 40 degree centigrade  |
| Storage temperature   | -20 to 60 degree centigrade  |
| Power adapter         | 110-240V/50-60HZ AC power Input, DC12/5A output                            |





POS-1509





POS-1509





POS-1509





POS-1509





POS-1509





POS-1509





