

# Wireless 1D Laser Barcode Scanner

(M/N:OCBS-W013)



## Features:

- l. 200MM/S Scan Speed
- m. 10-60cm long depth of field
- n. 70 m long Distance 2.4G Wireless transmission
- o. Compatible with multiple language layouts
- p. 1.5m free fall on concrete surface
- q. 1500mAh lithium-ion battery

## Specification

<b>General</b>	
Model	OCBS-W013
Color	white,black
Material	ABS+PVC+PC
IP Grade	IP52
Processor	32-bit MCU
Button Life	>100000
Interface	USB cable;Wireless 2.4G transmission
Language Supported	English(Customizable language)
Power Supply	5V ±5% ,Built-in 3.7v 1500mAh lithium-ion battery
Operating current	50MA(operating mode); 30MA(standby mode)100MA(maximum peak)
Prompt Mode	Buzzer, Indicator Light(LED)
Trigger Mode	Manual ;Continuous scanning
Memory	64K(About 3500 14bit 1D barcodes)(the memory capacity can be customized)
Working time	about 24 hours
Charging time	6-7 hours
ESD Protection	15KV air discharge
Shock Resistance	1.5m free fall on concrete surface
System Supported	Linux,Android,Windows XP,7,8,10,MAC
<b>Performance</b>	
Light source	Visible laser diode, wave length 650nm
Scanning speed	200 scans/sec
Scanning Distance	10mm-600mm
Print Contrast	35%
Resolution	4mil
Transmission Distance	70m
Reading Mode	laser
Scanning Angel	Roll35°;Pitch65°;Yew65°
Scanning Depth	Code39 5mil:3cm - 8cm Code39 10mil:4cm - 45cm
Bit Error Rate	1/5000000
Decoding ability	Code25-Interleaved    Code25-Standard    Code25-Matrix Code39-Regular        Code39-FullASCII    Code32 Code93-Regular        Code93-FullASCII    Code128
<b>Physical</b>	
Weight	Gross:300g
Package	183*118*85mm
20 in 1 carton	460*400*270mm/7.05kg
<b>Environment</b>	
Working temperature& humidity	0 to 45 degrees centigrade, 10%~80% No condensation
Storage temperature& humidity	-20 to 60 degrees centigrade , 10%~90% No condensation









