

# 17-inch Bezel-Free LCD Display POS Monitor Capacitive Touch Screen Monitors for POS System

(Model No: TM-1701C)

## Features:



Multifunctional setting key;

Multi-point capacitive touch panel;

Grade A LCD panel with LED backlight;

High resolution 1280\*1024@60HZ;

Suitable for all kinds of high-intensity working environment.

## Specification:

|          |   |
|----------|---|
| Model    | TM-1701C  |
| Name     | 17 inch touch screen monitor                                |
| Color    | Whole black color machine                                   |
| Material | Metal base , metal front frame with plastic back cover      |
| VESA     | 75*75mm for wall mounting(need extra wall mounting bracket) |

|                           |   |
|---------------------------|---|
| OSD Language              | Support 8kinds of international languages   |
| Display                   |   |
| Display area              | 337.92(W)×270.336(H) mm   |
| Pixel pitch               | 0.264*0.264   |
| Aspect ratio              | 5:4   |
| Resoluiton                | 1280*1024   |
| Brightness                | 300cd/m2  |
| Contrast                  | 1000:1  |
| Display color             | 16.7M   |
| View angle                | Horizon: 170; Vertical :160   |
| Response time             | 5ms   |
| Touch function            |   |
| Touch screen              | Multi-point capacitive tocuh panel  |
| Structure                 | G+G□Cover Glass+LOCA+ITO+Glass□   |
| Responding speed          | <5ms  |
| Total light transmittance | 85% above   |
| Touch life                | >50,000,000 times   |
| Connectivity              |   |
| Rear I/O                  | 12V DC in jack*1  |
|                           | USB *1 for touch function   |
|                           | 15PIN D-sub VGA *1  |
|                           | HDMI*1 for option   |
|                           | Audio in*1 for option (built in speaker for option)   |
| Side key function         | Auto, Menu,Up,Down,Power Swicth   |
| Environment               |   |
| Operating temperature     | 0 to 40 degrees centigrade  |
| Storage temperature       | -10 to 60 degrees centigrade  |
| Working humidity          | 10%~80% No condensation   |
| Storage humidity          | 10%~90% No condensation   |
| Package                   |   |
| Package with foam inside  | 470*230*420mm/8.0kg   |
| 4 in 1 carton             | 710*450*370mm/27kg  |
| Accessories               |   |
| Power adapter             | 110-240V/50-60HZ AC power input ,DC12V/4A output adaptor  |
| Cable                     | Power cord compatible with USA /EU / UK etc and customized available,USB cable for touch,VGA cable(HDMI cable for option) |
| Touch related             | Touch pen   |





















# Application



Bar



Restaurant



Coffee Store



Mile Tea Store



Bakery



Convenience Store



Library



Supermarket

# FACTORY STRENGTH



