

19-inch Touch Screen LCD Display

(Model No: TM-1901)

Features:



Multifunctional setting key;

5 or 4 wire touch panel for option;

Grade A LCD panel with LED backlight;

High resolution 1280*1024@60HZ;

Suitable for all kinds of high-intensity working environment.

Specification

| | |
|----------|--|
| Model | TM-1901 |
| Name | 19 inch touch screen display |
| Color | Whole black color machine usually |
| Material | Metal base with plastic body |
| VESA | 75*75mm for wall mounting(need extral wall mounting bracket) |

| | |
|---------------------------|---|
| OSD Language | Support 8kinds of international languages |
| Display | |
| Display area | 376.32(W)×301.056(H) mm |
| Pixel pitch | 0.294*0.294 |
| Aspect ratio | 4:3 |
| Resoluiton | 1280*1024 |
| Brightness | 300cd/m2 |
| Contrast | 1000:1 |
| Display color | 16.7M |
| View angle | Horizon: 170; Vertical :160 |
| Response time | 5ms |
| Touch function | |
| Touch screen | 5-wire resistive touch panel,4-wiretouch screen for option |
| Structure | ITO Film and ITO Glass FIT |
| surface treatment | Fog surface, anti-glare |
| Responding speed | <5ms |
| Surface hardness | Pencil hardness:3H |
| Total light transmittance | Up to 85% |
| Touch life | >35000000 times |
| Connectivity | |
| Rear I/O | 12V DC in jack*1 |
| | USB *1 for touch function |
| | 15PIN D-sub VGA *1 |
| | HDMI*1 for option |
| | Audio in*1 for option (built in speaker for option) |
| Side key function | Auto, Menu,Up,Down,Power Swicth |
| Environment | |
| Operating temperature | 0 to 40 degrees centigrade |
| Storage temperature | -10 to 60 degrees centigrade |
| Working humidity | 10%~80% No condensation |
| Storage humidity | 10%~90% No condensation |
| Package | |
| Package with foam inside | 570*130*500mm/7.5kg |
| 5 in 1 carton | 570*490*500mm/28kg |
| Accessories | |
| Power adapter | 110-240V/50-60HZ AC power input ,DC12V/4A output adaptor |
| Cable | Power cord compatible with USA /EU / UK etc and customized available,USB cable for touch,VGA cable(HDMI cable for option) |
| Touch related | Touch pen,driver disk |
| Other | |
| Certification | CE,ROHS,CCC,FCC |













