

## 15.6 inch Capacitive Touch Monitor

(M/N:TM1506)

### FEATURES:

High resolution: Support 1366\*768;

Brand new BOE LCD screen;

Multi-point Capacitive Touch Panle;

VGA port and VGA cable for standard;

HDMI port built-in cable for optional;

Lifetime: 50 million touch;

Sturdy base for adjusting the screen elevation angle;

Can be wall mounted.

### SPECIFICATION:

|                        |  |
|------------------------|--|
| LCD Screen Size        | 15.6"  |
| Aspect Ratio           | 16:9   |
| Resolution             | 1366*768   |
| Pixel Pitch(mm)        | 0.297  |
| Number of colors       | 16.2M  |
| Contrast Ratio         | 700/1  |
| Brightness             | 400cd/m <sup>2</sup>   |
| Response Time          | 8ms  |
| Touch Panel            | 15.6" Multi-point Capacitive Touch Panle                     |
| Interface              | VGA for monitor,USB for touch screen HDMI cable for Optional |
| Power                  | 12V DC 3A  |
| Operating Temperature  | -10C ~60C  |
| Endurance Test strikes | Over 10millions  |
| Linearity              | 1.50%  |
| Film Thickness         | 0.175mm, 0.188mm   |
| Glass Thickness        | 0.7mm, 1.1mm,1.8mm   |
| Humidity               | <95%   |





TM1506





TM1506





TM1506





TM1506





TM1506





TM1506







TM1506

