

# 1D Laser Barcode Scanner

(M/N:OCBS-L017)



## Features:

- l. 200MM/S Scan Speed
- m. 10-40cm long depth of field
- n. Compatible with multiple language layout
- o. 1.5m free fall on concrete surface
- p. Can switch to manual,continuous scanning

## Specification

<b>General</b>	
Model	OCBS-L017
Material	ABS+PVC+PC
Language	multiple languages
Interface	USB
Trigger Mode	Manual , Continuous scanning
Operating Current	50mA(Operating), 40mA(Stand By), 100mA(Max)
Power Supply	DC 5V±5%
Quiescent Current	20mA
ESD Protection	15KV air discharge
Shock Resistance	1.5m free fall on concrete surface
<b>Performance</b>	
Scan Speed	200 scans per second
Scanning Depth	2—9cm(0.1mm Width), 3—30cm(0.3mm Width)
Width of Scan	Min 0.1mm(4mils)
Print contrast	25%≥
Scanning Distance	10-400mm Roll 60°, Pitch45°
Light Source	visible laser 650nm
Decode Capability	1D□UPC-A,UPC-E,EAN-8,EAN-13,Code 128, Code 39,Code 93, Interleaved 2 of 5,Matrix 2 of 5,Industrial 2 of 5, Standard 2 of 5(IATA25) ,Codabar□NW-7□,etc.
<b>Physical</b>	
Casing Size	150mm * 70mm * 95mm
<b>Environment</b>	
Working temperature& humidity	0 to 45 degrees centigrade, 10%~80% No condensation
Storage temperature& humidity	-20 to 60 degrees centigrade , 10%~90% No condensation











# Application



Logistics



Warehouse Management



Clothes Store



Accessory Store



Bakery



Convenience Store



Library



Supermarket