

Stampante termica BluetoothLabel da 3 pollici (M / N: OCBP -M80)

caratteristica:

1. Etichetta di stampa adesivo e ricevuta
2. Facile per impostare la densità di stampa e Langue
3. Multi-interfaccia e supporto diverso formato carta
4. LCDdisplay può mostrare le impostazioni dei parametri della stampante
5. Cancrickly stampa imge codici a barre e moduli.
6. Supporto MultiSensored il segno nero,Intervallo di etichette e rilevamento fine carta

Metodo di stampa	Linea termica
Velocità di stampa	80mm / s (carta termica)
	70mm / s (etichetta adesiva)
Risoluzione	8 punti / mm
	576 punti / linea
Efficace larghezza di stampa	72 millimetri / 48 millimetri / 37,5 millimetri
Set di caratteri	ASCII, GB18030 (cinese), BIG5, Codepage
Stampa carattere	Font A: 12 * 24; Carattere B: 8 * 16
Carattere definito automaticamente	sì
Tipo di carta	Carta termica / Carta per etichette
Larghezza della carta	80mm / 58mm / 44mm per carta termica
Diametro rotolo carta	40mm (max.)
Diametro interno del nucleo del rotolo	13 millimetri (min.)
Spessore della carta	0,06 ~ 0,16 millimetri
Metodo di alimentazione della carta	Caricamento della carta facile da caricare
TPH	50 km
Codice a barre	1D: EAN-13, EAN-8, UPC-A, UPC-E, CODE39, CODE93, CODE128, CODABAR, INTERLEAVED 25
	2D: PDF417,QR CODE,DATA Matrix
Comando	CPCL / ESC- POS
autista	Windows 98 / ME / 2000 / NT / XP / 2003 Server / Vista / Win7 / Win 8
Sensore	Sensore fine carta, segno nero, intervallo etichetta
Interfaccia	USB / Bluetooth
Pulsante	Alimentazione, alimentazione, modalità
Indicatore	Alimentazione, alimentazione, modalità
Memoria	Flash: 512 kb; RAM: 128kb
Ricevi dimensioni del buffer	32K


SDK	Windows CE; Windows Mobile 5.0 / 6.0; Symbian; Blackberry e Android
Multi-lingue	46 codici
Alimentazione (adattatore)	DC8.4V / 1A
Carica batteria	Batteria ricaricabile agli ioni di litio da 7,4 V, 1,65 A, 1400 mAh
Carica batterie	100 m di stampa continua
Tempo di ricarica	meno di 3 ore
Durata della batteria	360 ore
Peso netto	196g
Peso lordo	360g (compresa batteria e rotolo di carta)
Dimensione stampante (WxLxH)	104mm x109mm x 48mm
Colore	Nero
Temp. Operativa	-10-50 ° C
Umidità operativa	10% -80%
Applicazione	Ristoranti, Grandi Magazzini, Cucina, Minimarket, Negozi al dettaglio, Supermercato
Accessori	Batteria, caricabatterie Cavo USB, CD Driver, custodia in pelle e rotolo di carta
	Opzione: caricatore del veicolo
PackageSize	210 mm x 155 mm x 90 mm (1,5 kg)




**3 Inches Bluetooth
Thermal Label Printer
OCBP-M80**



Product Picture





Features:

Support label sticker
and receipt paper printing



LCD display can show the
printer parameter settings



Easy to set the print language and density



Multiple Sensor Supported Black mark, Label interval and Paper end detection

Application Area



Traffic police enforcement



Logistics transportation



Drug regulatory



Warehouse



Supermarket



File management



Library



Hospital

Parameter

Printing Method	Thermal Line
Printing Speed	80mm/s (Thermal Paper) 70mm/s (Label Sticker)
Resolution	8 dots/mm 576 dots/line
Effective Printing Width	72mm/48mm/37.5mm
Character Set	ASCII, GB18030 (Chinese), BIG5, Codepage
Print Font	Font A: 12*24; Font B: 8*16
Self-defined Character	Yes
Paper Type	Thermal paper/Label Sticker
Paper Width	80mm/58mm/44mm for thermal paper
Paper Roll Diameter	40mm(max.)
Roll Core Inner Diameter	13mm(min.)
Paper Thickness	0.06~0.16mm
Paper Supply Method	Drop-in easy paper loading

TPH	50km
Barcode	1D: EAN-13, EAN-8, UPC-A, UPC-E, CODE39, CODE93, CODE128, CODABAR, INTERLEAVED 25
	2D: PDF417, QR CODE, DATA Matrix
Emulation	CPCL/ESC-POS
Driver	Windows 98 / ME / 2000 / NT / XP / 2003 Server/Vista/Win7/Win 8
Sensor	Paper End Sensor,Black Mark, Label Interval
Interface	USB/Bluetooth
Button	Power, Feed, Mode
Indicator	Power, Feed, Mode
Memory	Flash: 512kb; RAM: 128kb
Receive Buffer Size	32K
SDK	Windows CE; Windows Mobile 5.0/6.0; Symbian; Blackberry and Android
Multi-languages	46 codepages
Power Supply (Adapter)	DC9V/2A
Battery Power	7.4V, 1.65A rechargeable Li-ion battery
Battery Charge	100m continuous printing
Charge Time	less than 3 hours
Battery Duration	360 hours
Net Weight	196g
Gross Weight	360g (Including battery & roll paper)
Printer Dimension(WxLxH)	104mm x109mm x 48mm
Color	Black
Operating Temp	-10-50Celsius
Operating Humidity	10%-80%
Application	Restaurants, Department Stores, Kitchen, Convenience Stores, Specialty Retail, Supermarket
Accessories	Battery,Charger USB Cable,CD Driver,Leather Case and Paper-roll
	Option: vehicle charger
PackageSize	210mm x 155mm x 90mm(1.5kg)

Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE. FCC. TUV. RoHs and



other certifications. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments:


✓ Indicates information has been verified onsite by a certification specialist

Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15


Certification:





- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

Packing and Shipment:



Double wall corrugated board



Double outer cartons

Marks and fragile stickers



Outer protective film



Payment:



secure payment



Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Company Profile

||| **Company Profile**



TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .

Documenti rilevanti:

[OCBP -M80 Spec](#)